

| Year | Author(s) | Title | Citation |
|-------------|---------------------------------------|--|---|
| 1946 | Murray NE and Reid G | Experimental observation on the aural effects of gunblast. | Medical Journal of Australia, 1:611-617. |
| 1946 | Murray NE and Reid G | Temporary deafness due to gunfire. | Journal of Laryngology & Otology, 61: 92-130. |
| 1946 | Reid G | Further observations of temporary deafness following exposure to gunfire. | Journal of Laryngology & Otology, 61:609-33. |
| 1948 | Murray NE | Deafness following maternal rubella: its management and applications. | C.A.L. Report No. 1. Commonwealth Acoustic Laboratory, Erskine House, Sydney. |
| 1949 | Murray NE | Deafness following maternal rubella: its management and applications. | Medical Journal of Australia, 1:126-30. |
| 1955 | Murray NE | The C.A.L. PBP speech perception tests for deaf children | C.A.L. Report No. 9. Commonwealth Acoustic Laboratories, Customs House, Sydney. |
| 1956 | Murray NE and Piesse RA | Acoustic insulation of flying helmets | C.A.L. Report No. 10. Commonwealth Acoustic Laboratories, Customs House, Sydney. |
| 1957 | Carter NL and Farrant NH | Australian application of I.C.A.O aircrew hearing standards. | C.A.L. Report No. 12. Commonwealth Acoustic Laboratories, Customs House, Sydney. |
| 1957 | Murray NE, Piesse RA and Docherty IS | Aircraft noise around Sydney airport. | C.A.L. Report No. 11. Commonwealth Acoustic Laboratories, Customs House, Sydney. |
| 1958 | Farrant RH | The audiometric testing of children in schools and kindergartens. | C.A.L. Report No. 14. Commonwealth Acoustic Laboratories, Sydney. |
| 1958 | Piesse RA | Noise at Sydney opera house site. | C.A.L. Report No. 13. Commonwealth Acoustic Laboratories, Customs House, Sydney. |
| 1960 | Farrant RH | The audiometric testing of children in schools and kindergartens. | Journal of Auditory Research, 1:1-24. |
| 1960 | Kossoff G | Calibration of ultrasonic therapeutic equipment | C.A.L. Report No. 16. Commonwealth Acoustic Laboratories, Sydney. |
| 1961 | Farrant RH | The study of the communication disorders at Northwestern University. | The USA Journal of the Australian College of Speech Therapists, 11:47-52. |
| 1961 | Farrant RH | Children with aphasic and other psychoneurological communication disorders in N.S.W. | C.A.L. Report No. 18. Commonwealth Acoustic Laboratories, Sydney. |
| 1962 | Carter NL and Kryter KD | Studies of temporary threshold shift caused by high intensity acoustic transients. | Report No. 949. Cambridge, Mass.: Bolt Beranek & Newman Inc. |
| 1962 | Carter NL and Kryter KD | Masking of pure tones and speech. | Journal of Auditory Research, 2:66. |
| 1962 | Kossoff G | Design of weakly focusing ultrasonic transducers. | C.A.L. Report No. 17. Commonwealth Acoustic Laboratories, Sydney. |
| 1962 | Kossoff G | Physical instrumentation for the application of ultrasound in vestibular disturbances. | C.A.L. Report No. 20. Commonwealth Acoustic Laboratories, Sydney. |
| 1962 | Murray NE | Hearing impairment and compensation. | Journal of the Otolaryngological Society of Australia, 1:135-145. |
| 1962 | Piesse RA | Ear protectors | C.A.L. Report No. 21. Commonwealth Acoustic Laboratories, Sydney. |
| 1962 | Piesse RA, Rose JA and Murray NE | Hearing conservation in industrial noise. | C.A.L. Report No. 19. Commonwealth Acoustic Laboratories, Sydney. |
| 1963 | Carter NL | Loudness of triangular transients. | Journal of Auditory Research, 3:255-289. |
| 1963 | Macrae JH, Woodroffe P and Farrant RH | Standardisation of the CAL recordings of phonetically balanced monosyllabic word lists. | Journal of the Otolaryngological Society of Australia, 1:197-203. |
| 1963 | Temby AC | Active filter synthesis using feedback building blocks. | Proceedings IREE Australia, 24:631-638. |
| 1964 | Carter NL and Luckcuck K | Noise of speedboat carnival on lake Burley Griffin, 14th March, 1964 | C.A.L. Report No. 29. Commonwealth Acoustic Laboratories, Sydney. |
| 1963 | Farrant RH | The aphasias in children: Myklebust's approach and some Australian derivations. | Journal of the Australian College of Speech Therapists, 13:6-11. |
| 1964 | Farrant RH | The artificial electronic larynx and its place in the rehabilitation of some laryngectomees. | Journal of the Australian College of Speech Therapists, 14:15-19. |
| 1964 | Farrant RH | The intellectual abilities of deaf and hearing children compared by factor analysis. | American Annals of the Deaf, 109:306-325. |
| 1964 | Farrant RH | A social survey approach to the problems of noise and vibration etc., from brickpits and quarries. | C.A.L. Report No. 28. Commonwealth Acoustic Laboratories, Sydney. |
| 1964 | Kossoff G and Robinson DE | Measurement of very low ultrasonic outputs. | C.A.L. Report No. 25. Commonwealth Acoustic Laboratories, Sydney. |
| 1964 | Liu CN | A transistorised triangular-pulse generator. | Proceedings IREE Australia, 25:601-603. |
| 1964 | Liu CN, Kossoff G and Robinson DE | Design of video logarithmic amplifiers for ultrasonic echoscopes. | C.A.L. Report No. 24. Commonwealth Acoustic Laboratories, Sydney. |
| 1964 | Piesse RA and Luckcuck K | Effect of blast from 105 mm Howitzer firing gunpowder and cordite blank ammunition. | C.A.L. Report No. 30. Commonwealth Acoustic Laboratories, Sydney. |
| 1964 | Robinson DE and Kossoff G | The C.A.L. two channel ultrasonic neuroscope | C.A.L. Report No. 23. Commonwealth Acoustic Laboratories, Sydney. |
| 1964 | Temby AC and Farrant RH | The C.A.L. transistorized multipurpose audiometer with automatic presentation of stimuli. | C.A.L. Report No. 26. Commonwealth Acoustic Laboratories, Sydney. |
| 1965 | Carter NL | Effect of repetition rate on the loudness of triangular transients. | Journal of the Acoustical Society of America, 37:308-312. doi: 10.1121/1.1909327 |
| 1965 | Carter NL and Gallo RP | Effect of peak level on the loudness of triangular transients. | Journal of Auditory Research, 5:119-131. |
| 1965 | Kossoff G, Robinson DE and Garrett WJ | The C.A.L. abdominal ultrasonic echoscope. | C.A.L. Report No. 31. Commonwealth Acoustic Laboratories, Sydney. |
| 1965 | Macrae JH and Farrant RH | The effect of hearing aid use on the residual hearing of children with sensorineural deafness. | Annals of Otolaryngology, Rhinology, and Laryngology, 74:409-419. |
| 1965 | Temby AC | Sound diffraction in the vicinity of the human ear. | Acustica, 15:220-222. |

| Year | Author(s) | Title | Citation |
|--------------|---------------------------------------|--|--|
| 1966 | Carter NL | The effect of spectrum on the loudness of impulse noise. | C.A.L. Report No. 50. Commonwealth Acoustic Laboratories, Sydney. |
| 1966 | Carter NL and Macrae JH | An improved hearing test for six months old infants | C.A.L. Report No. 32. Commonwealth Acoustic Laboratories, Sydney. |
| 1966 | Dudley PF | Outline of training programme for C.A.L. psychologists | C.A.L. Report No. 34. Commonwealth Acoustic Laboratories, Sydney. |
| 1966 | Farrant RH and Skurr B | Measuring the acoustic impedance of severely deaf ears to test for conductive component. | Journal of the Otolaryngological Society of Australia, 2(1):49-53. |
| 1966 | Kossoff G | The CAL round window ultrasonic generator for the treatment of Meniere's disease. | C.A.L. Report No. 35. Commonwealth Acoustic Laboratories, Sydney. |
| 1966 | Kossoff G and Robinson DE | Essential basic physics in diagnostic ultrasound. | C.A.L. Report No. 39. Commonwealth Acoustic Laboratories, Sydney. |
| 1966 | Macrae JH | The intelligibility of filtered speech for a binaural synthesis speech test. | C.A.L. Report No. 36. Commonwealth Acoustic Laboratories, Sydney. |
| 1967 | Brigden D | Observer variability and inaccuracy in measuring noise in octave and third-octave bands | C.A.L. Report No. 45. Commonwealth Acoustic Laboratories, Sydney. |
| 1967 | Carter NL | An evaluation of the toy "Sonic Blaster Zero-M" as a hazard to hearing. | C.A.L. Report No. 53. Commonwealth Acoustic Laboratories, Sydney. |
| 1967 | Carter NL | Hearing damage risk criteria and impulse noise. | C.A.L. Report No. 55. Commonwealth Acoustic Laboratories, Sydney. |
| 1967 | Dudley P | Evoked response audiometry and individual loudness functions. | C.A.L. Report No. 53. Commonwealth Acoustic Laboratories, Sydney. |
| 1967 | Robinson DE, Garrett WJ and Kossoff G | Ultrasonic echoscopy in clinical obstetrics and gynaecology. | C.A.L. Report No. 40. Commonwealth Acoustic Laboratories, Sydney. |
| 1967 | Tonkin EJ | Overseas observations on recent developments in audiology and psychology. | C.A.L. Report No. 41. Commonwealth Acoustic Laboratories, Sydney. |
| 1968 | Carter NL, Waugh RL and Brigden D | Evaluation of the CVC helmet as a communications headset and ear protector for use in the XM551 armoured fighting vehicle | C.A.L. Report No. 47. Commonwealth Acoustic Laboratories, Sydney. |
| 1968 | Macrae JH | Deterioration of the residual hearing of children with sensorineural deafness. | Acta oto-laryngologica, 66:33-39. |
| 1968 | Macrae JH | TTS and recovery from TTS after use of powerful hearing aids. | Journal of the Acoustical Society of America, 43:1445-1446. doi:10.1121/1.1911005 |
| 1968 | Macrae JH | Recovery from TTS in children with sensorineural deafness. | Journal of the Acoustical Society of America, 44:1451. doi:10.1121/1.1911281 |
| 1968 | Upfold L | Testing hearing in young children. | Journal of the C'wealth Department of Health 18/2:5-7. |
| 1969 | Carter NL | Effects and non-effects of noise in industry. | C.A.L. Report No. 51. Commonwealth Acoustic Laboratories, Sydney. |
| 1969 | Macrae JH and Skurr B | A note on a proposed vibratory method of eliciting the endaural muscle reflex. | Journal of the Otolaryngological Society of Australia, 2(4): 74-8. |
| 1970 | Macrae JH | A discussion of non-acoustic methods of eliciting the middle-ear muscle reflexes. | Journal of the Otolaryngological Society of Australia, 3:102-105. |
| 1970 | Macrae JH | The effect of a below-threshold continuous tone on the threshold of subjects with abnormal adaptation. | Acta oto-laryngologica, 69:341-345. |
| 1970 | Robinson DE, Garrett WJ and Kossoff G | Safety margins in diagnostic ultrasound. | C.A.L. Report No. 48. Commonwealth Acoustic Laboratories, Sydney. |
| 1970 | Upfold LJ | Deafness following rubella in pregnancy. | Medical Journal of Australia, 1:420-424. |
| 1971 | Carter NL | Temporary hearing loss due to prolonged noise exposure. | C.A.L. Report No. 56. Commonwealth Acoustic Laboratories, Sydney. |
| (1971; 1979) | Carter NL | The effects and non-effects of noise in industry. | In: Ergonomics in the Australian Workplace. Melbourne: Productivity Promotion Council of Australia. 1 st ed. 1971; 2 nd rev. ed. 1979. |
| 1971 | Macrae JH | The acoustic impedance of the human ear: principles and diagnostic application. | Journal of the Otolaryngological Society of Australia, 3:211-220. |
| 1971 | Macrae JH | An investigation of the tympanic muscle reflexes elicited by acoustic and meatal tactile stimulation. | Journal of the Otolaryngological Society of Australia, 3:221-225. |
| 1971 | Macrae JH | Noise-induced hearing loss and presbycusis. | Audiology, 10: 323-333. |
| 1971 | Rose JA | Noise zoning: a logical approach. | Shire and municipal record 64: 229-33. |
| 1971 | Upfold LJ | Hearing aids for children. | Otolaryngologic Clinics of North America, 4:411-421. |
| 1971 | Waugh RL | Round robin test on evaluation of the loudness level of impulsive noise; arranged by the International Organisation for Standardisation. | C.A.L. Report No. 57. Commonwealth Acoustic Laboratories, Sydney. |
| 1972 | Byrne DJ | Some implications of body baffle for hearing aid selection. . | Sound, 6:86-91. |
| 1972 | Byrne DJ and Green AC | Hearing aids: Their use by the aged. | C.A.L. Report No. 59. Commonwealth Acoustic Laboratories, Sydney. |
| 1972 | Carter NL | Effects of rise time and repetition rate on the loudness of acoustic transients. | Journal of Sound and Vibration, 21: 227-239. |
| 1972 | Gore GB | The C.A.L. transistorized audiometer Type D3 (Revision of C.A.L. Report No. 26) | C.A.L. Report No. 58. Commonwealth Acoustic Laboratories, Sydney. |
| 1972 | Green AC and Byrne DJ | The pensioner hearing aid scheme: a survey in South Australia. | Medical Journal of Australia, 2:1113-1116. |

| Year | Author(s) | Title | Citation |
|-------------|---|--|--|
| 1972 | Keen KJ | Preservation of constant loudness with interaural amplitude asymmetry. | Journal of the Acoustical Society of America, 52:1193-1196. doi:10.1121/1.1913231 |
| 1972 | Macrae JH | Effects of body position on the auditory system. | Journal of Speech and Hearing Research, 15:330-339. |
| 1972 | Macrae JH | A theoretical investigation of cochlear effects on the acoustic impedance of the ear. | Journal of Auditory Research, 12:265-270. |
| 1972 | Murphy PA | The child with progressive deafness. | Australian Teacher of the Deaf, 13:95-98. |
| 1972 | Upfold LJ | Unusual findings in a Bekesy audiogram. | Journal of Speech and Hearing Disorders, 37:132-137. |
| 1973 | Byrne DJ | Effective use of hearing aids by young deaf children. | Australian Teacher of the Deaf, 13:48-57. |
| 1973 | Carter NL and Dunlop JI | The effect of rise time and repetition rate on the thresholds for acoustic transients. | Journal of Sound and Vibration, 30:359-366. |
| 1973 | Macrae JH | The acoustic impedance of the ear in a case of acoustic neuroma. | Journal of the Otolaryngological Society of Australia, 3:513-515. |
| 1973 | Macrae JH | Acoustic neuromas and the acoustic impedance of the ear. | Journal of Speech and Hearing Disorders, 38:345-353. |
| 1973 | Macrae JH and Brigden DB | Auditory threshold impairment and everyday speech reception. | Audiology, 12:272-290. |
| 1973 | Upfold LJ | C.R.O.S. aids: concepts and studies. | Journal of the Otolaryngological Society of Australia, 3:502-507. |
| 1973 | Upfold LJ, Fifield DB, Murphy PA, Forster SE, Serradura A, Peters V and Lyrmont M | Permanent childhood deafness in Australia: incidence and trends, 1954-1971. | Medical Journal of Australia, 2:57-61. |
| 1973 | Waugh RL | The dBA attenuation of ear protectors. | Journal of the Acoustical Society of America, 53:440-447. |
| 1974 | Byrne DJ and Dermody PJ | An incidental advantage of binaural hearing aid fittings: the cross-over effect. | British Journal of Audiology, 8:109-112. |
| 1974 | Byrne DJ and Fifield DB | Evaluation of hearing aid fittings for infants. | British Journal of Audiology, 8:47-54. |
| 1974 | Goodall LJ | Permanent childhood deafness in Australia: incidence and trends 1957-1973. | Journal of the Otolaryngological Society of Australia, 3:643-646. |
| 1974 | Macrae JH | Body inversion and the acoustic immittance of the ear. | Journal of Speech and Hearing Research, 17:310-320. |
| 1974 | Waugh RL | Pure-tone, third-octave and octaveband attenuation of ear protectors. | Journal of the Acoustical Society of America, 56:1866-1869. |
| 1974 | Upfold LJ | Hearing aids: binaural fitting and the future. | Australian Teacher of the Deaf, 15:25-29. |
| 1975 | Burgess VR | A new system for wireless linked auditory trainers and hearing aids. | Australian Teacher of the Deaf, 15:26-30. |
| 1975 | Byrne DJ and Dermody PJ | Binaural hearing aids. | Hearing Instruments, 26(7):22-3, 26. |
| 1975 | Byrne DJ and Dermody PJ | Localisation of sounds with binaural body-worn hearing aids. | British Journal of Audiology, 9:107-115. |
| 1975 | Byrne DJ and Dermody PJ | Some opinions of teachers of the deaf concerning binaural hearing aids. | Australian Teacher of the Deaf, 16:13-20. |
| 1975 | Carter NL, Bulteau VG, Gray CH, Macsween L and Ferris M | Report of a study on the effect of environmental noise on children's hearing. | NAL Report No. 63. Commonwealth Acoustic Laboratories, Sydney. |
| 1975 | Dermody PJ and Byrne DJ | Variability in speech test performance for binaural hearing aid evaluations. | NAL Report No. 62. National Acoustic Laboratories, Sydney. |
| 1975 | Dermody PJ and Byrne DJ | Auditory localisation by hearing-impaired persons using binaural in-the-ear hearing aids. | British Journal of Audiology, 9:93-101. |
| 1975 | Dermody PJ and Byrne DJ | Loudness summation with binaural hearing aids. | Scandinavian Audiology, 4:23-28. |
| 1975 | Macrae JH | A procedure for classifying degree of hearing loss. | Journal of the Otolaryngological Society of Australia, 4:26-35. |
| 1975 | Tonisson W | Measuring-in-the-ear gain of hearing aids by the acoustic reflex method. | Journal of Speech and Hearing Research, 18:18-30. |
| 1975 | Waugh RL | Recent developments in the evaluation and selection of ear protectors. | Control, 2(2):75-82. |
| 1976 | Byrne DJ | Comment on selecting hearing aids for young children. | British Journal of Audiology, 10:55-56. |
| 1976 | Byrne D | Gain and frequency response requirements of hearing aids for persons with sensorineural hearing impairments. | NAL Report No. 64. National Acoustic Laboratories, Sydney. |
| 1976 | Byrne DJ and Tonisson W | Selecting the gain of hearing aids for persons with sensorineural hearing impairments. | Scandinavian Audiology, 5:51-59. |
| 1976 | Carter NL | Investigation of an abbreviated form of the psychophysical staircase method for use in audiometry. | NAL Report No. 66. National Acoustic Laboratories, Sydney. |
| 1976 | Carter NL, Macsween L, Bulteau VG, Gray CH and Ferris M | Environmental noise and pure tone thresholds. | Journal of Sound and Vibration, 46:259-278. |
| 1976 | Christen R and Plant G | Considerations in the selection and use of auditory training equipment. | NAL Report No. 65. National Acoustic Laboratories, Sydney. |
| 1976 | Dermody PJ | Auditory processing factors in children with language disorders. | Australian Journal of Human Communication Disorders, 4:47-55. |
| 1976 | Macrae JH and Bulteau VG | Cochlear effects in tympanometry. | Journal of Auditory Research, 16:102-113. |

| Year | Author(s) | Title | Citation |
|-------------|--|--|--|
| 1976 | Plant GL | Aural rehabilitation programmes for deafened adults. | Australian Journal of Human Communication Disorders, 4:15-18. |
| 1976 | Waugh RL | Calculated in-ear A-weighted sound levels resulting from two methods of hearing protector selection. | Annals of Occupational Hygiene, 19:193-202. |
| 1976 | Waugh RL | Investigation of sound level conversion as a means of rating ear protector performance. | American Industrial Hygiene Association Journal, 37:239-245. |
| 1977 | Burgess VR and Christen R | Entwicklung eines neuartigen drahtlosen Horsystems fur Horgeschaadigte. = ('A new wireless hearing aid development'). | Horgeschaadigte Kinder, 14(Nov):185-192. |
| 1977 | Byrne DJ | The speech spectrum: some aspects of its significance for hearing aid selection and evaluation. | British Journal of Audiology, 11:40-46. |
| 1977 | Carter NL | A method for evaluating community response to noise from military firing ranges. | NAL Report No. 67. National Acoustic Laboratories, Sydney. |
| 1977 | Dillon H | Effect of leakage on the low frequency calibration of supra aural headphones. | Journal of the Acoustical Society of America, 61:1383-1386. |
| 1977 | Dunsmore PA | A method for measuring low ambient noise levels. | NAL Report No. 68. National Acoustic Laboratories, Sydney. |
| 1977 | Fifield DB, Earnshaw R and Smither MF | A new ear impression technique. | Hearing Instruments, 28(12):11-12, 40-41. |
| 1977 | Murphy PA | Etiologies of childhood deafness in Victoria. | Journal of the Otolaryngological Society of Australia, 4:108-111. |
| 1977 | Plant GL and Macrae JH | Visual perception of Australian consonants, vowels and diphthongs. | Australian Teacher of the Deaf, 18:46-50. |
| 1978 | Bulteau VG, Carter NL and Keen K | Parental interview, and oto-rhino-laryngological and electroacoustic impedance data of 386 10-12 year old Sydney schoolchildren. | NAL Report No. 75. National Acoustic Laboratories, Sydney. |
| 1978 | Byrne DJ | Selection of hearing aids for severely deaf children. | British Journal of Audiology, 12:9-14, 19-22. |
| 1978 | Carter NL | A method for evaluating community response to noise from military firing ranges and other detonation sources. | Bulletin of the Australian Acoustical Society, 6(3-4) Sept/Dec. |
| 1978 | Carter NL, Keen K, Waugh RL and Bulteau VG | Hearing levels of 10-12 year old Sydney schoolchildren. | NAL Report No. 70. National Acoustic Laboratories, Sydney. |
| 1978 | Carter NL, Keen K, Waugh RL and Bulteau VG | Hearing levels and oto-rhino-laryngological findings in students of the University of Sydney under age 21. | NAL Report No. 72. National Acoustic Laboratories, Sydney. |
| 1978 | Byrne DJ and Walker GI | Selecting hearing aids for real-ear performance. | Hearing Instruments, 29 (11):12-14, 53. |
| 1978 | Kenna LC and Bullen R | Propagation of sound from blasting at Singleton army range. | NAL Report No. 71. National Acoustic Laboratories, Sydney. |
| 1978 | Plant GL | Adult aural rehabilitation: A report on World Health Organisation fellowship 1977. | NAL Report No. 69. National Acoustic Laboratories, Sydney. |
| 1978 | Upfold LJ | Early detection of childhood deafness. | Medical Journal of Australia, 2:507-510. |
| 1979 | Burgess VR, Christen R, Donald GC and Lowe A | Radio frequency hearing aids: the need for complementary and compatible channel allocation. | Volta Review, 81(Feb/Mar):91-99. |
| 1979 | Byrne DJ | Hearing aid selection: an analysis and point of view. | Archives of Otolaryngology, 105:519-525. |
| 1979 | Byrne DJ and Christen R | Preferred listening levels and loudness of filtered speech. | Australian Journal of Audiology, 1:32-40. |
| 1979 | Byrne DJ and Dillon HA | Bias in assessing binaural advantage. | Australian Journal of Audiology, 1:83-88. |
| 1979 | Cook R | Impulse noise duration: A new instrument for its measurement. | NAL Report No. 78. National Acoustic Laboratories, Sydney. |
| 1979 | Hede AJ | Comment on "Assessing bias in surveys of symptoms attributed to noise". | Journal of Sound and Vibration, 66:285-289. |
| 1979 | Hede AJ, Bullen R and Rose JA | A social study of the nature of subjective reaction to aircraft noise. | NAL Report No. 79. National Acoustic Laboratories, Sydney. |
| 1979 | Macrae JH | An improved form of the loudness function. | Australian Journal of Audiology, 1:15-18. |
| 1979 | Plant GL | The use of tactile supplements in the rehabilitation of the deafened: a case study. | Australian Journal of Audiology, 1:76-82. |
| 1979 | Upfold LJ | Twenty-one birth years: a look at early intervention. | Australian Journal of Audiology, 1:41-44. |
| 1979 | Walker GI | Earphone termination and the response of behind-the-ear hearing aids. | British Journal of Audiology, 13:41-46. |
| 1979 | Walker GI | The pure tone in sound field testing: experimental results and suggested procedures. | Australian Journal of Audiology, 1:49-60. |
| 1980 | Byrne DJ | Binaural hearing aid fitting. | In: Libby E Robert (ed), Binaural Amplification. Chicago: Zenetron (Binaural Hearing and Amplification, vol. 2, pp. 23-73. |
| 1980 | Carter NL | Eye colour and susceptibility to noise-induced permanent threshold shift. | Audiology, 19:86-93. |
| 1980 | Christen R | Binaural summation at most comfortable loudness level (MCL). | Australian Journal of Audiology, 2:92-98. |
| 1980 | Christen R and Byrne DJ | Preferred listening levels for bands of speech in relation to hearing aid selection. | Scandinavian Audiology, 9:3-10. |
| 1980 | Christen R and Byrne DJ | Variability of MCL measurements: significance for hearing aid selection. | Australian Journal of Audiology, 2:10-18. |
| 1980 | Christen R and Byrne DJ | Preferred listening levels for bands of speech in relation to hearing aid selection. | Scandinavian Audiology, 9:3-10. |

| Year | Author(s) | Title | Citation |
|------|---|--|---|
| 1980 | Dermody PJ | Dichotic listening in poor readers: A replication with developmental perspective. | In: Nesdale D, Pratt C, Field J et al (eds), <i>Advances in Child Development: Theory and Research</i> . Perth: University of Western Australia. |
| 1980 | Dermody PJ and Mackie KC | Auditory memory deficits in language disordered children. | NAL Report No. 81. National Acoustic Laboratories, Sydney. |
| 1980 | Dillon H and Walker G | The perception by normal hearing persons of intensity fluctuations in narrow band stimuli and its implications for sound field calibration procedures. | <i>Australian Journal of Audiology</i> , 2:72-82. |
| 1980 | Fifield DB, Earnshaw R and Smither MF | A new ear impression technique to prevent acoustic feedback with high powered aids. | <i>Volta Review</i> , 82:33-39. |
| 1980 | Goodall LJ, Bradford P, Bulteau V and Upfold L | What is impedance audiometry? | <i>Medical Journal of Australia</i> , 2:545-548. |
| 1980 | Hede AJ | The pre-post cueing technique in the study of selective attention. | <i>Acta Psychologica</i> , 46:115-128. |
| 1980 | Hede AJ | Dichotic and bisensory grouping effect. | <i>Quarterly Journal of Experimental Psychology</i> , 32:295-306. |
| 1980 | Macrae JH and Frazer GM | An investigation of variables affecting aided threshold. | <i>Australian Journal of Audiology</i> , 2:56-62. |
| 1980 | Murphy PA | The wearing of hearing protection: you and your avoidable noise-induced hearing loss. | Deafness Foundation, Victoria. |
| 1980 | Pearce J and Coles R | A contextual analysis of BKB (ST) sentence lists. | <i>Australian Journal of Audiology</i> , 2:63-69. |
| 1980 | Plant GL | Visual identification of Australian vowels and diphthongs. | <i>Australian Journal of Audiology</i> , 2:83-91. |
| 1980 | Plant GL, Macrae JH and Pearce J | Performance on a lipreading test by native and non-native speakers of English. | <i>Australian Journal of Audiology</i> , 2:25-29. |
| 1980 | Upfold LJ | Diagnosis of congenital deafness. | <i>Patient Management</i> , May: 11-16. |
| 1980 | Upfold LJ | Evaluation of C.R.O.S. aids with unilateral listener. | <i>Scandinavian Audiology</i> , 9:85-88. |
| 1980 | Upfold LJ and Wilson DA | Hearing aid distribution and use in Australia: the Australian Bureau of Statistics 1978 survey. | <i>Australian Journal of Audiology</i> , 2:31-36. |
| 1980 | Waugh RL and Macrae JH | Criteria for assessing hearing conservation audiograms. | NAL Report No. 80. National Acoustic Laboratories, Sydney. |
| 1980 | Walker GI | The relationship between minimum insert pressure and minimum audible pressure. | <i>Australian Journal of Audiology</i> , 2:37-41. |
| 1981 | Byrne DJ | Selective amplification: some psychoacoustic considerations. | In: Bess F, Freeman B and Sinclair J (eds), <i>Amplification in Education</i> . Washington, D.C., Alexander Graham Bell Association for the Deaf. |
| 1981 | Byrne DJ | Clinical issues and options in binaural hearing aid fitting. | <i>Ear and Hearing</i> , 2:187-193. |
| 1981 | Byrne DJ | Comment on Shapiro; comparison of three hearing aid selection procedures. | <i>Ear and Hearing</i> , 2:127-129. |
| 1981 | Byrne DJ and Christen R | Providing an optimal auditory signal with varied communication systems. | In: Bess F, Freeman B and Sinclair J (eds), <i>Amplification in Education</i> , Washington, D.C., Alexander Graham Bell Association for the Deaf, pp 286-304. |
| 1981 | Byrne DJ, Christen R and Dillon H | Effect of peaks in hearing aid frequency response curves on comfortable listening levels of normal hearing subjects. | <i>Australian Journal of Audiology</i> , 3:42-46. |
| 1981 | Byrne DJ and Dillon HA | Comparative reliability of warble tone thresholds under earphones and in sound field. | <i>Australian Journal of Audiology</i> , 3:12-14. |
| 1981 | Carter NL, Keen KJ, Waugh RL, Murray N and Bulteau VG | The relations of eye colour and smoking to noise-induced permanent threshold shift. | <i>Audiology</i> , 20:336-346. |
| 1981 | Dillon H | An optimum value for detection probability. | <i>Perception and Psychophysics</i> , 30:169-174. |
| 1981 | Dillon H and Walker G | The effect of acoustic environment on the reliability of soundfield audiometry. | <i>Australian Journal of Audiology</i> , 3:67-72. |
| 1981 | Hede AJ | Perceptual selection in dichotic listening. | <i>Acta Psychologica</i> , 49:189-200. |
| 1981 | Hede AJ and Bullen RB | Human perception and reaction to noise. | <i>Architectural Science Review</i> , 24(3):58-64. |
| 1981 | Hede AJ and Bullen RB | Community reaction to noise from Hornsby rifle range | NAL Report No. 84. National Acoustic Laboratories, Sydney. |
| 1981 | Kenna LC | The gas gun - A source of high-level impulsive noise | NAL Report No. 83. National Acoustic Laboratories, Sydney. |
| 1981 | Kenna LC | Acoustical considerations for classrooms for the deaf. | NAL Report No. 85. National Acoustic Laboratories, Sydney. |
| 1981 | Mackie K and Dermody P | A normative study of the Token Test. | <i>Australian Journal of Human Communication Disorders</i> , 9:14-23. |
| 1981 | Macrae JH | An erroneous procedure for checking the validity of aided thresholds. | <i>Australian Journal of Audiology</i> , 3:73. |
| 1981 | Macrae JH | An improved version of the high-cut cavity vent'. | <i>Australian Journal of Audiology</i> , 3:36-39. |
| 1981 | Macrae JH | A new kind of earmould vent - the high-cut cavity vent. | <i>Hearing Instruments</i> , 32:10, 18. |
| 1981 | Macrae J and Piesse RA | Compensation for occupational hearing loss: the practice in Australia. | In: Beagley HA (ed), <i>Audiology and Audiological Medicine</i> : vol. 2, O.U.P., Oxford, pp 896-909. |
| 1981 | Plant GL and Macrae JH | The NAL lipreading test: development standardisation and validation. | <i>Australian Journal of Audiology</i> , 3:49-58. |
| 1981 | Upfold LJ and Smither MP | Hearing aid fitting protocol. | <i>British Journal of Audiology</i> , 15:181-188. |

| Year | Author(s) | Title | Citation |
|------|--|---|---|
| 1981 | Weiss F | An instrument to calibrate community noise analysers. | Journal of the Acoustical Society of America, 70:625-626. |
| 1982 | Bullen RB and Hede AJ | Assessment of community noise exposure from rifle shooting. | Journal of Sound and Vibration, 82:29-37. |
| 1982 | Byrne DJ | Theoretical approaches for hearing aid selection. | In: Studebaker GA and Bess FH (eds), The Vanderbilt hearing-aid report: state of the art - research needs. Upper Darby, Pennsylvania, Monographs in contemporary audiology, pp 175-179. |
| 1982 | Byrne DJ and Walker GI | The effects of multichannel compression and expansion amplification on perceived quality of speech. | Australian Journal of Audiology, 4:1-8. |
| 1982 | Carter NL, Waugh RL, Keen K, Murray N and Bulteau VG | Amplified music and young people's hearing - a review and report of Australian findings. | Medical Journal of Australia, 2:125-128. |
| 1982 | Cook R | Impulse duration: a new instrument for its measurement. | Applied Acoustics, 15: 205-222. |
| 1982 | Dermody P, Mackie K and Katsch R | Neuroaudiology section: research status report. | NAL Report No. 92. National Acoustic Laboratories, Sydney. |
| 1982 | Dillon H | A quantitative examination of the source of speech discrimination test score variability. | Ear and Hearing, 3:51-58. |
| 1982 | Dillon H | The effect of response methods on the difficulty of speech discrimination tests, a response to Wilson & Antablin. | Journal of Speech and Hearing Disorders, 47: 110-111.1982. |
| 1982 | Dillon H | The sources of speech discrimination test score variability; A reply to Thornton & Raffin. | Ear & Hearing ,3:340-341. |
| 1982 | Dillon H | Compression? | NAL News, 5(1): 3-15.1982.1982. |
| 1982 | Dillon H, Byrne D and Upfold L | Reliability of speech discrimination testing in relation to hearing aid candidacy. | Journal of the Oto-Laryngological Society of Australia, 5(2):81-84. |
| 1982 | Dillon H and Walker G | Comparison of stimuli used in sound field audiometric testing, | Journal of the Acoustical Society of America, 71:161-172. |
| 1982 | Dillon H and Walker G | The selection of modulation waveform for frequency modulated sound field stimuli. | Australian Journal of Audiology, 4:56-61. |
| 1982 | Hede AJ and Bullen RB | Community reaction to noise from a suburban rifle range. | Journal of Sound and Vibration, 82:39-49. |
| 1982 | Hede AJ and Bullen RB | Aircraft noise in Australia: A survey of community reaction. | NAL Report No. 88. National Acoustic Laboratories, Sydney. |
| 1982 | Keen KJ and Waugh RL | Remote masker summation and background noise limits for industrial monitoring audiometry. | Australian Journal of Audiology, 4:33-39. |
| 1982 | Kenna LC | High-level impulsive noise source. | Journal of the Acoustical Society of America, 71:483-486. |
| 1982 | Kenna L, Rose J and Robinson D | New facilities for acoustic research at NAL/UI. | Bulletin of the Australian Acoustical Society, 10:29-32. |
| 1982 | Mackie KC and Dermody PJ | Word intelligibility tests in audiology for the assessment of communication adequacy. | NAL Report No. 89. National Acoustic Laboratories, Sydney. |
| 1982 | Macrae JH | A high-cut sound channel cavity. | Australian Journal of Audiology, 4:15-16. |
| 1982 | Macrae JH | A damped high-cut cavity vent for profound hearing loss. | Australian Journal of Audiology, 4:22-25. |
| 1982 | Macrae JH | The relationship between hearing loss and incapacity. | Australian Journal of Audiology, 4:10-13. |
| 1982 | Macrae JH | The validity of aided thresholds. | Australian Journal of Audiology, 4:48-54. |
| 1982 | Macrae JH | Techniques for evaluating the effectiveness of earmould vents. | Australian Journal of Audiology, 4:18-20. |
| 1982 | Macrae JH | Venting without feedback - further development of the high-cut cavity vent. | Hearing Instruments, 33:4,12-15. |
| 1982 | Macrae JH | Acoustic notch filters for hearing aids. | Australian Journal of Audiology, 4:71-76. |
| 1982 | Plant GL | Tactile perception by the profoundly deaf: speech and environmental sounds. | British Journal of Audiology, 16:233-244. |
| 1982 | Plant GL | The PLOTT Test. | N.A.L. Sydney. |
| 1982 | Plant GL | A Vibrotactile Training Program for Deaf Children. | N.A.L. Sydney. |
| 1982 | Plant GL | An Auditory Training Program for Hearing Impaired Adults. | Australian Government Publishing Service, Canberra. |
| 1982 | Plant GL, Phillips D and Tsembis J | An auditory - visual speech test for the elderly hearing impaired. | Australian Journal of Audiology, 4, 62-68. |
| 1982 | Upfold LJ and Isepy J | Childhood deafness in Australia: incidence and maternal rubella, 1949-1980. | Medical Journal of Australia, 2:323- 326. |
| 1982 | Upfold LJ and Wilson DA | Hearing aid use and available aid ranges. | British Journal of Audiology, 16:195-201. |
| 1982 | Walker G, Byrne D and Dillon H | Learning effects with a closed response set nonsense syllable test. | Australian Journal of Audiology, 4: 27-31. |
| 1982 | Walker G and Dillon H | Compression in hearing aids: An analysis, a review and some recommendations. | NAL Report No. 90. National Acoustic Laboratories, Sydney. |
| 1983 | Bullen RB and Hede AJ | Time-of-day corrections in measures of aircraft noise exposure. | Journal of the Acoustical Society of America, 73:1624-1630. |
| 1983 | Byrne DJ | Theoretical prescriptive approaches to selecting the gain and frequency response of a hearing aid. | Monographs in Contemporary Audiology 4(1). |
| 1983 | Byrne DJ | Word familiarity in speech perception testing of children. | Australian Journal of Audiology, 5:77-80. |

| Year | Author(s) | Title | Citation |
|-------------|---|---|--|
| 1983 | Christen R | Evaluation of a wireless hearing aid fitting programme for students. | Australian Journal of Audiology, 5:1-9. |
| 1983 | Dermody P, Curotta J and Mackie K | Pass/fail criteria in screening for otitis media in children with learning disorders. | International Journal of Pediatric Otorhinolaryngology, 6:151-162. |
| 1983 | Dermody P, Katsch R and Mackie K | Auditory processing limitations in low verbal children: evidence from a two-response dichotic listening task. | Ear and Hearing, 4:272-277. |
| 1983 | Dermody P and Mackie K | Problems in establishing tympanometric screening criteria: experience with a language/learning disordered population. | Australian Journal of Human Communication Disorders, 11:41-50. |
| 1983 | Dermody P, Mackie K and Katsch R | Dichotic listening in good and poor readers. | Journal of Speech and Hearing Research, 26:341-348. |
| 1983 | Dillon H | The effect of test difficulty on the sensitivity of speech discrimination tests. | Journal of the Acoustical Society of America, 73:336-344. |
| 1983 | Dillon H | Earmould modifications for wide-bandwidth, flat response hearing aid coupling systems for use in audiological measurements. | Australian Journal of Audiology, 5:63-70. |
| 1983 | Dillon H, Byrne D and Upfold L | The reliability of speech discrimination testing in relation to hearing aid candidacy. | Journal of the Oto-laryngological Society of Australia, 5/2:81-84. |
| 1983 | Dillon H and Walker G | Compression input or output control? | Hearing Instruments, 34(Sept):20, 22, 42. |
| 1983 | Kenna LC | Noise dosimeters: their uses and limitations. | Occupational Health, Australia and New Zealand, 5:11-17. |
| 1983 | Lovegrove R and Birtles G | Measurements of noisemaking toys and their application in infant hearing assessment. | Australian Journal of Audiology, 5:47-54. |
| 1983 | Macrae JH | Acoustic modifications for better hearing aid fitting. | Hearing Instruments, 34(12):8-9. |
| 1983 | Plant GL | The effects of a long-term hearing loss on speech production. | STL-QPSR, 1:18-35. |
| 1983 | Plant GL | The use of vibrotactile aids with profoundly deaf children. | STL-QPSR, 1:36-51. |
| 1983 | Plant GL and Hammarberg B | Acoustic and perceptual analysis of the speech of the deafened. | STL-QPSR, 2-3:85-107. |
| 1983 | Plant G and Risberg A | The transmission of fundamental frequency variations via a single channel vibrotactile aid. | STL-QPSR, 2-3:61-84. |
| 1983 | Quinn SM | Aboriginal hearing loss and ear disease in the Australian Northern Territory. | Australian Journal of Audiology, 5:41-44. |
| 1983 | Robertson S and Plant G | An analysis of error responses for the CAL-PBM word lists. | Australian Journal of Audiology, 5:28-34. |
| 1983 | Spens KE and Plant GL | A tactual hearing aid for the deaf. | STL-QPSR, 1:52-56. |
| 1983 | Tonisson W | Audiology in hearing education: dynamic range and language abilities in deaf adolescents. | Ear & Hearing, 4:204-208. |
| 1983 | Upfold LJ and Wilson DA | Factors associated with hearing aid use. | Australian Journal of Audiology, 5:20-26. |
| 1983 | Walker G and Dillon H | The selection of modulation rates for frequency modulated sound field stimuli. | Scandinavian Audiology, 12:151-156. |
| 1983 | Waugh RL | How much hearing damage does loud music cause? | Bulletin of the Australian Acoustical Society, 11:61-66. |
| 1983 | Waugh RL | Hearing protection - fact and fiction. | Journal of Occupational Health Society of Australia, 3(2):4-12. |
| 1984 | Carter NL, Murray N, Khan A and Waugh R | A longitudinal study of recreational noise and young peoples' hearing. | Australian Journal of Audiology, 6:45-53. |
| 1984 | Clark MJ | Maximization of telecoil sensitivity. | NAL Report No. 101. National Acoustic Laboratories, Sydney. |
| 1984 | Dillon H | A procedure for subjective quality rating of hearing aids. | NAL Report No. 100. National Acoustic Laboratories, Sydney. |
| 1984 | Dillon H, Chew R and Deans M | Loudness discomfort level measurements and their implications for the design and fitting of hearing aids. | Australian Journal of Audiology, 6:73-79. |
| 1984 | Dillon H and Macrae J | Derivation of design specifications for hearing aids. | NAL Report No. 102. National Acoustic Laboratories, Sydney. |
| 1984 | Donald GC | Engineering overseas visit, May-June 1984. | NAL Report No. 103. National Acoustic Laboratories, Sydney. |
| 1984 | Kenna L, Weiss F and Cook R | A transducer suspension system for acoustic test chambers. | NAL Report No. 97. National Acoustic Laboratories, Sydney. |
| 1984 | Loi T | Calaid-FM: General information. | NAL Report No.104. National Acoustic Laboratories, Sydney. |
| 1984 | Macrae JH | Earmould acoustics. | Hearing Technology Review, 1:10-12. |
| 1984 | Macrae JH | Earmould venting for high frequency hearing loss. | Audiology in Practice, 1:7-8. |
| 1984 | Plant GL | The use of vibrotactile aids with deaf children and adults. | NAL News, 5(2): 21-26. |
| 1984 | Plant GL | A diagnostic speech test for severely and profoundly hearing-impaired children. | Australian Journal of Audiology, 6:1-9. |
| 1984 | Plant GL | COMMTRAM. A Communication Training Program for Profoundly Deafened Adults. | N.A.L. Sydney. |
| 1984 | Plant GL | The effects of an acquired profound hearing loss on speech production. | British Journal of Audiology, 18:39-48. |
| 1984 | Plant GL, Macrae JH, Dillon H and Pentecost F | A single - channel vibrotactile aid to lipreading: aid to lipreading: Preliminary results with an experienced subject. | Australian Journal of Audiology, 6:55-64. |
| 1984 | Plant GL, Macrae JH, Dillon H and Pentecost F | Lipreading with minimal auditory cues. | Australian Journal of Audiology, 6:65 -72. |

| Year | Author(s) | Title | Citation |
|-------------|---|---|---|
| 1984 | Quinn SM | Aboriginal hearing loss and ear disease in the Australian Northern Territory. | NAL News, 5(2):11-16. |
| 1984 | Quinn SM | Classroom radio for otitis media. | Health Reporter, 1(Nov). |
| 1984 | Upfold LJ | Changes in the significance of maternal rubella as a factor in childhood deafness, 1954-1982. | Medical Journal of Australia, 40:633-688. |
| 1984 | Walker G, Byrne D and Dillon H | The effects of multi - channel compression/expansion amplification on the intelligibility of nonsense syllables in noise. | Journal of the Acoustical Society of America, 76:746-757. |
| 1984 | Walker G and Dillon H | Stimuli for sound field audiometry: response to Lippman & Adams. | Journal of Speech and Hearing Disorders, 49:219-220. |
| 1984 | Walker G, Dillon H and Byrne D | Sound field audiometry, recommended stimuli and procedures. | Ear and Hearing, 5:13-21. |
| 1984 | Walker G, Dillon H, Byrne D and Christen C | The use of loudness discomfort levels for selecting the maximum output of hearing aids. | Australian Journal of Audiology, 6:23-32. |
| 1984 | Walker G and Fifield D | A problem of silicon rubber and other semi-pliable hearing aid ear moulds. | Australian Journal of Audiology, 6:43. |
| 1984 | Waugh RL | Simplified hearing protector ratings - an international comparison. | Journal of Sound and Vibration, 93:289-305. |
| 1984 | Waugh RL | Another view on hearing protection. | Safety in Australia, August:21-24. |
| 1985 | Bullen RB and Job RFS | Re-analysis of data presented in community response to blasting by Fidell et. al. | Journal of the Acoustical Society of America, 78(2):799. doi: 10.1121/1.392397 |
| 1985 | Byrne DJ and Murray N | Relationships of HTLs, MCLs, LDLs and psychoacoustic tuning curves to optimal frequency response characteristics of hearing aids. | Australian Journal of Audiology, 7:7-16. |
| 1985 | Carter NL, Murray N and Bulteau VG | Amplified music, recreational noise and hearing in young people aged 16-21 and 28-33 years. | Australian Journal of Audiology, 7:79-83. |
| 1985 | Cichello P | An analysis of the relationship between the hearing levels of children as measured via sound field visual reinforcement orientation audiometry and earphone play audiometry techniques. | Australian Journal of Audiology, 7:2, 61-66. |
| 1985 | Clark J, Dermody P and Palethorpe S | Cue enhancement by stimulus repetition: Natural and synthetic speech comparisons. | Journal of the Acoustical Society of America, 78:458-462. |
| 1985 | Dillon H | Earmolds and high frequency response modification. | Hearing Instruments, 36:8,11-12. |
| 1985 | Job S and Bullen RB | Demand characteristics in experimental comparisons of the effects of noise and vibration. | Journal of Sound and Vibration, 101:127-129. |
| 1985 | Job RFS and Bullen RB | Social survey methodology: A review of the assessment of community noise reaction in dose/response studies. | NAL Report No. 106. National Acoustic Laboratories, Sydney. |
| 1985 | Macrae JH | A smaller version of the cavity vent. | Australian Journal of Audiology, 7(1):17-21. |
| 1985 | Macrae JH | A review of cochlear effects on the acoustic immittance of the ear. | Australian Journal of Audiology, 7(1):1-6. |
| 1985 | Macrae JH | Temporary and permanent threshold shift associated with hearing aid use. | Australian Journal of Audiology, 7:45-53. |
| 1985 | Menser MA, Hudson JR, Murphy AM and Upfold LJ | Epidemiology of congenital rubella and results of rubella vaccination in Australia. | Review of Infectious Diseases, 7(S1):537-541. |
| 1985 | Upfold LJ | Vaccination, one: maternal rubella nil. | Letter Medical Journal of Australia, 143:219. |
| 1985 | Walker G and Byrne D | Reliability of speech intelligibility estimation for measuring speech reception thresholds in quiet and in noise. | Australian Journal of Audiology, 7(1):23-31. |
| 1985 | Waugh R | Some comments on the state hearing conservation regulations. | Hearing Technology Review, 2:18-25. |
| 1986 | Alway P | Corrections to condenser microphones pressure response. | NAL Report No. 114. National Acoustic Laboratories, Sydney. |
| 1986 | Byrne DJ | Effects of bandwidth and stimulus type on most comfortable loudness levels of hearing-impaired listeners. | Journal of the Acoustical Society of America, 80:484-493. |
| 1986 | Byrne DJ | Effects of frequency response characteristics on speech discrimination and perceived intelligibility and pleasantness of speech for hearing-impaired listeners. | Journal of the Acoustical Society of America, 80:494-504. |
| 1986 | Byrne DJ | Recent advances in hearing aids. In E. Cole and H. Gregory (Eds.) "Auditory training". | Volta Review, 88:31- 43. |
| 1986 | Byrne DJ and Dillon HA | The National Acoustic Laboratories (NAL) new procedure for selecting the gain and frequency response of a hearing aid. | Ear & Hearing, 7:257-265. |
| 1986 | Byrne DJ and Murray N | Predictability of the required frequency response characteristics of a hearing aid from the pure tone audiogram. | Ear & Hearing, 7(2):63-70. |
| 1986 | Byrne DJ and Upfold LJ | Binaural fitting practices in the National Acoustic Laboratories. | The Hearing Journal, 39(11):41-44. |
| 1986 | Carter NL | A preliminary study of the effect of noise and blast from the M198 Howitzer on the heart rate of gun crew. | NAL Report No. 115. National Acoustic Laboratories, Sydney. |
| 1986 | Carter NL | Non-auditory health effects of occupational noise. | Journal of Occupational Health and Safety – Australia and New Zealand, 2:210-215. |
| 1986 | Cichello P | Sound field visual reinforcement orientation audiometry revisited. | Australian Journal of Audiology, 8(1):12-17. |
| 1986 | Dillon H and Macrae J | Performance requirements for hearing aids. | Journal of Rehabilitation Research and Development, 23(1):1-15. |

| Year | Author(s) | Title | Citation |
|------|---|--|--|
| 1986 | Hickson L, Hamilton L and Orange SP | Factors associated with hearing aid use. | Australian Journal of Audiology, 8(2):37-41. |
| 1986 | Hill AL and Birtles GJ | A behavioural hearing assessment programme for multiply handicapped children. | Australian Journal of Audiology, 8(1):31-34. |
| 1986 | Mackie K and Dermody P | Use of a monosyllabic adaptive speech test (MAST) with young children. | Journal of Speech and Hearing Research, 29:275-281. |
| 1986 | Macrae J | Relationships between the hearing threshold levels, aided threshold levels and aided speech discrimination of severely and profoundly deaf children. | NAL Report No. 107. National Acoustic Laboratories, Sydney. |
| 1986 | Macrae JH | The acoustic immittance of the ear in Meniere's disease: a review. | Australian Journal of Audiology, 8:59. |
| 1986 | Macrae JH | Occupational hearing loss. | Journal of Occupational Health and Safety – Australia and New Zealand, 2:204-209. |
| 1986 | Macrae J and Dillon H | Updated performance requirements for hearing aids. | NAL Report No. 109. National Acoustic Laboratories, Sydney. |
| 1986 | Murray NM and Byrne D | Performance of hearing-impaired and normal hearing listeners with various high frequency cut-off in hearing aids. | Australian Journal of Audiology, 8:21-28. |
| 1986 | Newall P, Byrne D and Plant G | Amplification for the severely and profoundly hearing-impaired: a pilot study. | Australian Journal of Audiology, 8:42-55. |
| 1986 | Plant G | A single-transducer vibrotactile aid to lipreading. | STL-QPSR, 1:41-63. |
| 1986 | Plant G | Communication training for adults with acquired hearing losses. | NAL Report No. 105. National Acoustic Laboratories, Sydney. |
| 1986 | Plant GL, Galt J and Symonds S | How deaf is totally deaf? A case study. | Australian Journal of Audiology, 8:65-75. |
| 1986 | Plant GL and Oster A-M | The effects of cochlear implantation on speech production. A case study. | STL-QPSR, 1:65-86. |
| 1986 | Plant GL and Spens K-E | An experienced user of tactile information as a supplement to lipreading. An evaluative study. | STL-QPSR, 1:87-110. |
| 1986 | Shek H | Calaid FM: Range extension. | NAL Report No. 116. National Acoustic Laboratories, Sydney. |
| 1986 | Waugh R | A national strategy for the prevention of noise-induced hearing loss. | NAL Report No. 113. National Acoustic Laboratories, Sydney. |
| 1987 | Byrne D | A post - (hearing aid) fitting evaluation procedure using speech intelligibility and pleasantness judgments. | NAL Report No. 112. National Acoustic Laboratories, Sydney. |
| 1987 | Byrne DJ | Hearing aid selection formulae: same or different? | Hearing Instruments, 36(1):5-11. |
| 1987 | Byrne D and Cotton S | Preferred listening levels of sensorineurally hearing-impaired listeners. | Australian Journal of Audiology, 9(1):7-14. |
| 1987 | Byrne DJ and Parkinson A | Reliability and sensitivity of intelligibility and pleasantness judgments of amplified speech. | Australian Journal of Audiology, 9: 77-86. |
| 1987 | Carter NL | Effect of firing L118 105 mm Howitzer on hearing and some observations of heart rate and blood pressure in gun crew. | NAL Report No. 117. National Acoustic Laboratories, Sydney. |
| 1987 | Carter NL and Beh HC | The effect of intermittent noise on vigilance performance. | Journal of the Acoustical Society of America, 82(4):1334-1341. |
| 1987 | Dawson PW | A hearing aid performance survey. | Australian Journal of Audiology, 9(2):49-54. |
| 1987 | Dermody P and Mackie K | Speech tests in audiological assessment at the National Acoustic Laboratories. | In: Martin M (ed), Speech Audiometry. London: Taylor and Francis, pp 255-278. |
| 1987 | Dillon H and Murray N | Accuracy of twelve methods for estimating the real ear gain of hearing aids. | Ear and Hearing, 8:2-11. |
| 1987 | Gray-Thompson M and Richards P | A computer program for hearing aid selection; its trial and development. | Australian Journal of Audiology, 9(1):19-23. |
| 1987 | Mackie K, Dermody P and Katsch R | Assessment of evaluation measures for processed speech. | Speech Communication, 6:309-316. |
| 1987 | Macrae JH | Hearing impairment and hearing conservation: an update. | Journal of Occupational Health and Safety, 3(3):82-85. |
| 1987 | Macrae JH | A procedure for assessing occupational hearing loss. | Australian Journal of Audiology, 9(2):69-72. |
| 1987 | Macrae JH | Predicted effects of ageing in monitoring audiometry. | Australian Journal of Audiology, 9(2):73-76. |
| 1987 | Plant GL | A single-transducer vibrotactile aid to lipreading. | Speech Communication, 6:335-342. |
| 1987 | Plant GL and Macrae JH | Testing visual and auditory - visual speech perception. | In: Martin M (ed), Speech Audiometry. London: Taylor and Francis, pp 179-206. |
| 1987 | Upfold LJ | Vaccination 2; maternal rubella O. Letters, | Medical Journal of Australia, 146(2):119. |
| 1987 | Walker GI | Conductive recruitment? : a case study. | Australian Journal of Audiology, 9:25-29. |
| 1988 | Byrne DJ | Hearing aid selection for adults and children. | In: Engzell, U. et al (eds), Towards Better Communication, Co-operation and Coordination. Hong Kong: Hong Kong Society for the Deaf. |
| 1988 | Byrne DJ | Recent hearing instrument research suggests what? | Hearing Instruments, 39(12):22-23. |
| 1988 | Byrne DJ | The National Acoustic Laboratories (NAL) hearing aid selection procedure. | Audiology in Practice, 4(1):4-5 (English and Spanish). |
| 1988 | Byrne DJ | How different are hearing aid selection formulae? | Audiology in Practice, 4 (1):7-8 (English and Spanish). |
| 1988 | Byrne D, Carter N, Dermody P, Macrae J, Murray N, Peplow P and Walker G | NAL research programs and status. | NAL Report No. 121. National Acoustic Laboratories, Sydney. |
| 1988 | Byrne DJ and Cotton S | Evaluation of the National Acoustic Laboratories new hearing aid selection procedure. | Journal of Speech and Hearing Research, 31:178 - 186. |

| Year | Author(s) | Title | Citation |
|-------------|------------------------------------|--|--|
| 1988 | Carter NL | Heart-rate and blood-pressure response in medium-artillery gun crews. | Medical Journal of Australia, 149:185-189. |
| 1988 | Dillon H | Compression in Hearing aids. | In: Sandlin R (ed), Handbook of Hearing Aid Amplification, Volume 1. San Diego, Cal.: College Hill Press. |
| 1988 | Gore GB | User and installation notes on audio frequency loop systems for use with hearing aids. | NAL Report No. 110. National Acoustic Laboratories, Sydney. |
| 1988 | Macrae J | Improved procedure for determining percentage loss of hearing. | NAL Report No. 118. National Acoustic Laboratories, Sydney. |
| 1988 | Macrae JH | Improvement of clinical monitoring audiometry. | Australian Journal of Audiology, 10(1):12-15. |
| 1988 | Macrae JH | Tinnitus and workers compensation. | Australian Journal of Audiology, 10:1:17-20. |
| 1988 | May A | Use of the Byrne and Dillon (1986) hearing aid selection procedure in the National Acoustic Laboratories. | NAL Report No. 111. National Acoustic Laboratories, Sydney. |
| 1988 | Murray NM and Waugh D | Estimated maximum acceptable background noise levels for audiometric testing when using sound-excluding earphone enclosures. | Australian Journal of Audiology, 10 (1):7-10. |
| 1988 | Newall P and Byrne D | Amplification for the severely and profoundly hearing - impaired. | In: Engzell U et al (eds), Towards Better Communication, Co-operation & Co-ordination. Hong Kong: Hong Kong Society of the Deaf. |
| 1988 | Plant GL | Speech reading with tactile supplements. | Volta Review, 90: 149-160. |
| 1988 | Upfold L | Children with hearing aids in the 1980s: etiologies and severity of impairment. | Ear & Hearing, 9(2):75-80. |
| 1988 | Upfold L | Children with hearing aids: clinic related delays. | Australian Journal of Audiology, 10(1):1-6. |
| 1988 | Upfold G and Byrne DJ | Variability of earcanal resonance and its implications for the design of hearing aids and earplugs. | Australian Journal of Audiology, 10:97-102. |
| 1988 | Walker GI | Technical considerations for sound field audiometry. | In: Sandlin R (ed), Handbook of Hearing Aid Amplification, Volume 1. San Diego, Cal.: College Hill Press. |
| 1988 | Walker G | The size and spectral distribution of conductive hearing loss in an adult population. | Australian Journal of Audiology, 10:25-29. |
| 1989 | Birtles GJ | A visual reinforcement orientation audiometry screening procedure. | Australian Journal of Audiology, 11(1):1-9. |
| 1989 | Byrne DJ | Technical aspects of hearing aids. | In: Brooks D (ed), Adult Aural Rehabilitation. London: Chapman and Hall. |
| 1989 | Carter NL | Effectiveness of foam earplug hearing protection for artilleryman firing L118/119 105mm howitzers. | Military Medicine, 154: 473-476. |
| 1989 | Carter NL and Beh HC | The effect of intermittent noise on cardiovascular functioning during vigilance task performance. | Psychophysiology, 26(5):548-559. |
| 1989 | Cook R | Adding a computer to your sound level meter. | Acoustics Australia, 17(2):33-36. |
| 1989 | Dodd B, Plant G and Gregory M | Teaching lip - reading: The efficacy of lessons on video. | British Journal of Audiology, 23:229-238. |
| 1989 | Kehoe M, Dermody P and Mackie K | NALTALLCK - National Acoustic Laboratories Test of Auditory Language-Learning Capabilities in Kindergarten Children. | NAL Report No. 123. National Acoustic Laboratories, Sydney. |
| 1989 | Macrae J | Deterioration of hearing associated with hearing aid use. | NAL Report No. 122. National Acoustic Laboratories, Sydney. |
| 1989 | Parkinson A, Byrne DJ and Newall P | Aided speech sensation levels received by severely hearing - impaired listeners. | Australian Journal of Audiology, 11:27-36. |
| 1989 | Plant GL | A comparison of five commercially available tactile aids. | Australian Journal of Audiology, 11:11-20. |
| 1989 | Plant GL | Ancillary aids for the hearing impaired. | In Brooks D (ed), Adult Aural Rehabilitation. London: Chapman and Hall, pp 187-200. |
| 1989 | Plant GL | Tactaid II Training Program. | Sydney: N.A.L. |
| 1989 | Plant GL | COMMTRAC. Modified Connected Discourse Tracking Exercises for Hearing Impaired Adults. | Sydney: N.A.L. |
| 1989 | Walker G and Lamb H | Measuring the components of conductive and mixed hearing losses in children: a case study. | Australian Journal of Audiology, 11: 21-25. |
| 1990 | Byrne DJ, Parkinson A and Newall P | Comparisons of NAL and MCL based hearing aid frequency response prescriptions for severely/profoundly hearing-impaired clients. | Australian Journal of Audiology, 12:1-9. |
| 1990 | Byrne DJ, Parkinson A and Newall P | Hearing aid gain and frequency response requirements for the severely/profoundly hearing impaired. | Ear and Hearing, 11(1):40 - 49. |
| 1990 | Dermody PJ | Intervention in auditory - receptive language disorders. | In: The Exceptional Child. Sydney: Harcourt Brace Jovanovich, pp 231-331. |
| 1990 | Kerley P | Field strength measurements in the 3 metre band: Determining the radio frequency output of very low powered broadcast band FM transmitters. | NAL Report No. 119. National Acoustic Laboratories, Sydney. |
| 1990 | LePage EL | Helmholtz revisited: direct mechanical data suggest a physical model for dynamic control of mapping frequency to place along the cochlear partition. | In: Dallos P, Geisler CD, Matthews JW, Ruggero MA and Steele CR (eds), The Mechanics and Biophysics of Hearing. Lecture Notes in |
| 1990 | Mackie K | Mild to moderate hearing impairment. | In: Butler S (ed), The Exceptional Child. Sydney: Harcourt Brace Jovanovich, pp 187-192. |
| 1990 | Macrae JH | An evaluation of methods of predicting the effects of ageing on sensorineural hearing loss. | Australian Journal of Audiology, 12:23. |

| Year | Author(s) | Title | Citation |
|-------------|---|--|--|
| 1990 | Macrae JH | The static pressure seal of earmoulds. | Journal of Rehabilitation Research and Development, 27(4):397-410. |
| 1990 | Macrae JH | Prediction of temporary threshold shift due to hearing aid use. | Australian Journal of Audiology, 12:33-42. |
| 1990 | May AE, Upfold LJ and Battaglia JA | The advantages and disadvantages of ITC, ITE and BTE hearing aids: diary and interview reports from elderly users. | British Journal of Audiology, 24:301-309. |
| 1990 | McAlister PV | The effects of hearing aids on speech discrimination in noise by normal-hearing listeners. | Journal of Rehabilitation Research and Development, 27(1):33-42. |
| 1990 | Murray NM and LePage EL | Otoacoustic emissions - sounds coming out of the ear. | Australian Hearing & Deafness Review, 7(1):10-13. |
| 1990 | Noble W and Byrne DJ | A comparison of different hearing aid systems for sound localisation in the horizontal and vertical planes. | British Journal of Audiology, 24:335 - 346. |
| 1990 | Noble W, Murray NM and Waugh R | The effect of various hearing protectors on sound localisation in the horizontal and vertical planes. | American Industrial Hygiene Association Journal, 51(7):370-377. |
| 1990 | Plant GL | Profound deafness. | In: Butler SR (ed), The Exceptional Child. Marrickville, NSW: Harcourt Brace Jovanovich, pp 193-203. |
| 1990 | Upfold LJ, May AE and Battaglia JA | Hearing aid manipulation skills in an elderly population: a comparison of ITE, BTE and ITC aids. | British Journal of Audiology, 24:311-318. |
| 1991 | Byrne DJ | Evaluation measures of speech intelligibility and quality. | In: Studebaker GA, Bess FH and Beck LB (eds), The Vanderbilt Hearing aid Report II. Parkton, Md.: York Press, pp195-199. |
| 1991 | Byrne DJ, Parkinson A and Newall P. | Hearing aid gain and frequency response requirements for the severely/profoundly hearing impaired. Extended abstract | In: Bernthal JE, Hall JW and Tomblin JB (eds), Yearbook of Speech, Language & Hearing. St. Louis: Mosby Year Book, pp 287-288. |
| 1991 | Byrne DJ, Parkinson A and Newall P | Modified hearing aid selection procedures for severe-profound hearing losses. | In: Studebaker GA, Bess FH and Beck LB (eds), The Vanderbilt Hearing Aid Report II. Parkton, Md.:York Press, pp 295-300. |
| 1991 | Byrne DJ and Upfold G | Implications of ear canal resonance for hearing aid fitting. | Seminars in Hearing, 12:34-41. |
| 1991 | Carter NL, Ingham P and Tran K | Overnight traffic noise measurements in bedrooms and outdoors, Pennant Hills Road, Sydney - comparisons with criteria for sleep. | Acoustics Australia, 20(2):49-55. |
| 1991 | Dawson P, Dillon H and Battaglia J | Output limiting compression for the severe-profoundly deaf. | Australian Journal of Audiology, 13(1):1-12. |
| 1991 | Dillon H | Allowing for real ear venting effects when selecting the coupler gain of hearing aids. | Ear and Hearing, 12(6):406-416. |
| 1991 | Dillon H, Koritschoner E, Battaglia J, Lovegrove R, Ginis J, Mavrias G, Carnie L, Ray P, Forsythe L, Towers E, Goulios H, Macaskill F | Rehabilitation effectiveness 1 : Assessing the needs of clients entering a national hearing rehabilitation program. | Australian Journal of Audiology,13(2):55-65. |
| 1991 | Dillon H, Koritschoner E, Battaglia J, Lovegrove R, Ginis J, Mavrias G, Carnie L, Ray P, Forsythe L, Towers E, Goulios H, Macaskill F | Rehabilitation effectiveness II : Assessing the outcomes for clients entering a national hearing rehabilitation program. | Australian Journal of Audiology, 13(2):68-82. |
| 1991 | Hickson LMH and Alcock D | Progressive hearing loss in children with congenital cytomegalovirus. | Journal of Paediatrics and Child Health, 27(2):105-107. |
| 1991 | Hickson L and Byrne D | Acoustic analysis of speech through a hearing aid: Effects of linear vs compression amplification. | Australian Journal of Audiology, 17:1-13. |
| 1991 | LePage B, Byrne DJ and Noble W | Test-retest reliability of sound localisation performance of hearing -impaired listeners. | Australian Journal of Audiology, 13:83-92. |
| 1991 | Macrae JH | A procedure for determining percentage loss of hearing of clients with abnormally poor speech discrimination. | NAL Report No. 124. National Acoustic Laboratories, Sydney. |
| 1991 | Macrae JH | A comparison of the effects of different methods of impression buildup on earmoulds. | British Journal of Audiology, 25:183-199. |
| 1991 | Macrae JH | Permanent threshold shift associated with over amplification by hearing aids. | Journal of Speech and Hearing Research, 34(2):403-414. |
| 1991 | Macrae JH | Prediction of deterioration in hearing due to hearing aid use. | Journal of Speech and Hearing Research, 34:661-670. |
| 1991 | Macrae JH | Noise-induced permanent threshold shift and presbycusis. | Australian Journal of Audiology, 13:23-29. |
| 1991 | Macrae JH | Presbycusis and noise-induced permanent threshold shift. | Journal of the Acoustical Society of America, 90:2513-2516. |
| 1991 | Murray NM and LePage EL | Estimated maximum acceptable background noise levels for audiometric testing with sound-excluding earphone enclosures - an update. | Australian Journal of Audiology, 13(2):47-52. |
| 1991 | Noble W and Byrne DJ | Auditory localisation under conditions of unilateral fitting of different hearing aid systems. | British Journal of Audiology, 25:237-250. |

| Year | Author(s) | Title | Citation |
|-------------|---|--|--|
| 1991 | Plant GL | SYNTREX. Synthetic training exercises for hearing-impaired adults. Chatswood N.S.W.: National Acoustic Laboratories. | N.S.W.: National Acoustic Laboratories. |
| 1991 | Plant GL | The selection and training of tactile aid users. | In: Summers I (ed), Tactile Aids for the Hearing Impaired. London : Whurr, pp 146-166. |
| 1991 | Smith I and Williams W | Classroom clatter chatter : a guide to understanding and improving the acoustic environment of your classroom. | Chatswood: National Acoustic Laboratories. |
| 1991 | Williams W and Sinclair J | Classroom noise measurements - The results of noise measurements carried out at several Sydney metropolitan schools. | NAL Report No. 128. National Acoustic Laboratories, Sydney. |
| 1992 | Byrne DJ | Key issues in hearing aid selection and evaluation. | Journal of the American Academy of Audiology, 3(2):67-80. |
| 1992 | Byrne DJ | International hearing aid conference. | American Journal of Audiology, 2(2): 30-32. |
| 1992 | Byrne DJ, Noble W and LePage B | Effects of long-term bilateral and unilateral fitting of different hearing aid types on the ability to locate sounds. | Journal of the American Academy of Audiology, 3(6):369-382. |
| 1992 | Dillon H, Byrne DJ and Battaglia J. | Hearing instrument selection: by dispenser or computer. | Hearing Instruments, 43(8):18-21. |
| 1992 | LePage EL | Hysteresis in cochlear mechanics and a model for variability in noise-induced hearing loss. | In: Dancer A, Henderson D, Salvi RJ & Hamernik RP (eds), Noise-Induced Hearing Loss. St. Louis: Mosby Year Book, Vol. 10, pp106-115. |
| 1992 | Macrae JH | Prevention of noise-induced permanent threshold shift due to hearing aid use. | Australian Journal of Audiology, 14(1):1-11. |
| 1992 | Macrae JH | Tinnitus and percentage loss of hearing. | Australian Journal of Audiology, 14(1):19-23. |
| 1992 | Macrae JH | Computer programs for determining extended percentage loss of hearing. | Australian Journal of Audiology, 14(1):13-18. |
| 1992 | Macrae JH | Reduction of temporary threshold shift caused by hearing aid use. | Australian Journal of Audiology, 14:53-62. |
| 1992 | Macrae JH | Computer programs for determining extended percentage loss of hearing. | Australian Journal of Audiology, 14:13-18. |
| 1992 | Plant GL and Moore A | Two speech discrimination tests for profoundly hearing-impaired children. | Australian Journal of Audiology, 14(1):28-40. |
| 1992 | Williams W | The attenuation of impulse peak levels with respect to distance - An interim report on a study in progress. | NAL Report No. 129. National Acoustic Laboratories, Sydney. |
| 1993 | Byrne D | Implications of the National Acoustic Laboratories' (NAL) research for hearing aid gain and frequency response selection strategies. | In: Studebaker GA, Hochberg I (eds), Acoustical Factors Affecting Hearing Aid Performance, 2nd ed. Needham Heights, MA.: Allyn and Bacon. |
| 1993 | Carter NL and Upfold G | (1993). Comparison of earphone and sound field methods for estimating noise attenuation of foam earplugs. | American Industrial Hygiene Association Journal, 54:307-312. |
| 1993 | Dermody P, Raicevich G and Katsch R | Comparative evaluations of auditory representations of speech. | In: Cooke M, Beet S and Crawford M (eds), Visual Representations of Speech. Chichester, U.K.: Wiley, pp 229-236. |
| 1993 | Dillon H | Hearing aid evaluation: predicting speech gain from insertion gain. | Journal of Speech and Hearing Research, 36(Jun):621-633. |
| 1993 | Dillon H and Lovegrove R | Single microphone noise reduction systems for hearing aids: A review and an evaluation. | In: Studebaker GA, Hochberg I (eds), Acoustical Factors Affecting Hearing Aid Performance, 2nd ed. Needham Heights, MA.: Allyn and Bacon. |
| 1993 | Katsch R and Dermody P | Temporal factors in speech signals. | In: Cooke M, Beet S and Crawford M (eds), Visual Representations of Speech. Chichester, U.K.: Wiley, pp 279-284. |
| 1993 | LePage EL and Murray NM | Click-evoked otoacoustic emissions: comparing emission strengths with pure tone audiometric thresholds. | Australian Journal of Audiology, 15:9-22. |
| 1993 | LePage EL, Murray NM and Harrap MJ | The ear as an acoustical generator: Otoacoustic emissions and their diagnostic potential. | Acoustics Australia, 21:86-90. |
| 1993 | LePage EL, Reuter G, Hong S and Zenner HP | Summating baseline shifts and mechanical adaptation in a guinea pig cochlear explant shown with two optical displacement-sensing techniques. | In: Duifhuis H, Horst JW, Van Dijk P and van Netten SM (eds), Biophysics of Hair Cell Sensory Systems. Singapore: World Scientific Publishing. |
| 1993 | Macrae JH | Effects of postural change on the middle and inner ear. | British Journal of Audiology, 27:223-224. |
| 1993 | Macrae JH | Temporary threshold shift caused by hearing aid use. | Journal of Speech and Hearing Research, 36:365-372. |
| 1993 | Macrae JH | An investigation of temporary threshold shift caused by hearing aid use. | Journal of Speech and Hearing Research, 37:227-237. |
| 1993 | Macrae JH | Noise exposure of adult hearing aid users. | Australian Journal of Audiology, 15:5-8. |
| 1993 | Macrae JH | Reduction of temporary threshold shift caused by compression-limiting hearing aids. | Australian Journal of Audiology, 15:37-47. |
| 1993 | Murray NM and LePage EL | Age dependence of otoacoustic emissions and apparent rates of ageing of the inner ear in an Australian population. | Australian Journal of Audiology, 15:59-70. |
| 1993 | Ter-Horst K, Byrne D and Noble W | Ability of hearing-impaired listeners to benefit from separation of speech and noise. | Australian Journal of Audiology, 15: 71-84. |

| Year | Author(s) | Title | Citation |
|------|--|--|--|
| 1993 | Williams W | The attenuation of impulse peak levels with respect to distance. | NAL Report No. 130. National Acoustic Laboratories, Sydney. |
| 1994 | Byrne D and Birtles G | Hearing impairment and hearing aid use. Letter: | Medical Journal of Australia, 160(16 May):662-663. |
| 1994 | Byrne D, Dillon H, Tran K, Arlinger S (Linköping), Bamford J, Wilbraham K (Manchester), Cox R, Alexander G (Memphis), Hageman B (Stockholm), Hetu R (Montreal), Kie J, Lui C, (Hong Kong), Kiessling J, (Giessen), Kotby N, Nasser N, El Kholy W (Cairo), Nakanishi Y (Tokyo), Oyer H, Lambert C (Columbus), Powell R (New Plymouth), Stephens D, Meredith R, Sirimanna T (Cardiff), Tavartkiladze G, Frolenkov G (Moscow), Westerman S, Ludvigsen C (Vaerloese) | An International comparison of long-term average speech spectra. | Journal of the Acoustical Society of America, 96(4):2108-2120. |
| 1994 | Carter NL, Hunyor SN, Crawford G, Kely D and Smith AJM | Environmental noise and sleep - arousals, cardiac arrhythmia and overnight urinary catecholamines. | Sleep, 17(4):298-307. |
| 1994 | Carter NL, Hunyor SN, Ingham P and Tran K | A field study of the effects of traffic noise on heart rate and cardiac arrhythmia during sleep. | Journal of Sound and Vibration, 169:211-227. |
| 1994 | Dillon H | Shortened Hearing Aid Performance Inventory for the Elderly (SHAPE): A statistical approach. | Australian Journal of Audiology, 16(1):37-48. |
| 1994 | Macrae JH | A review of research into safety limits for amplification by hearing aids. | Australian Journal of Audiology, 16(2):67-77. |
| 1994 | Macrae JH | Prediction of asymptotic threshold shift caused by hearing aid use. | Journal of Speech and Hearing Research, 37(6):1450-1458. |
| 1994 | Noble W, Byrne D, LePage B | Effects on sound localization on configuration and type of hearing impairment. | Journal of the Acoustical Society of America, 95:992-1005. |
| 1994 | Zenner HP, Reuter G, Zimmerman U, Gitter AH, Fermin C and LePage EL | Transitory endolymph leakage induced hearing loss and tinnitus: depolarization, biphasic shortening and loss of electromotility of outer hair cells. | European Archives of Otorhinolaryngology, 251:143-153. |
| 1995 | Byrne D | Audiology in Australia. | American Journal of Audiology, 4(1):6-8. |
| 1995 | Byrne D, Noble W and Ter-Horst K | Effects of hearing aids on localization of sounds by people with sensorineural and conductive/mixed hearing losses. | Australian Journal of Audiology, 17:79-86. |
| 1995 | Ching T, Newall P, Wigney D | Reliability and sensitivity of intelligibility judgments by severely and profoundly hearing-impaired children. | Annals of Otolaryngology, Rhinology, and Laryngology, Suppl 166, 14(9):151-153. |
| 1995 | Dillon H and Ching T | What makes a good speech test? | In: Plant G and Spens K-E (eds), <i>Profound Deafness and Speech Communication</i> . London: Whurr Publishers Ltd., pp 305-344. |
| 1995 | Hickson L, Dodd B, Byrne D | Consonant perception with linear and compression amplification. | Scandinavian Audiology, 24:175-184. |
| 1995 | Keidser G | Long term spectra of a range of real life noisy environments. | Australian Journal of Audiology, 17(1):39-46. |
| 1995 | Keidser G | The relationship between various amplification schemes, listening conditions and hearing impairment. | Ear & Hearing, 16(6):575-586. |
| 1995 | Keidser G, Dillon H and Byrne D | Candidates for multiple frequency response characteristics. | Ear & Hearing, 16(6):562-574. |
| 1995 | LePage EL | A model for cochlear origin of subjective tinnitus: Excitatory drift in operating point of inner hair cells. | In: Vernon J and Moller AR (ed), <i>The Mechanisms of Tinnitus</i> . Boston: Allyn and Bacon Publishers, Chapter 11, pp 115-147. |
| 1995 | LePage EL, Murray NM, Tran K and Harrap MJ | Excitation pattern shifts: time-frequency evidence from click-evoked otoacoustic emissions. | In: Lewis E, Long G, Narins P and Steele C (eds), <i>Diversity in Auditory Mechanics</i> . Singapore: World Scientific Publishing. |
| 1995 | LePage EL, Reuter G and Zenner HP | A threshold decrease for electrically stimulated motor responses of isolated aging outer hair cells from the pigmented guinea pig. | European archives of Oto-rhino-laryngology, 252:215-221. |
| 1995 | Le Strange JR, Burwood E, Byrne D, Joyner KH, Wood M and Symons GL. | Interference to hearing aids by the digital mobile telephone system, global system for mobile communications, (GSM). | NAL Report No. 131. National Acoustic Laboratories, Sydney. |
| 1995 | Macrae JH | Safety aspects of amplification for severe/profound hearing loss. | Australian Journal of Audiology, 17:27-37. |
| 1995 | Macrae JH | Temporary and permanent threshold shift caused by hearing aid use. | Journal of Speech and Hearing Research, 38:949-959. |
| 1995 | Macrae JH | Extending the high frequency response of hearing aids. | Australian Journal of Audiology, 17:72-78. |
| 1995 | Macrae JH | Noise exposure of young hearing aid users. | Australian Journal of Audiology, 17:87-100. |

| Year | Author(s) | Title | Citation |
|------|---|---|---|
| 1995 | Macrae JH | Hearing conservation standards for occupational noise exposure of workers from headphones or insert earphones. | Australian Journal of Audiology, 17:107-114. |
| 1995 | Noble W, Ter-Horst K and Byrne D | Disabilities and handicaps associated with impaired auditory localization. | Journal of the American Academy of Audiology, 6(2):129-140. |
| 1996 | Arlinger S, Gatehouse S, Bentler RA, Byrne D, Cox RM, Dirks DD, Humes L, Neuman A, Ponton C, Robinson K, Silman S, Summerfield AQ, Turner CW, Tyler RS and Willott JF | Report of the Eriksholm Workshop on Auditory Deprivation and Acclimatization. | Ear & Hearing, 17(Suppl):87S-98S. |
| 1996 | Byrne D | Implications of acclimatization for hearing aid fitting practices and research. | Ear & Hearing, 17(suppl):255-265. |
| 1996 | Byrne D | Hearing aid selection for the 1990s: Where to: | Journal of the American Academy of Audiology, 7:377-395. |
| 1996 | Byrne D and Dirks D | Effects of acclimatization and deprivation of non-speech auditory abilities. | Ear & Hearing, 17(suppl):29S-37S. |
| 1996 | Byrne D, Noble W and Glauert B | Effects of earmould type on ability to locate sounds when wearing hearing aids. | Ear & Hearing, 17:218-228. |
| 1996 | Carter NL | Transportation noise, sleep, and possible after-effects. | Environment International, 22(1):105-116. |
| 1996 | Ching T, Newall P and Wigney D | Frequency response and gain requirements of severely and profoundly hearing impaired children. | Australian Journal of Audiology, 18:99-101. |
| 1996 | Dillon H | Compression? Yes, but for low or high frequencies, for low or high intensities, and with what response times? | Ear & Hearing, 17(4):287-307. |
| 1996 | Keidser G | Selecting amplification for different listening conditions. | Journal of the American Academy of Audiology, 7:92-104. |
| 1996 | Keidser G, Dillon H, Byrne D | Guidelines for fitting multiple memory hearing aids. | Journal of the American Academy of Audiology, 7:406-418. |
| 1996 | Macrae JH | Deterioration of thresholds associated with hearing aid use. | Australian Journal of Audiology, 18:73-80. |
| 1996 | Macrae JH | The role of audiometry in occupational noise management. | Journal of Occupational Health and Safety, 12:571-576. |
| 1996 | Macrae JH and Dillon H | Gain, frequency response and maximum output requirements for hearing aids. | Journal of Rehabilitation Research and Development, 33(4):363-376. |
| 1996 | Macrae JH and Dillon H | An equivalent input noise level criterion for hearing aids. | Journal of Rehabilitation Research and Development, 33:355-362. |
| 1996 | Michie PT, LePage EL, Solowij N, Haller M and Terry L | Evoked otoacoustic emissions and auditory selective attention. | Hearing Research, 98: 54-67. |
| 1996 | Parkinson AJ, Newall P, Byrne D, Plant G | Relationship of aided speech recognition to hearing thresholds and aided speech - peak sensation levels in severely and profoundly hearing-impaired adults. | Journal of the American Academy of Audiology, 7:305-321. |
| 1997 | Byrne D and Ching T | Optimising amplification for hearing-impaired children: I. Issues and procedures. | Australian Journal of Education of the Deaf, 3:21-27. [Note: Although publication date is 1997, the journal was only released in Sept 1998]. |
| 1997 | Ching T, Dillon H and Byrne D | Prediction of speech recognition from audibility and psychoacoustic abilities of hearing-impaired listeners. | In: Jesteadt W (ed), Modeling Sensorineural Hearing Loss. Lawrence Erlbaum Associates Publishers. |
| 1997 | Ching T, Newall P and Wigney D | Comparison of severely and profoundly hearing impaired children's amplification preferences with the NAL-RP and the DSL3.0 prescriptions. | Scandinavian Audiology, 26:219-222. |
| 1997 | Dillon H | Converting insertion gain to and from headphone coupler response. | Ear & Hearing, 18:346-348. |
| 1997 | Dillon H, James A and Ginis J | The Client Oriented Scale of Improvement (COSI) and its relationship to several other measures of benefit and satisfaction provided by hearing aids. | Journal of the American Academy of Audiology, 8:27-43. |
| 1997 | Hickson L and Byrne D | Consonant perception in quiet: Effect of increasing consonant to vowel ratio with compression amplification. | Journal of the American Academy of Audiology, 8:222-232. |
| 1997 | Jordt J, Ching T, Byrne D, Birtles G, Dillon H, Flora RD, Hill M, Battaglia J and Kirievsky L | Optimising amplification for hearing-impaired children: II. Aided speech audiogram. | Australian Journal of Education of the Deaf, 3:29-33. |
| 1997 | Keidser G, Pellegrino A, Delifotis A, Ridgway J and Clarke M | The use of different frequency response characteristics in everyday environments. | Australian Journal of Audiology, 19: 9-21. |
| 1997 | LePage EL, Murray NM, Tran K and Harrup MH | Excitation Pattern Shifts: Time-frequency Evidence from Click-evoked Otoacoustic Emissions. | In: Lewis E, Long G, Lyon RF, Narins P, Steele C and Hecht-Poinar E (eds), Diversity in Auditory Mechanics. Singapore: World Scientific Publishing, pp 233-240. |
| 1997 | Macrae JH | A discussion of the Australian National Standard for occupational noise. | Acoustics Australia, 25:109-112. |
| 1997 | Murray NM, LePage EL and Tran K | Repeatability of click-evoked otoacoustic emissions. | Australian Journal of Audiology, 19:109-118. |

| Year | Author(s) | Title | Citation |
|-------------|---|---|---|
| 1997 | Noble W, Byrne D and Ter-Horst K | Auditory localization, detection of spatial separateness, speech hearing in noise by hearing-impaired listeners. | Journal of the Acoustical Society of America, 102: 2343-2352. |
| 1998 | Byrne D | Hearing aid clinical trials: Specific benefits need specific measures. | American Journal of Audiology, 7:17-19. |
| 1998 | Byrne D and Noble W | Optimizing sound localization with hearing aids. | Trends in Amplification, 3(2), 49-73. |
| 1998 | Byrne D, Sinclair S and Noble W | Open earmoulds for improved auditory localization by people with sensorineural hearing losses and good high-frequency hearing. | Ear & Hearing, 19:62-71. |
| 1998 | Carter N, French HT and LePage EL | Evaluation of the aural reflex eliciting (AR) earmuff - phase 1. DSTO-TR-0737, AR-010-664. | Melbourne: Defence Science and Technology Organisation. |
| 1998 | Ching TYC, Dillon H and Byrne D | Speech recognition of hearing impaired listeners: Predictions from audibility and the limited role of high frequency amplification. | Journal of the Acoustical Society of America, 103:1128-1140. |
| 1998 | Dillon H and Storey L | The National Acoustic Laboratories' procedure for selecting the saturation sound pressure level of hearing aids: theoretical derivation. | Ear and Hearing, 19: 255-266. |
| 1998 | Dillon H, Storey L, Grant F, Philips A, Skelt L, Mavrias G, Woytowych W and Walsh M | Preferred compression threshold with 2:1 wide dynamic range compression in everyday environments. | Australian Journal of Audiology, 20(1):33-44. |
| 1998 | Keidser G | Fitting multiple-memory hearing aids: A practical guideline. | The Hearing Journal, 51(10):36-48. |
| 1998 | Keidser G, Dillon H and Byrne D | The change in overall level, spectral shape, and loudness perception of speech produced with different vocal effort. | Australian Journal of Audiology, 20(1):21-32. |
| 1998 | LePage EL | Occupational noise-induced hearing loss: origin, characterisation and prevention. | Acoustics Australia, 26:57-61. |
| 1998 | LePage EL and Murray NM | Latent cochlear damage in personal stereo users: a study based on click-evoked otoacoustic emissions. | Medical Journal of Australia, 169:588-592. |
| 1998 | Macrae J | Prediction of permanent threshold shift caused by hearing aid use. | Australian Journal of Audiology, 20:87-94. |
| 1998 | Macrae JH | Workers compensation for industrial deafness. | Acoustics Australia, 26:13-16. |
| 1998 | Macrae JH and Waugh RL | Adjustment of noise exposure level for extended workshifts. | Journal of Occupational Health and Safety – Australia /New Zealand, 14(4):383-387. |
| 1998 | Murray NM, LePage EL and Mikl K | Inner ear damage in an opera theatre orchestra as detected by otoacoustic emissions, pure tone audiometry and sound levels. | Australian Journal of Audiology, 20:67-78. |
| 1998 | Noble W, Sinclair S and Byrne D | Improvement in aided sound localization with open earmoulds: Observations in people with high-frequency hearing loss. | Journal of the American Academy of Audiology, 9:25-34. |
| 1998 | Noble W, Sinclair S and Byrne D | Extra-open earmoulds, localization and speech hearing in spatially separated noise. | Australian Journal of Audiology, 19: 99-107. |
| 1998 | Storey L, Dillon H, Yeend I, Wigney D | The National Acoustic Laboratories' procedure for selecting the saturation sound pressure level of hearing aids: experimental validation. | Ear and Hearing, 19:267-279. |
| 1999 | Barker C and Dillon H | Client preferences for compression threshold in single channel wide dynamic range hearing aids. | Ear and Hearing, 20:127-139. |
| 1999 | Ching TYC, Hill M, Birtles G and Beecham L | Clinical use of paired comparisons to evaluate hearing aid fitting of severely/profoundly hearing impaired children. | Australian and New Zealand Journal of Audiology, 21:51-63. |
| 1999 | Dillon H | NAL-NL1: A new prescriptive fitting procedure for non-linear hearing aids. | The Hearing Journal, 52(4):10-16. |
| 1999 | Dillon H, Birtles G and Lovegrove R | Measuring the outcomes of a national rehabilitation program: Normative data for the Client Oriented Scale of Improvement (COSI) and the Hearing Aid Users Questionnaire (HAUQ). | Journal of the American Academy of Audiology, 10:67-79. |
| 1999 | Dillon H, Byrne D, Katsch R, Ching T and Keidser G | The NAL team responds. | The Hearing Journal, 52(4):36-38. |
| 1999 | Keidser G, Dillon H and Brewer S | Using the NAL-NL1 prescriptive procedure with advanced hearing instruments. | The Hearing Review, 6(11):8-20. |
| 1999 | Keidser G, Dillon H, Katsch R, Byrne D, Ching T, Brewer S and Grant F | NAL-NL1: A fitting rule for non-linear hearing instruments. | In: Rasmussen AN, Osterhammel PA, Anderson T & Poulsen T (eds), Auditory Models and Non-linear Hearing Instruments. Proceedings of the 18th Danavox Symposium, Denmark, September 1999, pp 403-414. |
| 1999 | Keidser G, Seymour J, Dillon H, Grant F and Byrne D | An efficient, adaptive method of measuring loudness growth functions. | Scandinavian Audiology, 28(1):3-14. |
| 1999 | Massie R, Theodoros D, Byrne D, McPherson B and Smaldino J | The effects of sound field classroom amplification on the communicative interactions of Aboriginal and Torres Strait Islander children. | Australian and New Zealand Journal of Audiology, 21(2):93-109. |
| 1999 | McDermott HJ, Dean MR and Dillon H | Control of hearing-aid saturated sound pressure level by frequency-shaped output compression limiting. | Scandinavian Audiology, 28:27-38. |
| 1999 | Williams W | The classification system for hearing protectors. | Journal of Occupational Health and Safety - Australia and New Zealand, 15(5):471-474. |

| Year | Author(s) | Title | Citation |
|------|--|---|--|
| 2000 | Byrne D and Dillon H | Future directions in hearing aid selection and evaluation. | In: Valente M, Hosford-Dunn H & Roeser RJ (eds), Audiology: Treatment. New York: Thieme. |
| 2000 | Ching T, Byrne D, Westcott S and Love S | Conquering hearing problems: scientists and consumers working together. | The Australian and New Zealand Journal of Audiology, 22(1):15-17. |
| 2000 | Cox RM, Hyde M, Gatehouse S, Noble W, Dillon H, Bentler R, Stephens D, Arlinger S, Beck L, Wilkerson D, Kramer S, Kricos P, Gagne J, Bess F and Hallberg L | Optimal outcome measures, research priorities, and international cooperation. | Ear & Hearing, 21(4):106S-115S. |
| 2000 | Dillon H, Katsch R, Ching T, Keidser G, Byrne D and Brewer S | An introduction to the NAL-NL1 prescription procedure for non-linear hearing aids [Einführung in NAL-NL1: Eine anpassmethode für nicht-lineare hörrgeräte]. | Hörakustik, Sept:6-14. |
| 2000 | Dillon H | Fitting a wide dynamic range of speech into a narrow dynamic range of hearing. | In: Seewald RC (ed), A Sound Foundation Through Early Amplification. Stafa, Switzerland: Phonak, pp 65-76. |
| 2000 | Dillon H and So M | Incentives and obstacles to the routine use by clinicians of outcomes measures. | Ear & Hearing, 21(4 suppl):2S-6S. |
| 2000 | Keidser G, Katsch R, Dillon H and Grant F | Relative loudness perception of low and high frequency sounds in the open and occluded ear. | Journal of the Acoustical Society of America, 107(6):3351-3357. |
| 2000 | Murray NM, Williams W and Le Page E | A low frequency attenuating circumaural audiometric headset – estimation of required maximum ambient background noise levels, calibration to audiometers and hearing threshold correction values. | The Australian and New Zealand Journal of Audiology, 22(2):85-95. |
| 2000 | Presbury J and Williams W | Occupational noise exposure management in an orchestral setting. | Journal of Occupational Health and Safety - Australia and New Zealand, 16(4):337-342. |
| 2000 | Purdy Z, Arlington B and Johnstone C | Normative data for the New Zealand recording of the CVC (revised AB) word lists. | New Zealand Audiological Society Bulletin, 10(2):20-29. |
| 2000 | Purdy SC and Williams MJ | High frequency tympanometry: A valid and reliable immittance test protocol for young infants? | The New Zealand Audiological Society Bulletin, 10(3):9-10,12-21,24. |
| 2001 | Barker C, Dillon H and Newall P | Fitting low ratio compression to people with severe and profound hearing losses. | Ear & Hearing, 22(2):130-141. |
| 2001 | Baumfield A and Dillon H | Factors affecting the use and perceived benefit of ITE and BTE hearing aids. | British Journal of Audiology, 35:247-258. |
| 2001 | Byrne D and Burwood E | The Australian Experience: Global system for mobile communications wireless telephones and hearing aids. | Journal of the American Academy of Audiology, 12(6):315-321. |
| 2001 | Byrne D, Dillon H, Ching T, Katsch R and Keidser G | The NAL-NL1 procedure for fitting non-linear hearing aids: Characteristics and comparisons with other procedures. | Journal of the American Academy of Audiology, 12(1): 37-51. |
| 2001 | Ching TYC | Do cochlear implants work with hearing aids? Yes, they do. | CONTACT, Spring issue, Canada. |
| 2001 | Ching TYC | Do hearing aids for children need to be adjusted differently from those for adults? | Audiology Insight, June. |
| 2001 | Ching TYC, et al | How should we fit advanced hearing aids to children? | Sound News, 30(3/4): 11. Reprinted in HAASA Newsletter. |
| 2001 | Ching TYC, Dillon H and Byrne D | Children's amplification needs – same or different from adults? | Scandinavian Audiology, 30(Suppl 53):54-60. |
| 2001 | Ching TYC, Dillon H, Katsch R and Byrne D | Maximizing effective audibility in hearing aid fitting. | Ear & Hearing, 22(3):212-224. |
| 2001 | Ching TYC, Psarros C and Hill M | Hearing aid use with the Nucleus 24 cochlear implant system for children who switched from the SPEAK to the ACE strategy. | The Australian and New Zealand Journal of Audiology, 22(2):123-132. |
| 2001 | Ching TYC, Psarros C, Hill M, Dillon H and Incerti P | Should children who use cochlear implants wear hearing aids in the opposite ear? | Ear & Hearing, 22(5):365-380. |
| 2001 | Dillon H | Hearing Aids. | Sydney: Boomerang Press, pp xviii + 504. |
| 2001 | Jerram JCK and Purdy SC | Technology, expectations, and adjustment to hearing loss: Predictors of hearing aid outcome. | Journal of the American Academy of Audiology, 12: 64-79. |
| 2001 | Keidser G and Grant F | Comparing Loudness Normalisation (IHAFF) with Speech Intelligibility Maximization (NAL-NL1) when implemented in a Two-channel Device. | Ear & Hearing, 22(6):501-515. |
| 2001 | Keidser G and Grant F | The preferred number of channels (one, two, or four) in NAL-NL1 prescribed WDRC devices. | Ear & Hearing, 22(6):516-527. |
| 2001 | Oates PA and Purdy SC | Frequency specificity of the human auditory brainstem and middle latency responses using notched noise masking. | Journal of the Acoustical Society of America, 110(2):995-1009. |
| 2001 | Purdy SC and Kelly AS | Cortical auditory evoked potential testing in infants and young children. | The New Zealand Audiological Society Bulletin, 11(3):16-24. |
| 2001 | Storey L and Dillon H | Estimating the location of probe microphones relative to the tympanic membrane. | Journal of the American Academy of Audiology, 12(3):150-154. |
| 2001 | Welsh JF and Purdy SC | Management of age-related hearing loss. | Australasian Journal on Ageing, 20(2):56- 61. |
| 2002 | Amlani A, Punch JL and Ching TYC | Methods and applications of the Articulation Index in hearing aid selection and fitting. | Trends in Amplification, 6(3): 81-129. doi: 10.1177/108471380200600302. |

| Year | Author(s) | Title | Citation |
|------|---|--|--|
| 2002 | Ching TYC | Binaural benefits for children and adults who use cochlear implants with hearing aids. | CONTACT, 16(1):33-35. Reprinted in Sound News 31(2):22-25. |
| 2002 | Ching TYC | Effective amplification for hearing impaired children. | The Hearing Journal, 55(4), Page Ten: 10-18. Reprinted in Educational Audiology Review. Hearing Review, 9(8): 12-20, 52. |
| 2002 | Ching TYC, Britton L, Dillon H and Agung K | RECD, REAG, NAL-NL1: Accurate and practical methods for fitting non-linear hearing aids to infants and children. | |
| 2002 | Ching TYC, Dillon H and Katsch R | Do children require more high-frequency audibility than adults with similar hearing losses? | In: Seewald RC & Gravel JS (eds). A Sound Foundation through Early Amplification 2001. Proceedings of the Second International Conference. Stafa, Switzerland: Phonak AG, pp 141-152. |
| 2002 | Ching TYC, Psarros C, Hill M and Smither J | Should children who wear a cochlear implant in one ear use a hearing aid in the opposite ear? | In: Seewald RC & Gravel JS (eds.). A Sound Foundation through Early Amplification 2001. Proceedings of the Second International Conference. Stafa, Switzerland: Phonak AG, pp 195-202. |
| 2002 | Depczynski J, Franklin RC, Challinor K, Williams W and Fragar LJ | Farm noise emissions during common agricultural activities. | Journal of Agricultural Safety and Health. Australian Centre for Agricultural Health and Safety and Rural Industries Research and Development Corporation, Moree, NSW. |
| 2002 | Dillon H | Assessing the outcomes of hearing rehabilitation with the COSI (Client Oriented Scale of Improvement). | In: Referate des Horgerate-Akustiker-Kongresses, Heidleberg: Median-Verlag GmbH, pp 57-63; Conference proceedings from the 47th International Congress of Hearing Aid Acousticians, Leipzig, October 2002. |
| 2002 | Dillon H | What can hearing aids do other than amplify sound? | Hearing Matters, May: 4-7. |
| 2002 | Dillon H and Fisher M | Acoustic shock. | Acoustics Australia, 30(2):67-69. |
| 2002 | Dillon H and Martin RL | Understanding "effective audibility". | The Hearing Journal, 55(4):76-78. |
| 2002 | Keidser G, Ching T, Dillon H, Agung K, Brew C, Brewer S, Fisher M, Foster L, Grant F and Storey L | The National Acoustic Laboratories' (NAL) CDs of Speech and Noise for Hearing Aid Evaluation: normative data and potential applications. | The Australian and New Zealand Journal of Audiology, 24(1):16-35. |
| 2002 | Keidser G, Katsch R, Grant F and Dillon H | Relative loudness perception of low and high frequency speech bands, including the influence of bandwidth and input levels. | Journal of the Acoustical Society of America, 111(2):669-671. |
| 2002 | LePage EL and Murray NM | Latent cochlear damage in personal stereo users a study based on click-evoked otoacoustic emissions. | Re-print from Medical Journal of Australia 1998 in web journal "OAE Portal" (www.oae.it). |
| 2002 | LePage EL, Zhou D, Murray NM and Seymour JD | Poster of NAL-OAE analysis software | Re-printed in the August Editorial of the new web journal "OAE Portal" (www.oae.it). |
| 2002 | Massie R | The rehabilitative value of sound field classroom amplification with Aboriginal and Torres Strait Islander children. | Sound News, (which targets organisations and parents of hearing-impaired children). |
| 2002 | Purdy SC and Abbas PJ | ABR thresholds to tonebursts gated with Blackman and linear windows in adults with high frequency sensorineural hearing loss. | Ear & Hearing, 23:358-368. |
| 2002 | Purdy SC, Farrington DR, Moran CA, Chard LL and Hodgson SA | A parental questionnaire to evaluate Auditory Behavior in Everyday Life (ABEL). | American Journal of Audiology, 11(2):72-82. |
| 2002 | Purdy SC, Kelly AS and Davies MG | Auditory brainstem response, middle latency response, and late cortical evoked potentials in children with learning disabilities. | Journal of the American Academy of Audiology, 13:367-382. |
| 2002 | Purdy SC and Williams W | Development of the Noise At Work Questionnaire to assess perceptions of noise in the workplace. | Journal of Occupational Health and Safety - Australia and New Zealand, 18:77-83. |
| 2002 | Searchfield GD, Warr AA, Kuklinski JV and Purdy SC | Digital instruments for tinnitus management: Mixing point identification and threshold-adjusted noise. | In: Proceedings of Eighth International Tinnitus Seminar, pp 191-194. |
| 2002 | Williams W | The Australian approach to occupational noise management. | The New Zealand Audiological Society Bulletin, 12(3):6-9. |
| 2002 | Williams W, Forby-Atkinson L, Purdy SC and Gartshore G | Hearing loss and the farming community. | Journal of Occupational Health and Safety - Australia and New Zealand, 18(2):181-186. |
| 2002 | Williams W and Purdy S | Hearing protection. Fine tuning. | National Safety (The Journal of the National Safety Council of Australia), 72(9):34-36. |
| 2003 | Ching TYC | Cochlear implants and hearing aids for children and adults: fitting considerations and binaural advantages. | Nucleus Report, Feb. |
| 2003 | Ching TYC | Optimising a contralateral hearing aid for a unilateral cochlear implant user. | Nucleus Report, June. |
| 2003 | Ching TYC | Should I wear a hearing aid if I have a cochlear implant? | CICADA. |
| 2003 | Ching TYC | Selecting, verifying, and evaluating hearing aids for children. | Journal of Audiological Medicine, 3(1):191-198. |
| 2003 | Ching TYC and Dillon H | Prescribing amplification for children: adult-equivalent hearing loss, real-ear aided gain, and NAL-NL1. | Trends in Amplification, 7(1):1-9. |

| Year | Author(s) | Title | Citation |
|------|--|--|--|
| 2003 | Ching TYC, Incerti P and Hill M | Comparing cochlear implant with hearing aid to bilateral microphone inputs for unilateral cochlear implant users. | The Australian and New Zealand Journal of Audiology, 25(2):99-109. |
| 2003 | Ching TYC, Psarros C and Incerti P | Management of children using cochlear implants and hearing aids. | Volta Review, 103(1):39-57. |
| 2003 | Dillon H and Keidser G | Is probe-microphone measurement of hearing aid gain-frequency response best practice? | The Hearing Journal, 56(10):28-30. |
| 2003 | Dillon H, Keidser G, O'Brien A and Silberstein H | Sound quality comparisons of advanced hearing aids. | The Hearing Journal, 56(4):30-40. |
| 2003 | Keidser G | Prediction of non-linear amplification using different loudness scaling tests. | The Australian and New Zealand Journal of Audiology, 25(1):36-48. |
| 2003 | Keidser G, Brew C and Peck A | Proprietary fitting algorithms compared with one another and with generic formulas. | The Hearing Journal, 56(3):28,32-34,36-37. |
| 2003 | Keidser G and Grant F | Loudness normalization of speech intelligibility maximization? Differences in clinical goals, issues, and preferences. | Hearing Review, 10(1):14-22. |
| 2003 | LePage EL | The mammalian cochlear map is optimally warped. | Journal of the Acoustical Society of America, 114(2):896-906. |
| 2003 | LePage EL | Generalised description of the mammalian cochlear map. | In: Gummer W (ed), Biophysics of the Cochlea: from Molecules to Models. New Jersey, London, Singapore, Hong Kong: World Scientific, ISBN: 981-238-304-2, pp 432-433. |
| 2003 | Williams W and Purdy S | Managing the workplace, Section 70-500 to 70-548 (Noise). | In: CCH Report 61 Managing Occupational Health and Safety. Sydney: CCH Australia Ltd, 20 February (Revision of existing Report No 61). |
| 2003 | Massie R | Sound-field amplification: Technology for improving speech understanding in the classroom. | SPELD News, 35 (2): 11-12. |
| 2003 | Sharma M, Purdy SC and Bonnici L | Behavioural and electroacoustic calibration of click and toneburst auditory brainstem response stimuli. | The Australian and New Zealand Journal of Audiology, 25 (1):54-60. |
| 2003 | Sharma M, Purdy SC and Bonnici L | Calibration of bone conducted stimuli for auditory brainstem response audiometry. | New Zealand Audiological Society Bulletin, 13(1):36-47. |
| 2003 | Sharma M, Purdy S, Newall P, Wheldall K and Beaman R | Auditory evoked potentials in children with reading problems show abnormal auditory processing. | In: Proceedings of the 2003 Speech Pathology Australia National Conference, pp 115-122. |
| 2003 | Williams W | The statistical estimation of the attenuation of impulse peak levels with respect to distance. | Acoustics Australia, 31(3):103-107. |
| 2003 | Williams W | An explanation for the apparent poor performance of some hearing protectors. | Acoustics Australia, 31(2):59-62. |
| 2003 | Williams W | Can we have some quiet please? | CCH OHS Magazine, June/July Issue:26-28. |
| 2003 | Williams W | Quiet please! | Master Builder, Issue 5:18-19. |
| 2003 | Williams W and Challinor K | Increasing the effectiveness of OHS education for noise exposed individuals. | Ear 'Tis Newsletter for Nurse Audiometrists, Summer Issue. |
| 2003 | Williams W and Purdy S | Managing hearing protector use. | CCH Plant Safety News, Issue 1 (Jan 9): 1-4. |
| 2003 | Williams W and Purdy S | Serious about hearing? & Overcoming the barriers. | CCH Australian OHS Magazine, April-May:20-21,32. |
| 2003 | Williams W and Presbury J | Observations of noise exposure through the use of headphones by radio announcers. | Noise and Health, 5(19):69-73. |
| 2004 | Ching TYC | Prescribing amplification for hearing impaired children: what we know and what we don't know. | In: Proceedings of the International Conference on Recent Developments in Paediatric Amplification, Hong Kong, Dec 2004. |
| 2004 | Ching TYC and Incerti P | Bimodal hearing for adults. | CICADA. |
| 2004 | Ching TYC, Incerti P, Hill M and Psarros C | Binaural hearing with a cochlear implant and a hearing aid: benefits and practical methods for fitting. | In: Proceedings of the International Conference on Recent Developments in Paediatric Amplification, Hong Kong, Dec 2004. |
| 2004 | Ching TYC, Hill M, Dillon H and van Wanrooy E | Fitting and evaluating a hearing aid for recipients of unilateral cochlear implants: the NAL approach. Part 1. Hearing aid prescription, adjustment, and evaluation. | Hearing Review, 11(7):14-22, 58. |
| 2004 | Ching TYC, Incerti P, Hill M and Brew J | Fitting and evaluating a hearing aid for recipients of unilateral cochlear implants: the NAL approach. Part 2. Bimodal hearing should be standard for most cochlear implant users. | Hearing Review, 11(8):32,36-40,63. |
| 2004 | Ching TYC, Incerti P, Hill M and Priolo S | Binaural benefits for adults who use hearing aids and cochlear implants in opposite ears. | Ear & Hearing, 25(1):9-21. doi: 10.1097/01.AUD.0000111261.84611.C8. |
| 2004 | Ching TYC, Incerti P, Hill M, Brew J, Priolo S and Rushbrook E | Would children who did not wear a hearing aid after implantation benefit from using a hearing aid with a cochlear implant in opposite ears? | Cochlear Implant International, 5(Suppl 1):92-94. |
| 2004 | Dillon H, Keidser G, O'Brien A and Silberstein H | Vergleich der Klangqualität moderner Hörgeräte. | Horakustik, 2:11-22. (Translated from The Hearing Journal). |
| 2004 | Keidser G, Brew C, Brewer S and Dillon H. | Prescriptions for hearing aids that intelligently sense their environments. | In: Proceedings of the 18th International Congress of Acoustics, Kyoto, April 2004, Volume II: 1125:1128. |

| Year | Author(s) | Title | Citation |
|-------------|---|--|--|
| 2004 | Golding M, Carter N, Mitchell P and Hood L J | The prevalence of central auditory processing (CAP) changes in an older Australian population: The Blue Mountains Hearing Study. | Journal of the American Academy of Audiology, 15(9):633-642. |
| 2004 | Keidser G and Dillon H | Hearing aids: Prescriptive fitting. | In: Kent RD (ed), The MIT Encyclopedia of Communication Disorders. Massachusetts: The MIT Press, pp 482-486. |
| 2004 | LePage EL | Scope of otoacoustic emissions for assessment and prevention: past, present and future. | Audiology Now (Newsletter of the Audiological Society of Australia), Spring. |
| 2004 | Massie R, Theodoros D, McPherson B and Smaldino J | Soundfield amplification: Enhancing the classroom listening environment for Aboriginal and Torres Strait Islander children. | Australian Journal of Indigenous Education, 33:47-53. |
| 2004 | Sharma M, Purdy S, Newall P, Wheldall K, Beaman R and Dillon H | Effects of identification technique, extraction method, and stimulus type on mismatch negativity in adults and children. | Journal of the American Academy of Audiology, 15:616-632. |
| 2004 | Williams W | A practical measure for workplace noise assessment and action. | Journal of Occupational Health and Safety - Australia and New Zealand, 20(6):535-538. |
| 2004 | Williams W | Instruction and the improvement of hearing protector performance. | Noise and Health, 7(25):41-47. PMID:15703148 |
| 2004 | Williams W, Purdy S C, Murray N, Dillon H, LePage E, Challinor K and Storey L | Does the presentation of audiometric test data have a positive effect on the perception of workplace noise and noise exposure avoidance? | Noise and Health, 6(24):75-84. PMID:15703143 |
| 2004 | Williams W, Purdy S, Murray N, LePage E and Challinor K | Hearing loss and perceptions of noise in the workplace among rural Australians. | Australian Journal of Rural Health, 12:115-119. |
| 2005 | Agung K, Purdy SC, Patuzzi RB, O'Beirne GA and Newall P | Rising-frequency chirps and earphones with an extended high frequency response enhance the post-auricular muscle response. | International Journal of Audiology, 44(11):631-636. |
| 2005 | Cameron S and Dillon H | Auditory processing disorder – from screening to diagnosis and management. A step-by-step guide. | Audiology Now, Issue 21:47-55. |
| 2005 | Cameron S, Dillon H and Newall P | Three case studies of children with suspected auditory processing disorder. | The Australian and New Zealand Journal of Audiology, 27(2):97-111. |
| 2005 | Ching TYC | The evidence calls for making binaural-bimodal fittings routine. | The Hearing Journal, 58(11):32-41. |
| 2005 | Ching TYC, Hill M, Brew J, Incerti P, Priolo S, Rushbrook E and Forsythe L | The effect of auditory experience on speech perception, localization, and functional performance of children who use a cochlear implant and a hearing aid in opposite ears. | International Journal of Audiology, 44(12): 677-690. |
| 2005 | Ching TYC, van Wanrooy E, Hill M and Dillon H | Binaural redundancy and inter-aural time difference cues for patients wearing a cochlear implant and a hearing aid in opposite ears. | International Journal of Audiology, 44(9):513-520. |
| 2005 | Convery E, Keidser G, Dillon H | A review and analysis: Does amplification experience have an effect on preferred gain over time? | The Australian and New Zealand Journal of Audiology, 27(1): 18-32. |
| 2005 | Depczynski J, Franklin R C, Challinor K, Williams W and Fragar L | Farm noise emissions during common agricultural activities. | Journal of Agricultural Safety and Health, 11(3):325-334. |
| 2005 | Dillon H | So Baby; how does it sound? Cortical assessment of infants with hearing aids. | The Hearing Journal, 58(10):10-17. |
| 2005 | Golding M, Mitchell P and Cupples L | Risk markers for the graded severity of auditory processing abnormality in an older Australian population: the Blue Mountains Hearing Study. | Journal of the American Academy of Audiology, 16:350-358. |
| 2005 | Keidser G, Brew C, Brewer S, Dillon H, Grant F and Storey L | The preferred response slopes and two-channel compression ratios in twenty listening conditions by hearing-impaired and normal-hearing listeners and their relationship to the acoustic input. | International Journal of Audiology, 44(11):656-670. |
| 2005 | Keidser G, Carter L and Dillon H | The effect of advanced signal processing strategies in hearing aids on user performance and preference. | In: Rasmussen AN, Osterhammel PA, Andersen T, and Poulsen T (eds), Hearing Aid Fitting, Proceedings of the 21st Danavox Symposium, pp 307-320. |
| 2005 | Keidser G, Limareff H, Simmons S, Gul C, Hayes Z, Sawers C, Thomas B, Holland K and Korchek K | Clinical evaluation of Australian Hearing's guidelines for fitting multiple memory hearing aids. | The Australian and New Zealand Journal of Audiology, 27(1):51-68. |
| 2005 | King AM, Purdy SC, Dillon H, Sharma M and Pearce W | Australian hearing protocols for the audiological management of infants who have auditory neuropathy. | The Australian and New Zealand Journal of Audiology, 27(1):69-77. |
| 2005 | Massie R, Dillon H, Ching T and Birtles G | The evaluation of non-tonal stimuli for hearing assessment of young children. | The Australian and New Zealand Journal of Audiology, 27(1):10-17. |
| 2005 | Purdy SC, Katsch R, Dillon H, Storey L, Sharma M and Agung K | Aided cortical auditory evoked potentials for hearing instrument evaluation in infants. | In: Seewald RC & Bamford JM (eds), A sound foundation through early amplification, Proceedings of the Third International Conference, Stafa. Switzerland: Phonak AG, pp 115-128. |
| 2005 | Wigney D, Golding M, Newall P, Mitchell P and Hartley D | An audiological profile of elderly Australians reporting speech affecting stroke. | Advances in Speech-Language Pathology, 7(4):211-219. |

| Year | Author(s) | Title | Citation |
|-------------|--|--|--|
| 2005 | Williams W | A variation to the sound level conversion measure of hearing protector performance. | Acoustics Australia, 33(2):51-55. |
| 2005 | Williams W | Noise exposure levels from personal stereo use. | International Journal of Audiology, 44(4):231–236. |
| 2005 | Williams W and Dillon H | Hearing protector performance and standard deviation. | Noise & Health, 7(28):51-60. doi: 10.4103/1463-1741.31629 |
| 2005 | Williams W and Purdy SC | Fatalism is highly correlated with perceived barriers, self-efficacy and workplace safety culture. | Journal of Occupational Health and Safety - Australia and New Zealand, 21(3):247-252. |
| 2005 | Williams W, Purdy SC and Storey L | Assessing the workplace safety climate. | Journal of Occupational Health and Safety - Australia and New Zealand, 21(1):61-66. |
| 2006 | Agung K, Purdy SC, McMahon CM and Newall P | The use of cortical auditory evoked potentials to evaluate neural encoding of speech sounds in adults. | Journal of the American Academy of Audiology, 17(8):559-572. |
| 2006 | Burgess M and Williams W | Non-noise contributors to occupational hearing loss. | Acoustics Australia, 34(3):109-114. |
| 2006 | Cameron S, Dillon H and Newall P | Development and evaluation of the Listening in Spatialized Noise Test. | Ear and Hearing, 27(1):30-42. |
| 2006 | Cameron S, Dillon H and Newall P | Listening in Spatialized Noise Test: Normative data for children. | International Journal of Audiology, 45(2):99-108. |
| 2006 | Cameron S, Dillon H and Newall P | The Listening in Spatialized Noise Test: An auditory processing disorder study. | Journal of the American Academy of Audiology, 17(5):304-318. |
| 2006 | Chia E, Mitchell P, Rochtchina E, Foran S, Golding M and Wang JJ | Association between vision and hearing impairments and their combined impact on quality of life. | Archives of Ophthalmology, 124:1465-1470. |
| 2006 | Ching TYC, Incerti P, Hill M and van Wanrooy E | An overview of binaural advantages for children and adults who use binaural/bimodal hearing devices. . | Audiology and Neurotology, 11(Suppl 1):6-11. doi: 10.1159/000095607 |
| 2006 | Ching TYC, van Wanrooy E, Hill M and Incerti P | Performance in children with hearing aids or cochlear implants: bilateral stimulation and binaural hearing. | International Journal of Audiology, 45 (Suppl):108-112. doi:10.1080/14992020600783087 |
| 2006 | Dillon H, Zakis J, McDermott H, Keidser G, Dreschler W and Convery E | The trainable hearing aid: What will it do for clients and clinicians? | The Hearing Journal, 59(4):30-36. |
| 2006 | Franklin RC, Depczynski J, Challinor K, Williams W and Fragar L | Factors affecting farm noise during common agricultural activities. | Journal of Agricultural Safety and Health, 12(2):117-125. |
| 2006 | Golding M, Dillon H, Seymour J, Purdy S and Katsch R | Obligatory cortical auditory evoked potential (CAEP) testing in infants – a five year review. | National Acoustic Laboratories Research and Development Annual Report 2005/2006, Sydney: Australian Hearing, pp 15-19. |
| 2006 | Golding M, Purdy S, Sharma M, Dillon H | The effect of stimulus duration and inter-stimulus interval on cortical responses in infants. | The Australian and New Zealand Journal of Audiology, 28(2):122-36. |
| 2006 | Golding M, Taylor A, Cupples L and Mitchell P | Odds of demonstrating auditory processing abnormality in the average older adult: the Blue Mountains Hearing Study. | Ear and Hearing, 27(2): 129-138. |
| 2006 | Keidser G, Rohrseitz K, Dillon H, Hamacher V, Carter L, Rass U and Convery E | The effect of multi-channel wide dynamic range compression, noise reduction, and directional microphone on horizontal localisation performance in hearing aid wearers. | International Journal of Audiology, 45(10):563-579. |
| 2006 | Massie R and Dillon H | The impact of sound-field amplification in mainstream cross-cultural classrooms. Part 1. Educational outcomes. | Australian Journal of Education, 50(1):62-67. |
| 2006 | Massie R and Dillon H | The impact of sound-field amplification in mainstream cross-cultural classrooms. Part 2. Teacher and child opinions. | Australian Journal of Education, 50(1):78-94. |
| 2006 | Massie R, Dillon H, Ching T and Birtles G | Does a diversity of nontonal stimuli at each test frequency assist in the hearing assessment of young children? | The Australian and New Zealand Journal of Audiology, 28(1):1-10. |
| 2006 | Reid N, Thorne P, Ameratunga S, Williams W, Purdy SC and Dodd G | Best Practice in Noise-Induced Hearing Loss Management and Prevention. | A report prepared by Auckland Uniservices Limited for the Accident Compensation Corporation, New Zealand. |
| 2006 | Savage I, Dillon H, Byrne D and Bachler H | Experimental evaluation of different methods of limiting the maximum output of hearing AIDS. | Ear and Hearing, 27(5):550-62. |
| 2006 | Sharma M, Purdy S C, Newall P, Wheldall K, Beaman R and Dillon H | Electrophysiological and behavioural evidence of auditory processing deficits in children with reading disorder. | Clinical Neurophysiology, 117(5):1130-1144. |
| 2006 | Smeds K, Keidser G, Zakis J, Dillon H, Lejlon A, Grant F, Convery E and Brew C | Preferred overall loudness. I: Sound field presentation in the laboratory. | International Journal of Audiology, 45(1):2-11. |
| 2006 | Smeds K, Keidser G, Zakis J, Dillon H, Lejlon A, Grant F, Convery E and Brew C | Preferred overall loudness. II: Listening through hearing aids in field and laboratory tests. | International Journal of Audiology, 45(1):12-25. |
| 2006 | Williams W | Can hearing protectors provide satisfactory noise reduction? | Journal of Occupational Health and Safety - Australia and New Zealand, 22(6):561-566. |

| Year | Author(s) | Title | Citation |
|------|--|---|---|
| 2006 | Williams W | A different perspective on the analysis of hearing protector attenuation test data for NRR. | Noise Control Engineering Journal, 54(6):376-381. Letter to Editor by A Behar, 55(4):425, 2007. Response to letter from A Behar, 55(4):426, 2007. |
| 2006 | Williams W | Custom-moulded earplugs. | Acoustics Australia, 34(3):122-124. |
| 2007 | Burgess M, Williams W and Gilchrist J | Noise from Recreation Activities: Contribution to Total Noise Exposure. | A report produced for the Department of Defence, Defence Centre for Occupational Health, Canberra. |
| 2007 | Cameron S and Dillon H | Development of the Listening in Spatialized Noise - Sentences Test (LISN-S). | Ear and Hearing, 28(2):196-211. |
| 2007 | Cameron S and Dillon H | The Listening in Spatialized Noise -Sentences Test (LISN-S): Test-retest reliability study. | International Journal of Audiology, 46:145-153. |
| 2007 | Cameron S, Dillon H, Newall P, Zhang D and Wang S | Case study of children with suspected auditory processing disorder. | Chinese Scientific Journal of Hearing and Speech Rehabilitation, 4(23):20-25. |
| 2007 | Ching TYC and Hill M | The Parents' Evaluation of Aural/oral performance of Children (PEACH) scale: normative data. | Journal of the American Academy of Audiology, 18(3):221-237. |
| 2007 | Ching TYC, Oong R and van Wanrooy E | The ages of intervention in regions with and without UNHS and the prevalence of childhood hearing impairment in Australia. | Australian and New Zealand Journal of Audiology, 28(2): 137-150. |
| 2007 | Ching, TYC, van Wanrooy E and Dillon H | Binaural-bimodal fitting or bilateral implantation for managing severe or profound hearing loss: a review. | Trends in Amplification, 11(3):161-192. |
| 2007 | Golding M | Central auditory processing (CAP) abnormalities in older adults: A review. | The Australian and New Zealand Journal of Audiology, 29(1):2-13. |
| 2007 | Golding M, Doyle K, Sindhusake D, Mitchell P, Newall P and Hartley D | Tympanometric and acoustic reflex measures in older adults: the Blue Mountains Hearing Study. | Journal of the American Academy of Audiology, 18(5):391-403. |
| 2007 | Golding M, Pearce W, Seymour J, Cooper A, Ching TC and Dillon H | The relationship between obligatory cortical auditory evoked potentials (CAEPs) and functional measures in infants. | Journal of the American Academy of Audiology, 18:117-127. |
| 2007 | Heine C and Williams W | Where should my client sit? – Can location help classroom listening? | ACQuiring Knowledge in Speech, Language and Hearing (ACQ), 9(2):60-63. |
| 2007 | Keidser G, Carter L, Chalupper J and Dillon H | Effect of low-frequency gain and venting effects on the benefit derived from directionality and noise reduction in hearing aids. | International Journal of Audiology, 46(10):554-568. |
| 2007 | Keidser G, Convery E and Dillon H | Potential users and perception of a self-adjustable and trainable hearing aid: A consumer survey. | Hearing Review, 14(4):18-20,24,26,31. |
| 2007 | Keidser G, Dillon H, Dyrland O, Carter L and Hartley D | Preferred compression ratios in the low and high frequencies by the moderately severe to severe-profound population. | Journal of the American Academy of Audiology, 18(1):17-33. |
| 2007 | Keidser G, O'Brien A, Latzel M and Convery E | Evaluation of a transient noise reduction algorithm. | The Hearing Journal, 60(2):29,32,34,38-39. |
| 2007 | Pearce W, Golding M and Dillon H | Cortical auditory evoked potentials in the assessment of auditory neuropathy: Two case studies. | Journal of the American Academy of Audiology, 18(5):380-389. |
| 2007 | Rance G, Barker EJ, Sarant J and Ching TYC | Receptive language and speech production in children with auditory neuropathy/dyssynchrony type hearing loss. | Ear and Hearing, 28(5):694-702. doi: 10.1097/AUD.0b013e31812f71de. |
| 2007 | Williams W | Benchmarking of Noise Exposure in Selected South Australian Workplaces - Part of a Stakeholder Compliance Campaign. | A report for the Australian Safety Compensation Council, Department of Employment and Workplace Relations, Canberra. |
| 2007 | Williams W | Clamping pressure and circum-aural earmuffs. | Noise & Health, 9(35):45-50. doi: 10.4103/1463-1741.36980 |
| 2007 | Williams W | Barriers to occupational noise management. | Acoustique & Techniques: Trimestriel d'information des professionnels de l'acoustique, 49:17-21. |
| 2007 | Williams W and Burgess M | Occupational noise exposure and action levels. | Journal of Occupational Health and Safety - Australia and New Zealand, 23(4):343-348. |
| 2007 | Williams W and Burgess M | The combination of workplace and recreational noise exposure. | Acoustics Australia, 35(3):91-95. Republished (2009) Acoustics Bulletin, 34(2):30-33. |
| 2007 | Williams W and Purdy SC | Factors in reducing occupational noise exposure. | Journal of Occupational Health and Safety - Australia and New Zealand, 23(2):165-177. |
| 2007 | Williams W, Purdy S, Storey L, Nakhla M and Boon G | Towards more effective methods for changing perceptions of noise in the workplace. | Safety Science, 45(4):431-447. |
| 2007 | Zakis JA, Dillon H and McDermott HJ | The design and evaluation of a hearing aid with trainable amplification parameters. | Ear and Hearing, 28(6):812-830. |
| 2008 | Cameron S and Dillon H | The Listening in Spatialized Noise – Sentences Test: Comparison to prototype LISN test and results from children with either a suspected (central) auditory processing disorder or a confirmed language disorder. | Journal of the American Academy of Audiology, 19(5):377-391. |
| 2008 | Cameron S and Dillon H | Spatial hearing deficits as a major cause of auditory processing disorders: Diagnosis with the LISN-S and management options. | In: Seewald R & Bamford J (eds.) A Sound Foundation Through Early Amplification 2007, Proceedings of the Fourth International Conference, Switzerland: Phonak AG, pp 235-241. |

| Year | Author(s) | Title | Citation |
|------|---|---|---|
| 2008 | Ching TYC and Britton L | Repeatability of real-ear-to-coupler differences measured by an acoustic method for determining probe tube insertion depth. | The Australian and New Zealand Journal of Audiology, 30(2):91-98. |
| 2008 | Ching TYC, Dillon H, Day J and Crowe K | The NAL Study on Longitudinal Outcomes of Hearing-Impaired Children: interim findings on language of early and later-identified children at 6 months after hearing aid fitting. | In: Seewald R & Bamford J (eds.) A Sound Foundation Through Early Amplification 2007, Proceedings of the Fourth International Conference, Switzerland: Phonak AG, pp 185-199. |
| 2008 | Ching TYC, Hill M and Dillon H | Effect of variations in hearing-aid frequency response on real-life functional performance of children with severe or profound hearing loss. | International Journal of Audiology, 47(8):461-475. doi: 10.1080/14992020802116128. |
| 2008 | Convery E, Keidser G and Carter L | Transitioning hearing aid users with severe and profound hearing loss from linear to nonlinear amplification: three case studies. | The Australian and New Zealand Journal of Audiology, 30(1):73-85. |
| 2008 | Dillon H | Hearing aids. | In: Gleeson M (ed), Scott-Brown's Otorhinolaryngology: Head and Neck Surgery. London: Edward Arnold (Publishers) Ltd. |
| 2008 | Dillon H, Ching T and Golding M | Hearing aids for infants and children. | In: Madell JR and Flexer C (eds), Pediatric Audiology: Birth Through Adolescence. New York: Thieme Medical Publishers, Inc. |
| 2008 | Dreschler WA, Keidser G, Convery E and Dillon H | Client-based adjustments of hearing-aid gain: the effect of different control configurations. | Ear and Hearing, 29(2):214-227. |
| 2008 | Flax MR and Holmes WH | Goldman-Hodgkin-Katz cochlear hair cell models - a foundation for nonlinear cochlear mechanics. | In: Proceedings of the 9th Annual Conference of the International Speech Communication Association (Interspeech 2008), Brisbane. |
| 2008 | Flax MR and Holmes WH | Introducing the compression wave cochlear amplifier. | In: Proceedings of the 9th Annual Conference of the International Speech Communication Association (Interspeech 2008), Brisbane. |
| 2008 | Golding M, Dillon H, Seymour J and Carter L | The application of Cortical Auditory Evoked Potential (CAEP) recordings in infant hearing aid fitting. | In: Proceedings of the 53rd EUHA International Congress of Hearing Aid Acousticians, 15-17 October 2008, Leipzig. |
| 2008 | Keidser G, Convery E and Dillon H | The effect of the baseline response on self-adjustments of hearing aid gain. | Journal of the Acoustical Society of America, 124(3):1668-1681. |
| 2008 | Keidser G, Dillon H, Katsch R & Ching T | The NAL-NL2 prescription procedure. | In: Proceedings of the 53rd EUHA International Congress of Hearing Aid Acousticians, Leipzig, 15-17 October 2008. |
| 2008 | Keidser G, Hartley D and Carter L | Long-term usage of modern signal processing by listeners with severe or profound hearing loss: A retrospective survey. | American Journal of Audiology, 17(2):136-146. |
| 2008 | Keidser G, O'Brien A, Carter L, McLelland M and Yeend I | Variation in preferred gain with experience for hearing aid users. | International Journal of Audiology, 47(10):621-635. |
| 2008 | Mejia J (presented by Dirk Junius) | Electronic venting for hearing aids. | In: Proceedings of the 53rd EUHA International Congress of Hearing Aid Acousticians, 15-17 October 2008, Leipzig. |
| 2008 | Mejia J and Dillon H | The occlusion effect and its reduction. | In: Auditory Signal Processing in Hearing-Impaired Listeners. Dau T, Buchholz JM, Harte JM and Christensen TU (eds). Proceedings of the 22nd International Symposium on Audiological and Auditory Research, Copenhagen, 2007, pp 459-470. |
| 2008 | Mejia J, Dillon H, Fisher M | Active cancellation of occlusion: an electronic vent for hearing aids and hearing protectors. | Journal of the Acoustical Society of America, 124(1):235-240. |
| 2008 | Raicevich G, Burwood E and Dillon H | Taking the pressure off bone conduction Hearing Aid Users. | The Australian and New Zealand Journal of Audiology, 30(2):113-117. |
| 2008 | Thorne PR, Ameratunga SN, Stewart J, Reid N, Williams W, Purdy SC, Dodd, G and Wallaart J | Epidemiology of noise-induced hearing loss in New Zealand. | New Zealand Medical Journal, 121(1280):33-44. |
| 2008 | Williams W | Hearing protector testing and individual variability. | Acoustics Australia, 36(2):60-62. |
| 2008 | Williams W | Life-time leisure noise exposure – Is it time to look at the bigger picture? Acoustic Opinion. | Acoustics Australia, 36(2):64-65. |
| 2008 | Williams W | The reliability of self-reported hearing difficulties from occupational noise exposure. | Journal of Occupational Health and Safety - Australia and New Zealand, 24(2):143-153. |
| 2008 | Williams W | How significant is leisure noise exposure over the life-cycle? Essay in Audiology. | Audiology Now, 35(summer):44-45. |
| 2008 | Williams W, Kyaw-Mynt SM, Crea J and Hogan A | Occupational noise management – What's happening in industry? | Journal of Occupational Health and Safety - Australia and New Zealand, 24(4):299-307. |
| 2008 | Williams W and Purdy S | The reliability of self-reported hearing loss from occupational noise exposure. | Journal of Occupational Health and Safety - Australia and New Zealand, 24(2):143-153. |
| 2009 | Cameron S, Brown D, Keith R, Martin J, Watson C and Dillon H | Development of the North American Listening in Spatialized Noise - Sentences Test (NA LiSN-S): Sentence equivalence, normative data and test-retest reliability studies. | Journal of the American Academy of Audiology, 20(2):128-146. |
| 2009 | Chalupper J, O'Brien A and Hain J | A new technique to improve aided localization. | Hearing Review, 16(10):20-26. |

| Year | Author(s) | Title | Citation |
|-------------|---|--|--|
| 2009 | Ching TYC, Dillon H, Day J and Crowe K | Language development of early and later-identified children at 6 months after hearing aid fitting. | Les Cahiers de l'Audition, 22:22-31. |
| 2009 | Ching TYC, Dillon H, Day J, Crowe K, Close L, Chisholm K and Hopkins T | Early language outcomes of children with cochlear implants: Interim findings of the NAL study on longitudinal outcomes of children with hearing impairment. | Cochlear Implants International, 10(Suppl.1):28-32. doi: 10.1002/cii.382 |
| 2009 | Ching TYC, Massie R, van Wanrooy E, Rushbrooke E and Psarros C | Bimodal fitting or bilateral implantation? | Cochlear Implants International, 10 (Suppl.1):23-27. doi: 10.1002/cii.381 |
| 2009 | Ching TYC, O'Brien A, Dillon H, Chalupper J, Hartley L, Hartley D, Raicevich G and Hain J | Directional effects on infants and young children in real life: implications for amplification. | Journal of Speech, Language and Hearing Research, 52(5):1241-1254. doi: 10.1044/1092-4388(2009/08-0261) |
| 2009 | Gilliver M and Byrne B | What's in a name? Preschoolers' noun learning performance in relation to their risk for reading disability. | Reading and Writing, 22(6):637. Also available online. |
| 2009 | Gilliver M and Williams W | Noise exposure and the construction industry. | Journal of Occupational Health and Safety - Australia & New Zealand, 25(3):187-196. |
| 2009 | Gilliver M and Williams W | Hear no evil: Encouraging construction workers to reduce their noise exposure. | In: Proceedings of the Colloquium of the ISSA International Section for Research on Prevention - Research on the effectiveness of prevention measures at the workplace. October 2009. |
| 2009 | Golding M, Dillon H, Seymour J and Carter L | The detection of adult cortical auditory evoked potentials (CAEPs) using an automated statistic and visual detection. | International Journal Audiology, 48(12):833-842. |
| 2009 | Keidser G | Many factors are involved in optimizing environmentally adaptive hearing aids. | The Hearing Journal, 62(1):26-32. |
| 2009 | Keidser G, Convery E, Kiessling J and Bentler R | Is the hearing instrument to blame when the environment gets really noisy? | Hearing Review, 16(8):12-19. |
| 2009 | Keidser G, O'Brien A, Hain Jens-Uwe, McLelland M and Yeend I | The effect of frequency-dependent microphone directionality on horizontal localization performance in hearing aid users. | International Journal of Audiology, 48(11):789-803. |
| 2009 | Kiessling J, Keidser G, Bentler R and Mueller M | The output verification test : towards a tool to clinically verify the output of hearing instruments. | Hearing Review, 16(4):12-19. |
| 2009 | Mejia J, Dillon H and Carlile S | Speech intelligibility enhancement through binaural signal processing. | In: Binaural Processing and Spatial Hearing, Buchholz JM, Dau T, Dalsgaard JC and Poulsen T (eds.). Proceedings of the 23rd International Symposium on Auditory and Audiological Research (ISAAR), Denmark, August 2009, pp 417-424. |
| 2009 | Pearce W, Ching TYC and Dillon H | A pilot investigation into the provision of hearing services using tele-audiology to remote areas. | Australian and New Zealand Journal of Audiology, 31(2): 96-100. |
| 2009 | Pearce W and Martin RL | On auditory neuropathy, aka auditory neuropathy spectrum. | The Hearing Journal, 62(2):38-40. |
| 2009 | Purdy SC and Gardner-Berry K | Auditory evoked potentials and cochlear implants: Research findings and clinical applications in children. | Perspectives on Hearing and Hearing Disorders in Childhood, 19(1):14-21. |
| 2009 | Williams W | Ambient noise levels: calculating maximum permissible background sound pressure levels for reliable hearing threshold measurements. Professional Issues, | Audiology Now, 36(Autumn):51-53. |
| 2009 | Williams W | Is it reasonable to expect individuals to wear hearing protectors for extended periods? | International Journal of Occupational Safety and Ergonomics (JOSE), 15(2):175-181. |
| 2009 | Williams W | Using ISO 8253 to calculate the maximum permissible background sound pressure levels for audiometric testing. Technical Note. | Acoustics Australia, 37(1):26-27. |
| 2009 | Williams W | Trends in listening to personal stereos. | International Journal of Audiology, 48(11):784-788. |
| 2009 | Williams W and Burgess M | The combination of workplace and leisure noise exposure. | Acoustics Bulletin, 34(2): [adapted from Acoustics Australia , 2007, 35(3):91-95]. |
| 2010 | Beach E, Williams W and Gilliver M | Hearing protection for clubbers is music to their ears. | Health Promotion Journal of Australia, 21(3):215-221. |
| 2010 | Brown D, Cameron S, Martin J, Watson C and Dillon H | The North American Listening in Spatialized Noise – Sentences Test (NA LiSN-S): Normative data and test-retest reliability studies for adolescents and young adults. | Journal of the American Academy of Audiology, 21(10):629-641. |
| 2010 | Carter L, Golding M, Dillon H and Seymour J | The detection of infant cortical auditory evoked potentials (CAEPs) using statistical and visual detection techniques. | Journal of the American Academy of Audiology, 21(5):347-356. |
| 2010 | Ching TYC | Binaural hearing with hearing aids and/or cochlear implants in children. | ENT & Audiology News, 18(6):88-90. |
| 2010 | Ching TYC, Chaogang W, Cao K, Zhang V, Dillon H, Lu Y, Lan L, Li H and Zhang Z | Use of aided cortical responses and everyday functional performance for paediatric cochlear implant candidacy. | In: Proceedings of the 7th Asia Pacific Symposium on Cochlear Implants and Related Sciences – APSCI, Singapore, December 2009. Monduzzi Editore International, Medimond. |

| Year | Author(s) | Title | Citation |
|------|---|--|---|
| 2010 | Ching TYC, Crowe K, Martin V, Day J, Mahler N, Youn S, Street L, Cook C and Orsini J | Language development and everyday functioning of children with hearing loss assessed at 3 years of age. | International Journal of Speech-Language Pathology, 12(2):124-131. |
| 2010 | Ching TYC, Dillon H, Crowe K, Day J, Mahler N, Martin V, Street L, Cook C, Orsini J and Youn S | Outcomes of children with cochlear implants and implications for paediatric referral. | In: Proceedings of the 7th Asia Pacific Symposium on Cochlear Implants and Related Sciences – APSCI, Singapore, December 2009. Monduzzi Editore International, Medimond. |
| 2010 | Ching TYC, Mahler N, Crowe K, Day J, Youn S, Martin V, Street L, Cook C, van Buynder P, Hou S, Law C, McGhie K, Flynn C, Krynda G, Brower A and Zhang V | Longitudinal outcomes of children with hearing impairment (LOCHI): interim findings on language development and everyday functioning of children with cochlear implants. | In: Proceedings of the European Federation of Audiological Societies Conference, Tenerife, June 2009. |
| 2010 | Ching TYC, Scollie S, Dillon H and Seewald R | A cross-over, double-blind comparison of the NAL-NL1 and DSL v4.1 prescriptions for children with mild to moderately severe hearing loss. | International Journal of Audiology, 49 (Suppl 1):S4-S15. doi: 10.3109/14992020903148020 |
| 2010 | Ching TYC, Scollie S, Dillon H, Seewald R, Britton L and Steinberg J | Prescribed real-ear and achieved real-life differences in children's hearing aids adjusted according to the NAL-NL1 and the DSL v.4.1 prescriptions. | International Journal of Audiology, 49(Suppl 1):S16-S25. doi: 10.3109/14992020903082096 |
| 2010 | Ching TYC, Scollie S, Dillon H, Seewald R, Britton L and Steinberg J, Gilliver M and King K | Evaluation of the NAL-NL1 and DSL v4.1 prescriptions for children: paired-comparison judgments and functional performance ratings. | International Journal of Audiology, 49(Suppl 1):S35-S48. doi: 10.3109/14992020903095791 |
| 2010 | Convery E and Keidser G | User preferences for amplification for adults with severe and profound hearing loss. | ENT & Audiology News, 18(6):78-80. |
| 2010 | Fisher M, Chong-White N and Dillon H | Speech referenced limiting: controlling the loudness of a signal with reference to its speech loudness. | Convention Paper 8162 of the 129th Audio Engineering Society Convention, San Francisco, November 2010. http://www.aes.org/e-lib/browse.cfm?elib=15585 |
| 2010 | Hartley D, Rochtchina E, Golding M, Newall P and Mitchell P | Use of hearing aids and assistive listening devices in an older Australian population. | Journal of the American Academy of Audiology, 21(10):642-653. |
| 2010 | Keidser G, Bentler R and Kiessling J | A multi-site evaluation of a proposed test for verifying hearing aid maximum output. | International Journal of Audiology, 49(1):14-23. |
| 2010 | Keidser G, Dillon H, Convery E and O'Brien A | Differences between speech-shaped test stimuli in analyzing systems and the effect on measured hearing aid gain. | Ear & Hearing, 31(3):437-440. |
| 2010 | Lower T, Fragar L, Depczynski J, Challinor K, Mills J and Williams W | Improving hearing health for farming families. | Rural and Remote Health, 10:1350-1359. |
| 2010 | Lower T, Fragar L, Depczynski J, Fuller J, Challinor K and Williams W | Social network analysis for farmers' hearing services in a rural community. | Australian Journal of Primary Health, 16:47-51. |
| 2010 | McNeill C, Noble W, Purdy SC, O'Brien A and Sharma A | Bilateral cochlear implants in long-term and short-term deafness. | Cochlear Implants International, 11(4):247-253. |
| 2010 | Mejia J, Dillon H and Carlile S | Speech intelligibility enhancement through binaural signal processing. | In: Buchholz J, Dau T, Dalsgaard JC and Poulsen T (eds), Binaural Processing and Spatial Hearing. Proceedings of the 2nd International Symposium on Auditory and Audiological Research (ISAAR), Denmark, August 2009, pp 417-424. |
| 2010 | O'Brien A, Keidser G, Yeend I, Hartley L and Dillon H | Validity and reliability of in-situ air conduction thresholds measured through hearing aids coupled to closed and open instant-fit tips. | International Journal of Audiology, 49(12):868-876. |
| 2010 | O'Brien A, Yeend I, Hartley L, Keidser G and Nyffeler M | Evaluation of frequency compression and high-frequency directionality. | The Hearing Journal, 63(8):32-37. |
| 2010 | Purdy SC and Gardner-Berry K | Auditory evoked potentials and cochlear implants: research findings and clinical applications in children. Perspectives on hearing and hearing disorders in childhood. | This article was selected as one of "The Best of 2009: Cochlear Implants" in The Hearing Journal, 63(6):38-40. |
| 2010 | Raicevich G, Burwood E and Dillon H | Bone conductors, signals and sores. | Proceedings of 20th International Congress on Acoustics, ICA 2010, Sydney, August 2010. |
| 2010 | Raicevich G, Burwood E, Dillon H, Johnson BW and Crain S | Wide band pneumatic sound system for MEG. | Proceedings of 20th International Congress on Acoustics, ICA 2010, Sydney, August 2010. |
| 2010 | Scollie SD, Ching TYC, Seewald R and Dillon H | Evaluation of the NAL-NL1 and the DSL v.4.1 prescriptions for children: preference in real-world use. | International Journal of Audiology, 49(Suppl 1):S49-S63. doi: 10.3109/14992020903148038 |
| 2010 | Scollie S, Ching TYC, Seewald R, Dillon H, Britton L, Steinberg J and King K | Children's speech perception and loudness ratings when fitted with hearing aids using the DSL v4.1 and the NAL-NL1 prescriptions. | International Journal of Audiology, 49(Suppl 1):S26-S34. doi:10.3109/14992020903121159 |

| Year | Author(s) | Title | Citation |
|-------------|---|---|--|
| 2010 | Williams W, Beach EF and Gilliver M | Clubbing: The cumulative effect of noise exposure from attendance at dance clubs and night clubs on whole-of-life noise exposure | Noise and Health, 12(48):155-158. doi: 10.4103/1463-1741.64970 |
| 2010 | Williams W & Purnell J | The statistical distribution of expected noise level output from commonly available personal stereo players. | Acoustics Australia, 38(3):119-122. |
| 2011 | Arweiler I and Buchholz JM | The influence of spectral and spatial characteristics of early reflections on speech intelligibility. | Journal of the Acoustical Society of America, 130:996-1005. |
| 2011 | Beach E and Kitamura C | Modified spectral tilt affects older, but not younger, infants' native-language fricative discrimination. | Journal of Speech, Language, and Hearing Research, 54:658-667. |
| 2011 | Beach E, Williams W and Gilliver M | Noise level assessments: Subjective vs objective measures. | Proceedings of Acoustics 2011 - Breaking New Ground - Australian Acoustical Society Conference, Gold Coast, November 2011. |
| 2011 | Buchholz JM | A quantitative analysis of spectral mechanisms involved in auditory detection of coloration by a single wall reflection. | Hearing Research, 277:192-203. |
| 2011 | Cameron S and Dillon H | Development and evaluation of the LiSN & Learn auditory training software for deficit-specific remediation of binaural processing deficits in children: Preliminary findings. | Journal of the American Academy of Audiology, 22(10):678-696. |
| 2011 | Cameron S, Glyde H and Dillon H | Listening in Spatialized Noise – Sentences Test (LiSN-S): Normative and retest reliability data for adolescents and adults up to 60 years of age. | Journal of the American Academy of Audiology, 22(10):697-709. |
| 2011 | Catic J, Buchholz JM, Dau T and Gran F | The role of spectro-temporal fluctuations in interaural level differences for the externalization of sound. | Proceeding of Forum Acusticum 2011, Aalborg, Denmark, June 2011, 1193-1198. |
| 2011 | Ching TYC | Acoustic cues for consonant perception with combined acoustic and electric hearing in children. | Seminars in Hearing, 32(1):32-41. |
| 2011 | Ching TYC, Day J, Crowe K, Mahler N, Martin V, Street L, Ashwood J and Usher H | The Longitudinal Outcomes of Children with Hearing Impairment (LOCHI) study: A brief overview of interim findings. | Acquiring Knowledge in Speech, Language and Hearing, 13(1):51-52. |
| 2011 | Ching TYC, Van Wanrooy E, Dillon H and Carter L | Spatial release from masking in normal-hearing children and children who use hearing aids. | Journal of the Acoustical Society of America, 129:368-375. doi: 10.1121/1.3523295 |
| 2011 | Convery E, Hartley L, Keidser G, Caposecco A, Hickson L and Meyer C | Management of the assembly of a self-fitting hearing aid among urban-dwelling hearing-impaired adults in a developed country. | Trends in Amplification, 15(4):196-208. |
| 2011 | Convery E and Keidser G | Transitioning hearing aid users with severe and profound loss to a new gain/frequency response: benefit, perception, and acceptance. | Journal of the American Academy of Audiology, 22(3):168-180. |
| 2011 | Convery E, Keidser G, Dillon H and Hartley L | A self-fitting hearing aid: need and concept. | Trends in Amplification, 15(4):157-166. |
| 2011 | Convery E, Keidser G and Hartley L | Perception of a self-fitting hearing aid among urban-dwelling hearing-impaired adults in a developed country. | Trends in Amplification, 15(4):175-183. |
| 2011 | Dillon H and Keidser G | Cost-effective hearing rehabilitation—: A role for self-fitting hearing aids? | Trends in Amplification, 15(4): 155-56. |
| 2011 | Dillon H, Keidser G, Ching T, Flax M and Brewer S | The NAL-NL2 Prescription Procedure. | Phonak Focus 40 |
| 2011 | Decorsiere R, Søndergaard P, Buchholz JM, Dau T | Modulation filtering using an optimization approach to spectrogram reconstruction. | Proceeding of Forum Acusticum 2011, Aalborg, Denmark, June 2011, 1069-1073. |
| 2011 | Favrot S, Marschall M, Käsbach J, Buchholz JM and Weller T | Mixed-order Ambisonics recording and playback for improving horizontal directionality. | Proceedings of the 131st Audio Engineering Society (AES) Convention, New York, 20-23 October 2011. |
| 2011 | Fisher M, Chong-White N and Dillon H | Controlling the loudness of a communications signal with reference to its speech loudness. | Proceeding of Forum Acusticum 2011, Aalborg, Denmark, June 2011, pp 79-82. |
| 2011 | Gilliver M and Hickson L | Medical practitioners' attitudes to hearing rehabilitation for older adults. | International Journal of Audiology, 50(12):850-856. |
| 2011 | Glyde H, Hickson L, Cameron S and Dillon H | Problems hearing in noise in older adults. A review of spatial processing disorder. | Trends in Amplification, 15(3):116-126. |
| 2011 | Gopinath B, Schneider J, Hartley D, Teber E, McMahon CM, Leeder SR and Mitchell P | Incidence and predictors of hearing aid use and ownership among older adults with hearing loss. | Annals of Epidemiology, 21(7):497-506. |
| 2011 | Incerti PV, Ching TYC and Hill A | Consonant perception by adults with bimodal fitting. | Seminars in Hearing, 32(1):90-102. |
| 2011 | Johnson EE and Dillon HA | A comparison of gain for adults from generic hearing aid prescriptive methods: Impacts on predicted loudness, frequency bandwidth, and speech intelligibility. | Journal of the American Academy of Audiology, 22:1-19. |
| 2011 | Käsbach J, Favrot S and Buchholz JM | Evaluation of a mixed-order planar and periphonic Ambisonics playback implementation. | Proceeding of Forum Acusticum 2011, Aalborg, Denmark, June 2011, 2191-2196. |
| 2011 | Keidser G, Convery E and Hamacher V | Gain mismatch and horizontal localization performance. | Hearing Journal, 64(2):26,30,32-33. |

| Year | Author(s) | Title | Citation |
|------|---|---|---|
| 2011 | Keidser G, Dillon H, Convery E, Hartley L and Cowan R | Perception and management of a self-fitting hearing aid by older adults. | AudiologyNow,46(spring): 27-29. |
| 2011 | Keidser G, Dillon H, Flax M, Ching T and Brewer S | The NAL-NL2 prescription procedure. | Audiology Research, 1:e24:88-90 |
| 2011 | Keidser G, Dillon H, Zhou D and Carter L | Threshold measurements by a self-fitting hearing aid: feasibility and challenges. | Trends in Amplification, 15(4):167-174. |
| 2011 | Keidser G, Yeend I, O'Brien A and Hartley L | Using in-situ audiometry more effectively: How low-frequency leakage can affect prescribed gain and perception. | Hearing Review,18(3):12-16 |
| 2011 | Le Goff N, Buchholz JM and Dau T | Perception of interaural time differences at threshold and suprathreshold levels. | Proceeding of Forum Acusticum 2011, Aalborg, Denmark, June 2011, 2093-2096. |
| 2011 | Marschall M, Buchholz JM and Dau T | Modeling the effects of peripheral compression on frequency-selectivity estimates. | 38. Erlanger Colloquium, Germany. |
| 2011 | Meyer C, Hickson L, Khan A, Hartley D, Dillon H and Seymour J | Investigation of the actions taken by older people who failed a telephone-based hearing screen. | Ear and Hearing, 32(6):720-731. |
| 2011 | Munro KJ, Purdy SC, Ahmed S, Begum R and Dillon H | Obligatory cortical auditory evoked potential waveform detection and differentiation using a commercially available clinical system: HEARLab™. | Ear and Hearing, 32(6):782-786. |
| 2011 | Weller T, Buchholz JM and Favrot S | Application of a circular 2D hard-sphere microphone array for higher-order Ambisonics auralisation. | Proceeding of Forum Acusticum 2011, Aalborg, Denmark, June 2011, 2269-2274. |
| 2011 | Westermann A, Buchholz JM, Dau T and Jørgensen KF | Using long-term coherence estimates for binaural de-reverberation. | Proceeding of Forum Acusticum 2011, Aalborg, Denmark, June 2011, 2097-2101. |
| 2011 | Williams W | A qualitative assessment of the performance of electronic, level dependent earmuffs when used on firing ranges. | Noise & Health, 13(51):194-199. doi: 10.4103/1463-1741.77206 |
| 2011 | Williams W | <i>Barriers to Occupational Noise Management: The reduction of noise exposure in the workplace.</i> | Lambert Academic Publishing, Saarbrücken, 300 p. ISBN 978-3-8454-1133-0. |
| 2011 | Williams W and Groothof B | Road traffic controllers and the use of level dependent hearing protectors, Technical Note. | Acoustics Australia, 39(3):113-116. |
| 2011 | Williams W and Stewart G | Noise exposure reduction for orchestral musicians. Technical Note. | Acoustics Australia, 39(2):73-74. |
| 2011 | Zhang WV, Zhang ZG, McPherson B, Hu Y and Hung YS | Detection improvement for neonatal click evoked otoacoustic emissions by time-frequency filtering. | Computers in Biology and Medicine, 41(8):675-686. |
| 2012 | Arweiler I, Buchholz J M and Dau T | Speech intelligibility with binaurally-linked hearing aids. | In: Dau T, Dalsgaard JC, Jepsen ML and Poulsen T (eds) Speech Perception and Auditory Disorders, Proceedings of the third International Symposium on Auditory and Audiological Research (ISAAR), The Danavox Jubilee Foundation, Nyborg Strand, Denmark, 24-26 August 2011, pp 65-72. ISBN 978-87-990013-3-0. |
| 2012 | Beach E, Williams W and Gilliver M | A qualitative study of earplug use as a health behaviour: The role of noise injury symptoms, self-efficacy, and an affinity for music. | Journal of Health Psychology, 17(2): 237-246. doi: 10.1177/1359105311412839 |
| 2012 | Beach E, Williams W and Gilliver M | The objective - subjective assessment of noise: Young adults can estimate loudness of events and lifestyle noise. | International Journal of Audiology, 51(6):444-449. doi: 10.3109/14992027.2012.658971 |
| 2012 | Best V, Mason CR and Kidd G | The influence of non-spatial factors on measures of spatial release from masking. | Journal of the Acoustical Society of America, 131(4):3103-3110. doi: 10.1121/1.3693656 |
| 2012 | Buchholz JM, Best V and Keidser G | Auditory localization in realistic environments by normal-hearing and hearing-impaired listeners. | Proceedings of Acoustics 2012 Conference, Hong Kong, 13-18 May 2012. |
| 2012 | Buchholz JM, Best V and Keidser G | Auditory localization in realistic environments by normal-hearing and hearing-impaired listeners. | Proceedings of Acoustics 2012 Conference, Hong Kong, 13-18 May 2012. |
| 2012 | Cameron S, Glyde H and Dillon H | Efficacy of the LiSN & Learn auditory training software: Randomized blinded control study. | Audiology Research, 2(1):86-93. doi: 10.4081/audiores.2012.e15 |
| 2012 | Canton K and Williams W | The consequences of noise-induced hearing loss on dairy farm communities in New Zealand. | Journal of Agromedicine, 17:354-363. doi: 10.1080/1059924X.2012.713840 |
| 2012 | Chan SYR, McPherson B and Zhang WV | Neonatal otoacoustic emission screening and sudden infant death syndrome. | International Journal of Pediatric Otorhinolaryngology, 76(10):1485-1489. doi: 10.1016/j.ijporl.2012.06.029 |
| 2012 | Chang H, Dillon H, Carter L, Van Dun B and Young S-T | The relationship between Cortical Auditory Evoked Potential (CAEP) detection and estimated audibility in infants with sensorineural hearing loss. | International Journal of Audiology, 51(9):663-670. doi: 10.3109/14992027.2012.690076 |
| 2012 | Ching TYC | Hearing aids for children. | In: Wong L & Hickson L (eds). Evidence Based Practice in Audiology. San Diego: Plural Publishing Inc, pp 93-118. |
| 2012 | Ching TYC. | Optimising listening potential through acoustic amplification. | In Fitzpatrick E & Doucet S.P. (eds). Audiologic Rehabilitation for Children with Hearing Loss: From Infancy to Adolescence. Chapter 3. Thieme Publications. |

| Year | Author(s) | Title | Citation |
|------|---|--|--|
| 2012 | Ching TYC, Dillon H, Lockhart F, van Wanrooy E and Flax M | Audibility and speech intelligibility revisited: implications for amplification. | In: Dau T, Jepsen ML, Poulsen T & Dalsgaard JC (eds), Speech Perception and Auditory Disorders, Proceedings of the third International Symposium on Auditory and Audiological Research (ISAAR), The Danavox Jubilee Foundation, Nyborg Strand, Denmark, 24-26 August 2011, pp 11-19. ISBN 978-87-990013-3-0. |
| 2012 | Ching TYC and Incerti P | Bimodal fitting or bilateral cochlear implantation? | In: Wong L & Hickson L (eds). Evidence Based Practice in Audiology, San Diego: Plural Publishing Inc, pp 213-233. |
| 2012 | Colgan S, Gold L, Wirth K, Ching T, Poulakis Z, Rickards F and Wake M | The cost-effectiveness of universal newborn screening for bilateral permanent congenital hearing impairment: systematic review. | Academic Pediatrics, 12(3):171-180. doi: 10.1016/j.acap.2012.02.002 |
| 2012 | Crowe K | Translation to practice: Transcription of the speech and sign of bimodal children with hearing loss. | In: Goldstein B & McLeod S (eds), Multilingual Aspects of Speech Sound Disorders in Children. Bristol, UK: Multilingual Matters, pp 191-195. |
| 2012 | Crowe K, McLeod S and Ching TYC | The cultural and linguistic diversity of 3-year-old children with hearing loss. | Journal of Deaf Studies and Deaf Education, 17(4):421-438. doi: 10.1093/deafed/ens028 |
| 2012 | Crowe K | Hearing loss in children: An overview for educators. | Special Education Perspectives, 21(1):29-45. |
| 2012 | Dillon H | <i>Hearing Aids</i> , 2nd ed. | Boomerang Press, Sydney, 608 p. ISBN: 9780957816817. |
| 2012 | Dillon H, Cameron S, Glyde H, Wilson W and Tomlin D | An opinion on the assessment of people who may have an auditory processing disorder. | Journal of the American Academy of Audiology, 23:97-105. doi: 10.3766/jaaa.23.2.4 |
| 2012 | Favrot S and Buchholz J M | Reproduction of nearby sound sources using higher-order Ambisonics with practical loudspeaker arrays. | Acta acustica/Acustica, 98:48-60. doi: 10.3813/AAA.918491 |
| 2012 | Gilliver M, Carter L, Macoun D, Rosen J and Williams W | Music to whose ears? The effect of social norms on young people's risk perceptions of hearing damage resulting from their music listening behaviour. | Noise and Health, 14(57):47-51. doi: 10.4103/1463-1741.64970 |
| 2012 | Glyde H | One of the reasons hearing in noise is difficult. | Hearing Matters Newsletter. Page 6. |
| 2012 | Keidser G, Dillon H, Carter L and O'Brien A | NAL-NL2 empirical adjustments. | Trends in Amplification, 16(4):211-223. doi: 10.1177/1084713812468511 |
| 2012 | Keidser G | Evidence-based practice and emerging new technologies. | In: Wong L and Hickson L (eds), Evidence-Based Practice in Audiology. San Diego: Plural Publishing Inc, pp 119-137. |
| 2012 | Knott P and Williams W | Selection and use of hearing protectors. | Journal of Health, Safety and Environment, 28(2):107-112. |
| 2012 | Lim, SS, ... W Williams, ..., et alia | A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990 - 2010: a systematic analysis for the Global Burden of Disease Study 2010 | The Lancet 380(9859): 2224 – 2260, 15 December. doi: 10.1016/S0140-6736(12)61766-8 |
| 2012 | Macrae JH | Validity of the National Acoustic Laboratories procedure for determining percentage loss of hearing. | International Journal of Audiology, 51(12):932-935. doi: 10.3109/14992027.2012.727102 |
| 2012 | Marschall M, Favrot S and Buchholz JM | Robustness of a mixed-order Ambisonics microphone array for sound field reproduction. | Proceedings of the 132nd Audio Engineering Society Convention, Budapest, Hungary, 26-29 April 2012. |
| 2012 | Mejia J, Keidser G, Dillon H, Nguyen C-V and Johnson E | The effect of a linked bilateral noise reduction processing on speech in noise performance. | In: Dau T, Jepsen ML, Poulsen T & Dalsgaard JC (eds), Speech Perception and Auditory Disorders, Proceedings of the third International Symposium on Auditory and Audiological Research (ISAAR), The Danavox Jubilee Foundation, Nyborg Strand, Denmark, 24-26 August 2011, pp 401-408. ISBN 978-87-990013-3-0. |
| 2012 | Miles K, Demuth K and Ching TYC | Acoustic analysis of the speech of an Australian English-speaking child with hearing aids. | Proceedings of the 14th Australasian International Conference on Speech Sciences and Technology, Sydney, 3-6 Dec 2012. |
| 2012 | Quar TK, Ching TYC, Mukari SZS, Newall P | The Parents' Evaluation of Aural/Oral performance of Children (PEACH) Scale in the Malay language: performance in normal hearing children. | International Journal of Audiology 51(4), 326-333. doi: 10.3109/14992027.2011.637079 |
| 2012 | Rudzyn B and Fisher M | Performance of personal active noise reduction devices. | Applied Acoustics, 73:1159-1167. doi: 10.1016/j.apacoust.2012.05.013 |
| 2012 | Van Dun B, Carter L and Dillon H | Sensitivity of cortical auditory evoked potential (CAEP) detection for hearing impaired infants in response to short speech sounds. | Audiology Research, 2e13, 65-76. doi: 10.4081/audiores.2012.e13 |
| 2012 | Varghese L, Ozmeral EJ, Best V and Shinn-Cunningham BG | How visual cues for when to listen aid selective auditory attention. | Journal of the Association for Research in Otolaryngology, 13(3):359-368. doi: 10.1007/s10162-012-0314-7 |
| 2012 | Williams W | The estimation of noise exposure when using hearing protectors. | Journal of Health, Safety and Environment, 28(2):101-105. |
| 2012 | Williams W | A refined single number rating system for hearing protectors. An opinion piece. | SPECTRUM, 29(3):18 - a publication of the National Hearing Conservation Association (USA), Fall 2012 |

| Year | Author(s) | Title | Citation |
|------|--|---|---|
| 2012 | Williams W | A proposal for a more refined single number system for hearing protector attenuation specification. | Noise & Health, 14(58):210-214. doi: 10.4103/1463-1741.99897 |
| 2012 | Williams W | Hearing protectors and people. | Proceedings of Internoise 2012, New York, NY, August 19-22, 2012. |
| 2012 | Williams W, Seeto M and Dillon H | The mechanical properties of earmuffs. | Noise Control Engineering Journal, 60(1):29-35. doi: 10.3397/1.3673768 |
| 2012 | Xi X, Ching TYC, Ji F, Zhao Y, Li J-N, Seymour J, Chen A-T, Hong M-D and Dillon H | Development of a corpus of Mandarin sentences in babble noise with homogeneity optimized via psychometric evaluation. | International Journal of Audiology, 51(5), 399-404. doi: 10.3109/14992027.2011.642011 |
| 2012 | Zhang WV, Ching TYC, Hou S, Wong A, Burns L and Van Buynder P | Effects of frequency compression on aided cortical evoked potentials (CAEPs) of children with hearing loss. | Proceedings of 14th Australasian International Conference on Speech Science and Technology, Sydney, 3-6 Dec 2012. |
| 2013 | Al-Ani A, Mesbah M, Van Dun B and Dillon H | Fuzzy logic-based automatic alertness state classification using multi-channel EEG data. | Proceedings of the 20th International Conference on Neural Information Processing (ICONIP), Daegu, Korea, Lee M et al (eds), Part I, 176-183. |
| 2013 | Arweiler I, Buchholz JM and Dau T | The influence of masker type on early reflection processing and speech intelligibility. | Journal of the Acoustical Society of America, 133:13-16. doi: 10.1121/1.4770249 |
| 2013 | Beach E | Everyone likes it loud, don't they? | ENT & Audiology News, 22(3):89-90. |
| 2013 | Beach E, Gilliver M and Williams W | Leisure noise exposure: Participation trends, symptoms of hearing damage, and perception of risk. | International Journal of Audiology, 52(suppl 1):S20-S25. doi: 10.3109/14992027.2012.743050 |
| 2013 | Beach E, Gilliver M and Williams W | The NOISE (Non-Occupational Incidents, Situations and Events) Database: A new research tool. | Annals of Leisure Research, 16(2):149-159. doi: 10.1080/11745398.2013.793157 |
| 2013 | Beach E, Williams W and Gilliver M | Estimating young Australian adults' risk of hearing damage from selected leisure activities. | Ear and Hearing, 34(1):75-82. doi: 10.1097/AUD.0b013e318262ac6c |
| 2013 | Best V, Thompson ER, Mason CR and Kidd G | An energetic limit on spatial release from masking. | Journal of the Association for Research in Otolaryngology, 14(4):603-610. doi: 10.1007/s10162-013-0392-1. |
| 2013 | Best V, Mason CR, Thompson ER and Kidd G | Spatial release from masking as a function of the spectral overlap of competing talkers. | Journal of the Acoustical Society of America 133(6):3677-3680. doi: 10.1121/1.4803517 |
| 2013 | Buchholz JM | A real-time hearing-aid research platform (HARP): realization, calibration, and evaluation. | Acta Acustica/Acustica, 99:477-492. doi: 10.3813/AAA.918628 |
| 2013 | Cameron S and Dillon H | Remediation of spatial processing issues in CAPD. | In Chermak GD and Musiek FE (Eds), Handbook of (Central) Auditory Processing Disorder. Comprehensive Intervention, Volume II. San Diego: Plural Publishing. Chapter 8, pp. 201-224. |
| 2013 | Carter L, Dillon H, Seymour J, Seeto M and Van Dun B | Cortical Auditory Evoked Potentials (CAEPs) in adults in response to filtered speech stimuli. | Journal of the American Academy of Audiology, 24(9):807-822. doi: 10.3766/jaaa.24.9.5 |
| 2013 | Catic J, Santurette S, Buchholz J M, Gran F and Dau T | The effect of interaural-level-difference fluctuations on the externalization of sound. | Journal of the Acoustical Society of America, 134(2):1232-1241. doi: 10.1121/1.4812264 |
| 2013 | Ching TYC, Day J, Dillon H, Gardner-Berry K, Hou S, Seeto M, Wong A and Zhang V | Impact of the presence of auditory neuropathy spectrum disorder (ANS) on outcomes of children at three years of age. | International Journal of Audiology, 52(Suppl 2):S55-S64. doi: 10.3109/14992027.2013.796532 |
| 2013 | Ching TYC, Day J, Seeto M, Dillon H, Marnane V and Street L | Predicting 3-year outcomes of early-identified children with hearing impairment. | B-ENT, Suppl 21:99-106. PMCID: PMC3882332 |
| 2013 | Ching TYC, Day J, Zhang V, Dillon H, VanBuynder P, Seeto M, Hou S, Marnane V, Thomson J, Street L, Wong A, Burns L and Flynn C | A randomised controlled trial of nonlinear frequency compression versus conventional processing in hearing aids: Speech and language of children at three years of age. | International Journal of Audiology, 52(Suppl 2):S46-S54. doi: 10.3109/14992027.2013.858281 |
| 2013 | Ching TYC and Dillon H | Major findings of the LOCHI study on children at 3 years of age and implications for audiological management. | International Journal of Audiology, 52(Suppl 2):S65-S68. doi: 10.3109/14992027.2013.866339 |
| 2013 | Ching TYC and Dillon H | A brief overview of factors affecting speech intelligibility of people with hearing loss: implications for amplification. | American Journal of Audiology, 22(2):306-309. doi: 10.1044/1059-0889(2013/12-0075) |
| 2013 | Ching TYC, Dillon H, Hou S, Zhang V, Day J, Crowe K, Marnane V, Street L, Burns L, Van Buynder P, Flynn C and Thomson J | A randomised controlled comparison of NAL and DSL prescriptions for young children: Hearing aid characteristics and performance outcomes at 3 years of age. | International Journal of Audiology, 52(Suppl 2):S17-S28. doi: 10.3109/14992027.2012.705903 |

| Year | Author(s) | Title | Citation |
|------|---|---|---|
| 2013 | Ching TYC, Dillon H, Marnane V, Hou S, Day J, Seeto M, Crowe K, Street L, Thomson J, Van Buynder P, Zhang V, Wong A, Burns L, Flynn C, Cupples L, Cowan R, Leigh G, Sjahalam-King J and Yeh A | Outcomes of early- and late-identified children at 3 years of age: findings from a prospective population-based study. | Ear and Hearing, 34(5):535-552. doi: 10.1097/AUD.0b013e3182857718 |
| 2013 | Ching TYC, Johnson EE, Hou S, Dillon H, Zhang V, Burns L, Van Buynder P, Wong A and Flynn C | A comparison of NAL and DSL prescriptive methods for paediatric hearing-aid fitting: Predicted speech intelligibility and loudness. | International Journal of Audiology, 52(Suppl 2):S29-S38. doi: 10.3109/14992027.2013.765041 |
| 2013 | Ching TYC, Johnson EE, Seeto M and Macrae JH | Hearing-aid safety: A comparison of estimated threshold shifts for gains recommended by NAL-NL2 and DSL m[i/o] prescriptions for children. | International Journal of Audiology, 52(Suppl 2):S39-S45. doi: 10.3109/14992027.2013.847976 |
| 2013 | Ching TYC, Leigh G and Dillon H | Introduction to the Longitudinal Outcomes of Children with Hearing Impairment (LOCHI) study: Background, design, sample characteristics. | International Journal of Audiology, 52(Suppl 2):S4-S9. doi: 10.3109/14992027.2013.866342 |
| 2013 | Ching TYC, Dillon H, Hou S, Zhang V, Day J, Crowe K, Marnane V, Street L, Burns L, Van Buynder P, Flynn C and Thomson J | A randomised controlled comparison of NAL and DSL prescriptions for young children: Hearing aid characteristics and performance outcomes at 3 years of age. | International Journal of Audiology, 52(S2):S17-S28. doi: 10.3109/14992027.2012.705903 |
| 2013 | Convery E, Keidser G, Caposecco A, Swanepoel D, Wong LLN and Shen E | Hearing aid assembly management among adults from culturally and linguistically diverse backgrounds: toward the feasibility of self-fitting hearing aids. | International Journal of Audiology, 52(6):385-393. doi: 10.3109/14992027.2013.773407 |
| 2013 | Crowe K, McKinnon D, McLeod S and Ching TYC | Multilingual children with hearing loss: Factors contributing to language use at home and in early education. | Child Language Teaching and Therapy, 29(1):111-129. doi: 10.1177/0265659012467640 |
| 2013 | Cupples L, Ching TYC, Crowe K and Seeto M | Predictors of early reading skills in 5-year-old children with hearing loss who use spoken language. | Reading Research Quarterly, 49(1):85-104. doi: 10.1002/rrq.60 |
| 2013 | Dahl HH, Ching TYC, Hutchison W, Hou S, Seeto M and Sjahalam-King J. | Etiology and audiological outcomes at 3 years for 364 children in Australia. | PLoS ONE 8(3) e59624. doi: 10.1371/journal.pone.0059624 |
| 2013 | Dillon H and Cameron S | Comment on: Moore DR, Rosen S, Bamiau D-E, Campbell NG and Sirimanna T. Evolving concepts of developmental auditory processing disorder (APD): A British Society of Audiology APD Special Interest Group 'white paper'. | International Journal of Audiology, 52(1): 9-10. doi: 10.3109/14992027.2012.723143 |
| 2013 | Dillon H, Cowan R and Ching TYC | Longitudinal outcomes of children with hearing impairment (LOCHI). | International Journal of Audiology, 52(suppl 2):S2-S3. doi: 10.3109/14992027.2013.866448 |
| 2013 | Fisher M and Williams W | Reduced conditions on ambient noise levels for in-situ audiometric testing, Technical Note. | Acoustics Australia, 41(3): 232-233. http://www.acoustics.asn.au/journal/Vol41No3-LowRes.pdf |
| 2013 | Gilliver M, Beach E and Williams W | Noise with attitude: Influences on young peoples' decisions to protect their hearing. | International Journal of Audiology, 52:S26-S32. doi: 10.3109/14992027.2012.743049 |
| 2013 | Gilliver M, Ching TYC and Sjahalam-King J | When expectation meets experience: Parents' recollections and experiences of a child with hearing impairment. | International Journal of Audiology, 52(Suppl 2):S10-S16. doi: 10.3109/14992027.2013.825051 |
| 2013 | Glyde H, Buchholz J, Dillon H, Best V, Hickson L and Cameron S | The effect of better-ear glimpsing on spatial release from masking. | Journal of the Acoustical Society of America, 134(4):2937-2945. doi: 10.1121/1.4817930 |
| 2013 | Glyde H, Buchholz J, Dillon H, Cameron S and Hickson L | The importance of interaural time differences and level differences in spatial release from masking. | Journal of the Acoustical Society of America, 134(2): EL147-EL152. doi: 10.1121/1.4812441 |
| 2013 | Glyde H, Cameron S, Dillon H, Hickson L and Seeto M | The effects of hearing impairment and aging on spatial processing. | Ear and Hearing, 34(1): 15-28. doi: 10.1097/AUD.0b013e3182617f94 |
| 2013 | Incerti PV, Ching TYC and Cowan R | A systematic review of electric-acoustic stimulation: device fitting ranges, outcomes and clinical fitting practices. | Trends in Amplification, 17(1):3-26. doi: 10.1177/1084713813480857 |
| 2013 | Keidser G and Alamudi K | Real-life efficacy and reliability of training a hearing aid. | Ear and Hearing, 34(5):619-629. doi: 10.1097/AUD.0b013e31828d269a |
| 2013 | Keidser G, Dillon H, Convery E and Mejia J | Factors influencing individual variation in perceptual directional microphone benefit. | Journal of the American Academy of Audiology, 24(10):955-968. doi: 10.3766/jaaa.24.10.7 |
| 2013 | Keidser G, Dillon H, Mejia J and Nguyen CV | An algorithm that administers adaptive speech-in-noise testing to a specified reliability at any point on the psychometric function. | International Journal of Audiology, 52(11):795-800. doi: 10.3109/14992027.2013.817688 |
| 2013 | King A, Sewell J and Van Dun B | Objective measurement of speech audibility – value to the client and clinic. | Audiology Now, 52 (Autumn):38. |

| Year | Author(s) | Title | Citation |
|------|--|---|---|
| 2013 | Le Goff N, Buchholz JM and Dau T | Modeling horizontal localization of complex sounds in impaired and aided impaired auditory system. | In: Blauert J (ed), The Technology of Binaural Listening [Modern Acoustics and Signal Processing series]. Springer-Verlag Berlin Heidelberg, pp 121-144. |
| 2013 | Macrae JH | Assessment of the American Medical Association guide to the evaluation of binaural hearing impairment. | International Journal of Audiology, 52(11):740-745. doi: 10.3109/14992027.2013.821208 |
| 2013 | Oreinos C and Buchholz JM | Measurement of a full 3D set of HRTFs for in-ear and hearing aid microphones on a head and torso simulator (HATS). | Acta Acustica United with Acustica, 99(5):836-844. doi: 10.3813/AAA.918662 |
| 2013 | Purdy SC, Sharma M, Munro KJ and Morgan CLA | Stimulus level effects on speech-evoked obligatory cortical auditory evoked potentials in infants with normal hearing. | Clinical Neurophysiology, 124(3):474-480. doi: 10.1016/j.clinph.2012.09.011 |
| 2013 | Quar TK, Ching TYC, Newall P and Sharma M | Evaluation of real-world preferences and performance of hearing aids fitted according to the NAL-NL1 and DSL v5 procedures in children with moderately severe to profound hearing loss. | International Journal of Audiology, 52:322-332. doi: 10.3109/14992027.2012.755740 |
| 2013 | Rabie A, Al-Ani A, Van Dun B and Dillon H | Detection of alertness states using electroencephalogram and cortical auditory evoked potential responses. | Proceedings of 6th International IEEE EMBS Conference on Neural Engineering, San Diego, CA, USA, pp1433-1436. |
| 2013 | Tam R, Sharma M, Williams W, Gilliver M and Varghese P | The effect of listening to MP3 music on otoacoustic emissions. | Australian and New Zealand Journal of Audiology, 33(2):125-134. |
| 2013 | Tsilfidis A, Westermann A, Buchholz JM, Georganti E and Mourjopoulos J | Binaural dereverberation. | In: Blauert J (ed), The Technology of Binaural Listening [Modern Acoustics and Signal Processing series]. Springer-Verlag Berlin Heidelberg, pp 359-396. |
| 2013 | Westermann A, Buchholz JM and Dau T | Binaural dereverberation based on interaural coherence histograms. | Journal of the Acoustical Society of America, 133(5):2767-2777. doi: 10.1121/1.4799007 |
| 2013 | Williams W | Noise exposure in the Australian workforce. | In: Proceedings of Acoustics 2013, Victor Harbour, Australia, 17-20 November 2013, p 81. https://www.acoustics.asn.au/conference_proceedings/AAS2013/papers/p81.pdf |
| 2013 | Williams W | The epidemiology of noise exposure in the Australian workforce. | Noise & Health, 15(66):326-331. doi: 10.4103/1463-1741.116578 |
| 2013 | Williams W, Beach EF and Gilliver M | Development of a loudness rating scale. | International Journal of Audiology, 52(9):650-653. doi: 10.3109/14992027.2013.802382 |
| 2013 | Williams W and Harper T | Noise from Other Peoples' Headsets. Technical Note. | Acoustics Australia, 41(2):169-170. http://www.acoustics.asn.au/journal/Vol41No2LowRes.pdf |
| 2013 | Williams W and Sukara Z | Simplified noise labelling for plant or equipment used in workplaces. | Journal of Health & Safety Research and Practice, 5(2):18-22. https://sia.org.au/research/journals/volume5-issue2/vol5iss2-pp-18-22.html |
| 2014 | Bardy F, Dillon H and Van Dun B | Least-squares deconvolution of evoked potentials and sequence optimization for multiple stimuli under low-jitter conditions. | Clinical Neurophysiology, 125(4):727-737. doi: 10.1016/j.clinph.2013.09.030 |
| 2014 | Bardy F, McMahon C, Yau S and Johnson B | Deconvolution of magnetic Acoustic Change Complex (mACC). | Clinical Neurophysiology, 125(11):2220-2231. doi: 10.1016/j.clinph.2014.03.003 |
| 2014 | Bardy F, Van Dun B, Dillon H and McMahon C | Deconvolution of overlapping cortical auditory evoked potentials recorded using short stimulus onset-asynchrony ranges. | Clinical Neurophysiology, 125(4):814-826. doi: 10.1016/j.clinph.2013.09.031 |
| 2014 | Bardy F, Van Dun B, Dillon H and Cowan R | Least-squares (LS) deconvolution of a series of overlapping cortical auditory evoked potentials: a simulation and experimental study . | Journal of Neural Engineering, 11(4):046016 doi: 10.1088/1741-2560/11/4/046016. |
| 2014 | Beach EF | Introducing the NOISE database. | Acoustics Australia, 42(2):136. http://www.acoustics.asn.au/journal/Vol42No2-LowRes.pdf |
| 2014 | Beach EF | Up the beat, not the volume. | Network (published by Australian Fitness Network), Spring Issue. |
| 2014 | Beach E, Gilliver M and Williams W | A snapshot of young adults' noise exposure reveals evidence of 'Binge Listening'. | Applied Acoustics, 77:71-75. doi: 10.1016/j.apacoust.2013.10.004 |
| 2014 | Beach E and Nie V | Noise levels in fitness classes are still too high: Evidence from 1997 and 2011. | Archives of Environmental and Occupational Medicine, 69(4):223-230. doi: 10.1080/19338244.2013.771248 |
| 2014 | Brumby S, Hogan A, Williams W, Mercer-Grant C and Calvano A | Careful - they can't hear you: Intervention of vulnerable populations working in agriculture. | Journal of Agromedicine, 19(2):204-205. doi: 10.1080/1059924X.2014.889630 |
| 2014 | Cameron S, Dillon H, Glyde H, Kanthan S and Kania A | Prevalence and remediation of Spatial Processing Disorder (SPD) in Indigenous children in regional Australia. | International Journal of Audiology, 53(5):326-335. doi: 10.3109/14992027.2013.871388 |
| 2014 | Cameron S, Glyde H and Dillon H | Comparison of two working memory test paradigms: Correlation with academic performance in school-aged children. | International Journal of School and Cognitive Psychology, 1(3):110. doi: 10.4172/ijscp.1000110 |

| Year | Author(s) | Title | Citation |
|------|---|--|---|
| 2014 | Cameron S, Glyde H, Dillon H and Whitfield J | Development and preliminary evaluation of a processing speed test for school-aged children utilizing auditory stimuli. | International Journal of School and Cognitive Psychology, 1(3):116. doi: 10.4172/ijscp.1000116 |
| 2014 | Carter L, Williams W, Black D and Bundy A | The leisure-noise dilemma: hearing loss or hearsay? What does the literature tell us? | Ear and Hearing, 35(5):491-505. doi: 10.1097/01.aud.0000451498.92871.20 |
| 2014 | Ching TYC, Day J and Cupples L | Phonological awareness and early reading skills in children with cochlear implants. | Cochlear Implants International, 15(suppl 1):S27-S29. doi: 10.1179/1467010014Z.000000000172 |
| 2014 | Ching TYC, Day J, Van Buynder P, Hou S, Zhang V, Seeto M, Burns L and Flynn C | Language and speech perception of young children with bimodal fitting or bilateral cochlear implants. | Cochlear Implants International, 15(suppl1):S43-S46. doi: 10.1179/1467010014Z.000000000168 |
| 2014 | Convery E, Keidser G, Seeto M, Freeston K, Zhou D and Dillon H | Identification of conductive hearing loss using air conduction tests alone: reliability and validity of an automatic test battery. | Ear and Hearing, 35(1):e1-8. doi: 10.1097/AUD.0b013e31829e058f |
| 2014 | Crowe K, Fordham L, McLeod S and Ching TYC | Part of our world: Influences on caregiver decisions about communication choices for children with hearing loss. | Deafness and Education International, 16(2):61-85. doi: 10.1179/1557069X13Y.00000000026 |
| 2014 | Crowe K, McLeod S, McKinnon D and Ching TYC | Speech, sign, or multilingualism for children with hearing loss: quantitative insights into caregivers' decision making. | Language, Speech, and Hearing Services in Schools, 45:234-247. doi: 10.1044/2014_LSHSS-12-0106 |
| 2014 | Cupples L, Ching TYC, Crowe K, Seeto M, Leigh G, Street L, Day J, Marnane V and Thomson J | Outcomes of 3-year old children with hearing loss and different types of additional disabilities. | Journal of Deaf Studies and Deaf Education, 19(1):20-39. doi: 10.1093/deafed/ent039 |
| 2014 | Cupples L, Ching TYC, Crowe, K, Day J and Seeto M | Predictors of early reading skill in 5-year-old children with hearing loss who use spoken language. | Reading Research Quarterly, 49(1):85-104. doi: 10.1002/rrq.60 |
| 2014 | Dillon H | The top 15 most useful hearing aid features. | Hearing HQ, Apr-Jul: 10-15. https://issuu.com/thetangellogroup/docs/hearingh_q_apr-jul_14_issue |
| 2014 | Dillon H | Objective cortical evaluation of infants wearing hearing aids. | Audiology Today, Jul/Aug:33-34. http://online.qmags.com/AT0714#pg35&mode2 |
| 2014 | Dillon H and Cameron S | Central auditory processing disorders in children. | Hearing HQ Apr-Jul: 26-27. https://issuu.com/thetangellogroup/docs/hearingh_q_apr-jul_14_issue |
| 2014 | Dillon H, Cameron S, Tomlin D and Glyde H | Comments on "Factors influencing tests of auditory processing: A perspective on current issues and relevant concerns" by Tony Cacace and Dennis McFarland. | Journal of the American Academy of Audiology, 25(7):699-702. |
| 2014 | Eichenauer A, Dillon H, Clinch B and Loi T | Effect of bone-conduction harmonic distortions on hearing thresholds. | Journal of the Acoustical Society of America, 136(2):EL96. doi: 10.1121/1.4885771 |
| 2014 | Gilliver M, Williams W and Beach EF | Noise exposure in the balance: Managing occupational and leisure risks to hearing health. | Journal of Health, Safety and Environment, 30(1):203-208. |
| 2014 | Glyde H, Cameron S, Dillon H and Hickson L | Remediation of spatial processing deficits in hearing-impaired children and adults. | Journal of the American Academy of Audiology, 25(6):549-561. doi: 10.3766/jaaa.25.6.5 |
| 2014 | Gyldenkerne P, Dillon H, Sharma M and Purdy S | Attend to this: The relationship between auditory processing disorders and attention deficits. | Journal of the American Academy of Audiology, 25(7):676-687. doi: 10.3766/jaaa.25.7.6 |
| 2014 | Incerti P, Ching TYC and Cowan R | Electroacoustic stimulation in adults: localization and speech perception. | Cochlear Implants International, 15 (suppl 1):S17-S20. doi: 10.1179/1467010014Z.000000000161 |
| 2014 | Lo C, Dillon H, Cameron S, and McMahon C | Evaluation of headphone effects on performance in LiSN & Learn auditory training software. | The ANU Undergraduate Research Journal, Volume Six, 2014. Zapasnik J and Hogan A (eds), ANU eView, The Australian National University, Canberra, Australia. pp 147-159. PLoS ONE, 9(10): e110832. doi: 10.1371/journal.pone.0110832 |
| 2014 | Meek PD, Ballard G-A, Fleming PJS, Schaefer M, Williams W and Falzon G | Camera traps can be heard and seen by animals. | PLoS ONE, 9(10): e110832. doi: 10.1371/journal.pone.0110832 |
| 2014 | Nielsen L, Beach EF and Gilliver M | Clubbers' attitude toward earplugs: Better with use. | The Hearing Journal, 67(4):6-11. doi: 10.1097/01.HJ.0000446442.51795.3e |
| 2014 | O'Brien I, Driscoll T, Williams W and Ackermann B | A clinical trial of active hearing protection for orchestral musicians, | Journal of Occupational & Environmental Hygiene, 11(7):450-459. doi: 10.1080/15459624.2013.875187 |
| 2014 | Rönnberg J, Hygge S, Keidser G and Rudner M | The effect of hearing loss and age on long- and short-term visuospatial memory: Evidence from the UK Biobank resource. | Frontiers in Aging Neuroscience, 6:326. doi: 10.3389/fnagi.2014.00326 |
| 2014 | Tomlin D, Dillon H and Kelly AS | Allowing for asymmetric distributions when comparing auditory processing test percentage scores to normative data. | Journal of the American Academy of Audiology, 25(6):541-548. doi: 10.3766/jaaa.25.6.4. |
| 2014 | Walravens E, Keidser G, Hartley D and Hickson L | An Australian version of the Acceptable Noise Level test and its predictive value for successful hearing aid use in an older population. | International Journal of Audiology, 53(suppl 1):S52-59. doi: 10.3109/14992027.2013.862599 |
| 2014 | Williams W | Making noise visible. | Safeguard, 145 (May/June):23. |

| Year | Author(s) | Title | Citation |
|------|---|--|---|
| 2014 | Williams W, Carter L and Seeto M | Hearing thresholds for a population of 11 to 35 year old Australian females and males. | International Journal of Audiology, 53(5):289-93. doi: 10.3109/14992027.2013.873957 |
| 2014 | Zhang V, Ching T, Van Buynder P, Hou S, Flynn C, Burns L and Wong A | Aided cortical response, speech intelligibility, consonant perception and functional performance of young children using conventional amplification or nonlinear frequency compression. | International Journal of Pediatric Otorhinolaryngology, 78(10):1692-1700. doi: 10.1016/j.ijporl.2014.07.022 |
| 2015 | Bardy F, Van Dun B and Dillon H | Bigger is better: Increasing cortical auditory response amplitude via stimulus spectral complexity. | Ear and Hearing, 36(6):677-687. doi: 10.1097/AUD.000000000000183 |
| 2015 | Barry J, Tomlin D, Moore DR and Dillon H | Use of questionnaire-based measures in the assessment of listening difficulties in school-aged children. | Ear and Hearing, 36(6):e300-e313. doi: 10.1097/AUD.000000000000180 |
| 2015 | Beach E and Gilliver M | Instrumental music teachers: Music exposure and hearing loss. | Australian Journal of Music Education, 1:3-12. http://search.informit.com.au/documentSummary;dn=599762209274673;res=IELHSS |
| 2015 | Beach E, Nielsen L and Gilliver M | Providing earplugs to young adults at risk encourages protective behaviour in music venues | Global Health Promotion, doi: 10.1177/1757975914558887 |
| 2015 | Beach EF, Noble W and Kitamura C | Modified spectral tilt affects infants' native language discrimination of approximants and vowels. | Journal of the Acoustical Society of America, 138(3), EL352-EL358. doi: 10.1121/1.4929732 |
| 2015 | Beach, E and Sewell J | Australian HEARsmart targets unhealthy listening habits. | Canadian Audiologist, 2(4). http://canadianaudiologist.ca/issue/volume-2-issue-4-2015/australian-hearsmart-targets-unhealthy-listening-habits/ |
| 2015 | Beach E and Sewell J | New Australian initiative puts the spot light on personal leisure noise risk. | Canadian Audiologist, 2(4). http://canadianaudiologist.ca/issue/volume-2-issue-4-2015/new-australian-initiative-puts-the-spotlight-on-personal-leisure-noise-risk/ |
| 2015 | Best V, Keidser G, Buchholz JM and Freeston K | An examination of speech reception thresholds measured in a simulated reverberant cafeteria environment. | International Journal of Audiology, 54(10), 682-690. doi: 10.3109/14992027.2015.1028656. |
| 2015 | Best V, Mejia J, Freeston K, van Hoesel RJ and Dillon H | An evaluation of the performance of two binaural beamformers in complex and dynamic multitalker environments. | International Journal of Audiology, 54(10):727-735. doi: 10.3109/14992027.2015.1059502 |
| 2015 | Cameron S, Glyde H, Dillon H, King A and Gillies K | Results from a national central auditory processing disorder service: A "real world" assessment of diagnostic practices and remediation for CAPD. | Seminars in Hearing, 36(4):216-236. doi: 10.1055/s-0035-1564457 |
| 2015 | Carter L, Williams W and Seeto M | Normative TE and DP otoacoustic emission data from an Australian cross-sectional hearing study. | International Journal of Audiology, 54(11):806 - 817. doi: 10.3109/14992027.2015.1046505 |
| 2015 | Ching TYC | Introduction to the special session on intervention and outcomes of children with hearing loss. | American Journal of Audiology, 24(3):344. doi: 10.1044/2015_AJA-15-0008 |
| 2015 | Ching TYC | Is early intervention effective in improving outcomes of children with congenital hearing loss? | American Journal of Audiology, 24(3):345-348. doi: 10.1044/2015_AJA-15-0007 |
| 2015 | Ching TYC and Cupples L | Phonological awareness at 5 years of age in children who use hearing aids or cochlear implants. | Perspectives on Hearing and Hearing Disorders in Childhood, 25(2):48-59. doi: 10.1044/hhdc25.2.48 |
| 2015 | Ching TYC, Incerti P and Plant G | Electric-acoustic stimulation: for whom, in which ear, and how. | Cochlear Implants International, 16(S1):S12-S15. doi: 10.1179/1467010014Z.000000000225 |
| 2015 | Ching TYC, Quar T, Newall P and Sharma M | Comparing NAL-NL1 and DSL v5 in hearing aids fit to children with severe or profound hearing loss: goodness of fit to targets, impacts on predicted loudness and speech intelligibility. | Journal of the American Academy of Audiology, 26: 1-15. doi: 10.3766/jaaa.26.1.2 |
| 2015 | Ching TYC, Rattanasone Xu N, Macdonald G, Zhang VW, Button L and Demuth K | Intelligibility of speech produced by children with hearing loss: Conventional amplification versus nonlinear frequency compression in hearing aids. | Journal of Communication Disorders, Deaf Studies & Hearing Aids, 3:135. doi: 10.4172/2375-4427.1000135 |
| 2015 | Ching T, Zhang V and Gunnourie M | Outcomes of Victorian 5-6 year old children with congenital hearing loss: findings of the Longitudinal Outcomes of Children with Hearing Impairment (LOCHI) study. | Report commissioned by Victorian Deaf Education Institute (VDEI). |
| 2015 | Convery E, Keidser G, Seeto M, Yeend I and Freeston K | Factors affecting reliability and validity of self-directed automatic in situ audiometry: implications for self-fitting hearing aids. | Journal of the American Academy of Audiology, 26(1):5-18. doi: 10.3766/jaaa.26.1.2 |
| 2015 | Crowe K, McLeod S, McKinnon DH and Ching TYC | Attitudes towards the capabilities of deaf and hard of hearing adults: Insights from the parents of deaf and hard of hearing children. | American Annals of the Deaf, 160(1):24-35. doi: 10.1353/aad.2015.0013 |
| 2015 | Gardner-Berry K, Purdy SC, Ching TYC and Dillon H | The audiological journey and early outcomes of twelve infants with auditory neuropathy spectrum disorder from birth to 2 years of age. | International Journal of Audiology, 54(8):524-535. doi: 10.3109/14992027.2015.1007214 |
| 2015 | Gilliver M, Beach E and Williams W | Changing beliefs about leisure noise: using health promotion models to investigate young people's engagement with, and attitudes towards, hearing health, | International Journal of Audiology, 54(4):211-219. doi: 10.3109/14992027.2014.978905 |

| Year | Author(s) | Title | Citation |
|------|--|--|--|
| 2015 | Glyde H, Buchholz JM, Nielsen L, Best V, Dillon H, Cameron S and Hickson L | Effect of audibility on spatial release from speech-on-speech masking. | Journal of the Acoustical Society of America, 138(5):3311-3319. doi: 10.1121/1.4934732 |
| 2015 | Hogan A, Phillips RL, Brumby SA, Williams W and Mercer-Grant C | Higher social distress and lower psycho-social wellbeing: Examining the coping capacity and health of people with hearing impairment. | Disability and Rehabilitation, 37(22):2070-2075. doi: 10.3109/09638288.2014.996675 |
| 2015 | Keidser G | Applying evidence-based practice when the intervention is brand new. | Audiologynow, 60 (Autumn), 20-22. |
| 2015 | Keidser G, Best V, Freeston K and Boyce A | Cognitive spare capacity: evaluation data and its association with comprehension of dynamic conversations. | Frontiers in Psychology: Auditory cognitive neuroscience, 6 May:597. doi: 10.3389/fpsyg.2015.00597 |
| 2015 | Keidser G, Seeto M, Rudner M, Hygge S and Rönnberg J | On the relationship between functional hearing and depression. | International Journal of Audiology, 54(10),653-664. doi: 10.3109/14992027.2015.1046503. |
| 2015 | Leigh G, Ching TYC, Crowe K, Cupples L, Marnane V and Seeto M | Factors affecting psychosocial and motor development in 3-year-old children who are deaf or hard of hearing. | Journal of Deaf Studies and Deaf Education, 20(4):331-342. doi: 10.1093/deafed/env028 |
| 2015 | Marnane V and Ching TYC | Hearing aid and cochlear implant use in children with hearing loss at three years of age: Predictors of use and predictors of change in use. | International Journal of Audiology, 54(8):544-551. doi: 10.3109/14992027.2015.1017660 |
| 2015 | Mealings KT, Buchholz JM, Demuth K and Dillon H | Investigating the acoustics of a sample of open plan and enclosed Kindergarten classrooms in Australia. | Applied Acoustics, 100:95-105. doi: 10.1016/j.apacoust.2015.07.009 |
| 2015 | Mealings K, Demuth K, Buchholz J and Dillon H | The development of the Mealings, Demuth, Dillon, and Buchholz Classroom Speech Perception Test. | Journal of Speech, Language and Hearing Research, 58(4):1350-1362. doi: 10.1044/2015_JSLHR-H-14-0332 |
| 2015 | Mealings K, Demuth K, Buchholz J and Dillon H | The effect of open plan versus enclosed classroom acoustics on speech perception in Kindergarten children. | Journal of the Acoustical Society of America, 138(4):2458-2469. doi: 10.1121/1.4931903 |
| 2015 | Mealings KT, Dillon H, Buchholz JM and Demuth K | An assessment of open plan and enclosed classroom listening environments for young children: Part 1 – Children's questionnaires. | Journal of Educational, Pediatric & (Re)Habilitative Audiology, 21. http://www.edaud.org/journal/2015/4-article-15.pdf |
| 2015 | Mealings KT, Dillon H, Buchholz JM and Demuth K | An assessment of open plan and enclosed classroom listening environments for young children: Part 2 – Teachers' questionnaires. | Journal of Educational, Pediatric & (Re)Habilitative Audiology, 21. http://www.edaud.org/journal/2015/3-article-15.pdf |
| 2015 | Mejia J, Dillon H, Van Hoesel R, Beach E, Glyde H, Yeend I, Beechey T, McLelland M, O'Brien A, Buchholz J, Sharma M, Valderrama J and Williams W | Loss of speech perception in noise – causes and compensation | Proceedings of ISAAR 2015: Individual Hearing Loss – Characterization, Modelling, Compensation Strategies. 5th symposium on Auditory and Audiological Research. August 2015, Nyborg, Denmark. Edited by S. Santurette, T. Dau, J. C. Dalsgaard, L. Tranebjærg, and T. Andersen. ISBN: 978-87-990013-5-4. The Danavox Jubilee Foundation, 2015. |
| 2015 | Mejia J, Nguyen C-V, Yeend I, Loi T, Cowan R and Dillon H | Bone-conduction hearing aids: Into the (near) future. | The Hearing Journal, 68(8):30-34. doi: 10.1097/01.HJ.0000470894.83693.cf. |
| 2015 | Mohammadi A, Walker P and Gardner-Berry K | Unilateral auditory neuropathy spectrum disorder: retrocochlear lesion in disguise? | Journal of Laryngology and Otology, 129(Suppl S1):S38-S44. doi: 10.1017/S0022215114002734 |
| 2015 | Oreinos C and Buchholz J | Objective analysis of higher-order ambisonics for hearing aid applications. | Journal of the Acoustical Society of America, 137:3447-3465. doi: 10.1121/1.4919330 |
| 2015 | Tomlin D, Dillon H, Sharma M and Rance G | The impact of auditory processing and cognitive abilities in children. | Ear and Hearing, 36(5):527-542. doi: 10.1097/AUD.0000000000000172 |
| 2015 | Van Dun B, Dillon H and Seeto M | Estimating hearing thresholds in hearing-impaired adults through automatic detection of cortical auditory evoked potentials. | Journal of the American Academy of Audiology, 26(4):370-383. doi:10.3766/jaaa.26.4.5 |
| 2015 | Westermann A and Buchholz JM | The effect of spatial separation in distance on the intelligibility of speech in rooms. | Journal of the Acoustical Society of America, 137:757-767. doi: 10.1121/1.4906581 |
| 2015 | Westermann A and Buchholz JM | The influence of informational masking in reverberant, multi-talker environments. | Journal of the Acoustical Society of America, 138(2):584-593. doi: 10.1121/1.4923449 |
| 2015 | Williams W, Brumby S, Calvano A, Hatherall T, Mason H and Hogan A | Farmers' work-day noise exposure. | Australian Journal of Rural Health,23: 67-73. doi: 10.1111/ajr.12153 |
| 2015 | Williams W, Carter L and Seeto M | Pure tone hearing thresholds and leisure noise: Is there a relationship? | Noise & Health, 17(78): 358 - 363. doi: 10.4103/1463-1741.165066 |
| 2016 | Bardy F, Sjahalam-King J, Van Dun B and Dillon H | Cortical auditory evoked potentials (CAEPs) in response to multi-tone (MT) stimuli in hearing-impaired adults. | Journal of the American Academy of Audiology, 27(5):406-415. doi: 10.3766/jaaa.15068 |

| Year | Author(s) | Title | Citation |
|---------------------------------|---|--|--|
| 2016 | Bardy F, Van Dun B, Dillon H, Seeto M, Qin H, Loi T and Cowan R | The Cortical Automatic Threshold Estimation (CATE) in adults: an audiogram with a single button press. | The Hearing Journal, 69(6):32-37. doi: 10.1097/01.HJ.0000484550.21043.23 |
| 2016 | Beach EF, Gilliver M, Williams W | Hearing protection devices: Usage at work predicts usage at play. | Archives of Environmental and Occupational Health 71(5), 281-288. doi: 10.1080/19338244.2015.1089828 |
| 2016 | Best V, Keidser G, Buchholz JM and Freeston K | Development and preliminary evaluation of a new test of ongoing speech comprehension. | International Journal of Audiology, 55(1):45-52. doi: 10.3109/14992027.2015.1055835 |
| 2016 | Best V, Keidser G, Freeston K and Buchholz J | A dynamic speech comprehension test for assessing real-world listening ability. | Journal of the American Academy of Audiology, 27(7):515-526. doi: 10.3766/jaaa.15089 |
| 2016 | Cameron S, Glyde H, Dillon H and Whitfield J | Investigating the interaction between dichotic deficits and cognitive abilities using the Dichotic Digits difference Test (DDdT), Part 2. | Journal of the American Academy of Audiology, 27(6):470-479. doi: 10.3766/jaaa.15085 |
| 2016 | Cameron S, Glyde H, Dillon H, Whitfield J and Seymour J | The Dichotic Digits difference Test (DDdT): Development, normative data and test-retest reliability studies, Part 1. | Journal of the American Academy of Audiology, 27(6):458-469. doi: 10.3766/jaaa.15084 |
| 2016 | Carter L, Black D, Bundy A and Williams W | Parent perceptions of children's leisure and the risk of damaging noise exposure. | Deafness & Education International, 18(2):87-102. doi:10.1080/14643154.2015.1136478 |
| | | Carter L, Black D, Bundy, A, and Williams W (in press). Leisure activity participation and estimated whole-of-life noise exposure of young people with, and without, hearing impairment. <i>Journal of the American Academy of Audiology</i> | |
| 2016 | Ching TYC, Hou S and Zhang V | Measuring outcomes of infants and children with hearing loss. | In Tharpe & Seewald (eds). Comprehensive Handbook on Pediatric Audiology, 2d ed. Chapter 28, pp 713-737. |
| 2016 | Ching TYC, and Wong C | Factors influencing child developmental outcomes. | In E Rhodes & J Duncan (eds). AV Practice: Towards a Family-Centred Approach. Chapter 7. |
| 2016 | Ching TYC, Zhang VW, Hou S and Van Buynder P | Cortical auditory evoked potentials reveal changes in audibility with nonlinear frequency compression in hearing aids for children: Clinical implications, | Seminars in Hearing, 37(1):25-35. doi: 10.1055/s-0035-1570332 |
| 2016 | Convery E, Keidser G, Hickson L and Meyer C | Beyond hearing loss: self-management in audiological practice. | The Hearing Journal, 69(3):22-28. doi: 10.1097/01.HJ.0000481806.21204.6b |
| 2016 [online ahead of print] | Cupples L, Ching TYC, Button L, Leigh G, Marnane V, Whitfield J, Gunnourie M and Martin L | Language and speech outcomes of children with hearing loss and additional disabilities: identifying the variables that influence performance at five years of age. | International Journal of Audiology, doi:10.1080/14992027.2016.1228127 |
| 2016 | Dillon H | Deficit-specific remediation for CAPD: Spatial processing disorder and other specific CAPD subtypes. | Audiology Today, 28(4):58-59. http://online.qmags.com/AT0716#pg60&mode2 |
| 2016 | Dillon H, Beach EF, Seymour J, Carter L and Golding M | Development of Telscreen: A telephone-based speech-in-noise hearing screening test with a novel masking noise and scoring procedure. | International Journal of Audiology, 55(8):463-471. doi: 10.3109/14992027.2016.1172268 |
| 2016 | Fritschi L, Lewkoski K, Florath I, McCausland K, Li I, Williams W and Heyworth J | P101 Validation of an occupational noise questionnaire. | Occupational and Environmental Medicine, 73(Suppl 1):A154. doi:10.1136/oemed-2016-103951.422 |
| 2016 [online ahead of print] | Erbasi E, Scarinci N, Hickson L and Ching TYC | Parental involvement in the care and intervention of children with hearing loss. | International Journal of Audiology, doi:10.1080/14992027.2016.1220679 |
| 2016 | Gardner-Berry K, Chang H, Ching TYC and Hou S | Detection rates of cortical auditory evoked potentials at different sensation levels in infants with sensory/ neural hearing loss and auditory neuropathy spectrum disorder. | Seminars in Hearing, 37(1):53-61. doi: 10.1055/s-0035-1570330 |
| 2016 | Gilliver M, Cupples L, Ching TYC, Leigh G and Gunnourie M | Developing sound skills for reading: Teaching phonological awareness to preschoolers with hearing loss. | Journal of Deaf Studies and Deaf Education, 21(3):268-279. doi: 10.1093/deafed/enw004 |
| 2016 | Keidser G | Editorial - Introduction to special issue: Towards ecologically valid protocols for the assessment of hearing and hearing devices. | Journal of the American Academy of Audiology, 27(7):502-503. doi: 10.3766/jaaa.27.7.1 |
| 2016 | Keidser G and Convery E. | Self-fitting hearing aids: Status quo and future predictions. | Trends in Hearing, 20(April 12):1-15. doi: 10.1177/2331216516643284 |
| 2016 | Keidser G and Convery E | Preliminary observations on outcomes with a self-fitted hearing aid. | The Hearing Journal, 69(11):34-38. doi: 10.1097/01.HJ.0000508366.66299.0e |
| 2016 | Keidser G, Rudner M, Seeto M, Hygge S and Rönnberg J | The effect of functional hearing and hearing aids on verbal reasoning in a large community-dwelling population. | Ear Hearing, 37(1),e26-36. doi: 10.1097/AUD.0000000000000196 |
| 2016 | Kressner AA, Westermann A, Buchholz JM and Rozell CJ | Cochlear implant speech intelligibility outcomes with structured and unstructured binary mask errors. | Journal of the Acoustical Society of America, 139, 800-810. doi: 10.1121/1.4941567 |

| Year | Author(s) | Title | Citation |
|------|--|---|---|
| 2016 | Lucke K, Van Dun B, Gardner-Berry K, Carter L, Martin K, Rogers TL and Tripovich JS | Click-evoked auditory brainstem responses in an Australian sea lion, <i>Neophoca cinerea</i> . | <i>Aquatic Mammals</i> , 42(2), 210-217. doi: 10.1578/AM.42.2.2016.210 |
| 2016 | Menezes MP, O'Brien K, Hill M, Webster R, Antony J, Ouvrier R, Birman C and Gardner-Berry K | Auditory neuropathy in Brown-Vialetto-Van Laere syndrome due to riboflavin transporter RFVT2 deficiency. | <i>Developmental Medicine and Child Neurology</i> . doi: 10.1111/dmcn.13084 |
| 2016 | Narne VK, Sharma M, Van Dun B, Bansal S, Prahbu L and Moore BCJ | Effects of spectral smearing on performance of the spectral ripple and spectro-temporal ripple tests. | <i>Journal of Acoustical Society of America</i> , 140(6):4298-4306. doi:10.1121/1.4971419 |
| 2016 | Nie V and Beach E | Fitness instructors and noise exposure: Spreading the hearing health message. | <i>Acoustics Australia</i> , 44(1):87-93. doi: 10.1007/s40857-015-0042-3 |
| 2016 | O'Brien I and Beach EF | Hearing loss, earplug use and attitudes to hearing protection amongst non-orchestral ensemble musicians. | <i>Journal of the Audio Engineering Society</i> , 64(3):132-137. doi: 10.17743/jaes.2015.0096 |
| 2016 | Oreinos C and Buchholz JM | Evaluation of loudspeaker-based virtual sound environments for testing directional hearing aids. | <i>Journal of the American Academy of Audiology</i> , 27(7):541-556. doi: 10.3766/jaaa.15094 |
| 2016 | Punch S, Van Dun B, King A, Carter L and Pearce W | Clinical experience of using cortical auditory evoked potentials in the treatment of infant hearing loss in Australia. | <i>Seminars in Hearing</i> , 37(1):36-52. doi: 10.1055/s-0035-1570331 |
| 2016 | Rana B and Buchholz JM | Better-ear glimpsing at low frequencies in normal-hearing and hearing-impaired listeners. | <i>Journal of the Acoustical Society of America</i> , 140(2):1192-1205. doi:10.1121/1.4961006 |
| 2016 | Rudner M, Keidser G, Hygge S and Rönnerberg J | Better visuospatial working memory in adults who report profound deafness compared to those with normal or poor hearing: data from the UK Biobank resource. | <i>Ear and Hearing</i> , 37(5):620-622. doi: 10.1097/AUD.0000000000000314 |
| 2016 | Smith J, Wolfe J and Ching TYC | Lessons from LOCHI. | <i>The Hearing Journal</i> , 69(6):18-23. doi: HJ.0000484547.75301.11 |
| 2016 | Valderrama JT. | Paying attention to noise. | <i>OneInSix Deafness Forum of Australia Newsletter</i> , February 2016. |
| 2016 | Valderrama JT, de la Torre A, Medina C, Segura JC and Thornton R | Selective processing of auditory evoked responses with iterative-randomized stimulation and averaging: A strategy for evaluating the time-invariant assumption. | <i>Hearing Research</i> , 333:66-76. doi:10.1016/j.heares.2015.12.009 |
| 2016 | Van Dun B, Kania A and Dillon H | Cortical auditory evoked potentials in (un)aided normal-hearing and hearing-impaired adults. | <i>Seminars in Hearing</i> , 37(1):9-24. doi: 10.1055/s-0035-1570333 |
| 2016 | Walravens E, Keidser G and Hickson L | Provision, perception and use of trainable hearing aids in Australia: a survey of clinicians and hearing impaired adults | <i>International Journal of Audiology</i> , 55(12):787-795. doi: 10.1080/14992027.2016.1219776 |
| 2016 | Wake M, Ching TYC, Wirth K, Poulakis Z, Mensah FK, Gold L, King A, Bryson HE, Reilly S and Rickards R | Population outcomes of three approaches to detection of congenital hearing loss. | <i>Pediatrics</i> , 137(1):e20151722. doi: 10.1542/peds.2015-1722 |
| 2016 | Weller T, Buchholz JM and Best V | Auditory masking of speech in reverberant multi-talker environments. | <i>Journal of the Acoustical Society of America</i> , 139:1303-1313. doi: 10.1121/1.4944568 |
| 2016 | Weller T, Best V, Buchholz JM and Young T | A method for assessing auditory spatial analysis in reverberant multi-talker. | <i>Journal of the American Academy of Audiology</i> , 27(7):601-611. doi: 10.3766/jaaa.15109 |
| 2016 | Williams W | Hearing and leisure noise. | <i>Spectrum</i> , 33(2):9-15, July. |
| 2016 | Wong C, Ching TYC, Whitfield J and Duncan J | Online social participation, social capital and literacy of adolescents with hearing loss: A pilot study. | <i>Deafness & Education International</i> , 18(2):103-116. doi: 10.1080/14643154.2016.1159783 |
| 2016 | Wong C L, Ching TYC, [online ahead of print] Leigh G, Cupples L, Button L, Marnane V, Whitfield J, Gunnourie M, Martin L | Psychosocial development of 5-year-old children with hearing loss: Risks and protective factors. | <i>International Journal of Audiology</i> , doi: 10.1080/14992027.2016.1211764 |
| 2017 | Beach E | Leisure noise and hearing. Foreword. | <i>Seminars in Hearing</i> , 38(4):263-266. doi: 10.1055/s-0037-1606322 |
| 2017 | Beach E and O'Brien I | In their own words: Interviews with musicians reveal the advantages and disadvantages of wearing earplugs. | <i>Medical Problems of Performing Artists</i> , 32(2):101-110. doi:10.21091/mppa.2017.2017 |
| 2017 | Carter L and Black D | Hearing threshold shift among young hearing aid wearers: Is it prevalent and is leisure-noise a contributing factor? | <i>Ear and Hearing</i> , 38 (5):628-637. doi: 10.1097/AUD.0000000000000440 |
| 2017 | Carter L and Black D | More to Lose? Noise-risk perceptions of young adults with hearing impairment. | <i>Seminars in Hearing</i> , 38(4):319-331. doi: 10.1055/s-0037-1606326. |
| 2017 | Ching YCT, Dillon H, Button L, Seeto M, Van Buynder P, Marnane V, Cupples L and Leigh G | Age at intervention for permanent hearing loss and 5-year language outcomes. | <i>Pediatrics</i> , 140(3), e20164274. doi: 10.1542/peds.2016-4274 |

| Year | Author(s) | Title | Citation |
|---------------------------------|--|---|--|
| 2017 [online ahead of print] | Ching TYC, Zhang VW, Flynn C, Burns L, Button L, Hou S, McGhie K and Van Buynder P | Factors influencing speech perception in noise for 5-year-old children using hearing aids or cochlear implants. | International Journal of Audiology. doi:10.1080/14992027.2017.1346307 |
| 2017 [online ahead of print] | Ching TYC, Zhang VW, Johnson EE, Van Buynder P, Hou S, Burns L, Button L, Flynn C, McGhie K | Hearing aid fitting and developmental outcomes of children fit to either the NAL or DSL prescription: fit-to-target, audibility, speech and language abilities. | International Journal of Audiology. doi: 10.1080/14992027.2017.1380851 |
| 2017 [online ahead of print] | Ching TYC, Dillon H, Leigh G and Cupples L | Learning from the Longitudinal Outcomes of Children with Hearing Impairment (LOCHI) study: summary of 5-year findings and implications. | International Journal of Audiology. doi:10.1080/14992027.2017.1385865 |
| 2017 [online ahead of print] | Ching TYC, Dillon H, Button L, Seeto M, Van Buynder P, Marnane V, Cupples L and Leigh G | Age at intervention for permanent hearing loss and 5-year language outcomes. | Pediatrics, 140(3):e20164274. doi: 10.1542/peds.2016-4274 |
| 2017 | Ching TYC, Zhang V and Hou S | The importance of early intervention for infants and children with hearing loss. | Chapter 28. In Madell J & Flexer C (eds). Pediatric Audiology. 2d ed. Thieme Publishers. |
| 2017 | Convery E, Keidser G, McLelland M and Seeto M | Evaluation of the self-fitting process with a commercially available hearing aid. | Journal of the American Academy of Audiology, 28(2):109-118. doi: 10.3766/jaaa.15076 |
| 2017 [online ahead of print] | Cupples L, Ching TYC, Button L, Seeto, M, Zhang VW, Whitfield J, Gunnourie M, Martin L and Marnane V | Spoken language and everyday functioning in 5-year-old children using hearing aids or cochlear implants. | International Journal of Audiology, doi:10.1080/14992027.2017.1370140 |
| 2017 | Gardner-Berry K, Hou S and Ching TYC | Management of infants and children with auditory neuropathy spectrum disorder (ANSO). | Chapter 33. In Madell J & Flexer C (eds). Pediatric Audiology. 2nd ed. Thieme Publishers. |
| 2017 | Gilliver M, Nguyen J, Beach E and Barr C | Personal listening devices in Australia: Patterns of use and levels of risk. | Seminars in Hearing, 38(4):282-297. doi: 10.1055/s-0037-1606324 |
| 2017 | Gilliver M, Sewell J, McGinnity S, Beach E | Advancing tinnitus awareness through animation. | The Hearing Journal,70(9):14,15. doi: 10.1097/01.HJ.0000525523.41184.42 |
| 2017 | Graydon K, Rance G, Dowell R and Van Dun B | Consequences of early conductive hearing loss on long-term binaural processing. | Ear & Hearing, 38(5), 621-627. doi: 10.1097/AUD.0000000000000431 |
| 2017 [online ahead of print] | Incerti PV, Ching TYC, Hou, S, Van Buynder P, Flynn C and Cowan R | Programming characteristics of cochlear implants in children: effects of etiology and age at implantation, | International Journal of Audiology, doi: 10.1080/14992027.2017.1370139 |
| 2017 | Keidser G and Seeto M | The influence of social interaction and physical health on the association between hearing and depression with age and gender. | Trends in Hearing, 21 (July 28): 2331216517706395. doi:10.1177/2331216517706395 |
| 2017 | McAlpine D, McMahon C, Dillon H, Leigh G, Hungerford J, Patrick J, Cowan R and Dodd L | Introducing the Australian Hearing Hub. | Trends in Hearing, 21 (July 28): 2331216517722920. doi:10.1177/2331216517722920 |
| 2017 | Mealings K | Children struggle to hear and teachers struggle to teach in new open-plan learning environments. | Nomanis, 1(4):22-23. |
| 2017 | Mejia J, Carter L, Dillon H and Littman V | Listening effort, speech intelligibility, and narrow directionality. | Hearing Review,24(1):22. |
| 2017 | Rana B, Buchholz JM, Morgan C, Sharma M, Weller T, Konganda SA and Shirai K and Kawano A | Bilateral versus unilateral cochlear implantation in adult listeners: Speech-on-speech masking and multitalker localization. | Trends in Hearing, 21 (July 28): 2331216517722106 doi:10.1177/2331216517722106 |
| 2017 [online ahead of print] | Scarinci N, Yanbay E, Moore E and Ching TYC | The parents' perspective of the early diagnostic period of their child with hearing loss: information and support. | International Journal of Audiology, doi: 10.1080/14992027.2017.1301683 |
| 2017 | Sorensen R, Beach EF, Gilliver M, Daugaard C | Preferred listening levels - a silent disco study. | Proceedings of the International Symposium on Auditory and Audiological Research, [S.I.], v. 6, p. 255-262, dec. 2017. ISSN 2596-5522. https://proceedings.isaar.eu/index.php/isaarproc/article/view/2017-31 |
| 2017 | Westermann A and Buchholz JM | The effect of hearing loss on source-distance dependent speech intelligibility in rooms. | Journal of the Acoustical Society of America, 141(2):EL140-EL145. doi: 10.1121/1.4976191. |
| 2017 | Westermann A and Buchholz JM | The effect of nearby maskers in reverberant multi-talker environments. | Journal of the Acoustical Society of America, 141(3), 2214-2223. doi: 10.1121/1.4979000 |
| 2017 | Williams W and Carter L | Tinnitus and leisure noise. | International Journal of Audiology, 56(4):219-225. doi:10.1080/14992027.2016.1250961 |
| 2017 | Williams W, Zhou, D, Stewart G and Knott P | Facilitating occupational noise management: The use of a smartphone app as a noise exposure, risk management tool. | Journal of Health & Safety, Research and Practice, 9(1):3-9. |

| Year | Author(s) | Title | Citation |
|---------------------------------|---|--|---|
| 2017 | Wong CL, Ching TYC, Cupples L, Button L, Leigh G, Marnane V, Whitfield J, Gunnourie M and Martin L | Psychosocial development in 5-year-old children with hearing loss using hearing aids or cochlear implants. | Trends in Hearing, 21 (July 28):2331216517710373 doi:10.1177/2331216517710373 |
| 2017 | Yeend I, Beach E, Sharma M and Dillon H | The effects of noise exposure and musical training on suprathreshold auditory processing and speech perception in noise. | Hearing Research, 353:224-236. doi:10.1016/j.heares.2017.07.006 |
| 2018 | Beach, EF | Hidden hearing loss in humans: cochlear synaptopathy is superseded by cognitive effects when listening to speech in noise. | ENT & Audiology News, 27(1):84-85. |
| 2018 | Beechey T, Buchholz J and Keidser G | Measuring communication difficulty through effortful speech productions during conversation. | Speech Communication, 100:18-29. doi: 10.1016/j.specom.2018.04.007 |
| 2018 | Best V, Keidser G, Freeston K and Buchholz J | Evaluation of the NAL Dynamic Conversations Test in older listeners with hearing loss. | International Journal of Audiology, 57(3):221-229. doi:10.1080/14992027.2017.1365275 |
| 2018 | Cameron S, Chong-White N, Mealings K, Beechey T, Dillon H and Young T | The Phoneme Identification Test (PIT) for assessment of spectral and temporal discrimination skills in children: Development, normative data and test-retest reliability studies. | Journal of the American Academy of Audiology, 29 (2):151-163. doi.org/10.3766/jaaa.16146 |
| 2018 | Cameron S, Chong-White N, Mealings K, Beechey T, Dillon H and Young T | The Parsing Syllable Envelopes (ParSE) test for assessment of amplitude modulation discrimination skills in children: Development, normative data and test-retest reliability studies. | Journal of the American Academy of Audiology, 29 (2):135-150. doi.org/10.3766/jaaa.1614 |
| 2018 | Cameron S and Dillon H | Deficit-specific diagnosis and remediation of auditory processing disorders. | In D. Geffner & D. Ross-Swain (Eds.). Auditory Processing Disorders: Assessment, Management and Treatment. Third Edition. (pp. 95-122). San Diego, CA: Plural Publications. |
| 2018 | Ching TYC, Cupples L, Zhang WV. | Language abilities and language growth in children with hearing loss. | In Horst J & von Koss Torkildsen J (eds) International Handbook on Language Development. Routledge Publ. |
| 2018 [online ahead of print] | Convery E, Hickson L, Meyer C, Keidser G | Predictors of hearing loss self-management in older adults. | Disability and Rehabilitation. doi: 10.1080/09638288.2018.1457091 |
| 2018 | Convery E, Meyer C, Keidser G and Hickson L | Assessing hearing loss self-management in older adults. | International Journal of Audiology 57(4), 313-320. doi: 10.1080/14992027.2017.1390268 |
| 2018 | Cupples L, Ching TYC, Leigh G, Martin L, Gunnourie M, Button L, Marnane V, Hou S, Zhang V, Flynn C, Van Buynder P | Language development in deaf or hard of hearing children with additional disabilities: Type matters! | Journal of Intellectual Disability Research, 62(6):532-543. doi: 10.1111/jir.12493 |
| 2018 [online ahead of print] | Dillon H, Mee C, Moreno JC, Seymour J | Hearing tests are just child's play: The Sound Scouts game for children entering school. | International Journal of Audiology. Doi:10.1080/14992027.2018.1463464 |
| 2018 | Graydon K, Van Dun B, Tomlin D, Dowell R and Rance G | Remediation of spatial processing disorder (SPD). | International Journal of Audiology,57(5):376-384. doi:10.1080/14992027.2018.1431403 |
| 2018 | Keidser G, Convery E | Outcomes with a self-fitting hearing aid. | Trends in Hearing, 22 (May1):2331216518768958. doi:10.1177/2331216518768958 |
| 2018 | Lewkowski K, Florath I, McCausland K, Heyworth J, Williams W and Fritschi L | Questionnaire-based algorithm for assessing occupational noise exposure of construction workers. | Journal of Occupational and Environmental Medicine, 75(3):237-242. doi:10.1136/oemed-2017-104381 |
| 2018 | McGinnity S, Beach EF, Mulder J and Cowan R | Caring for musicians' ears: insights from audiologists and manufacturers reveal need for evidence-based guidelines. | International Journal of Audiology, 57(sup 1):S12-S19. doi:10.1080/14992027.2017.1405288 |
| 2018 | Valderrama JT, de la Torre A, and Van Dun B | An automatic algorithm for blink-artifact suppression based on iterative template matching: Application to single channel recording of cortical auditory evoked potentials. | Journal of Neural Engineering 15(1), 016008, 15pp. doi: https://doi.org/10.1088/1741-2552/aa8d95 |
| 2018 | Williams W, McSorley A, Hunt R, Eccles G | Minimising noise disturbance during ground shooting of pest animals through the use of a muzzle blast suppressor/silencer. | Ecological Management & Restoration 19(2): 172-175. doi: 10.1111/emr.12311 |
| 2018 | Wong C, Ching TYC, Whitfield J and Duncan J | Exploring the social capital of adolescents who are deaf or hard of hearing and their parents: A preliminary investigation. | American Annals of the Deaf, 162(5):463-478. doi: 10.1353/aad.2018.0004 |